# FEBS Letters

An international journal for the rapid publication of short reports in biochemistry, biophysics and molecular cell biology

Published by Elsevier
on behalf of the
Federation of European
Biochemical Societies
ISSN 0 014 5793

## MASTER INDEX
## VOLUMES 465–486 (2000)

Volume 486, Supplement

FEBS

# Letters

*An international journal established for the most rapid possible publication of essentially final short papers in the field of Biochemistry, Biophysics and Molecular Cell Biology*

Published by Elsevier Science B.V. on behalf of the Federation of European Biochemical Societies

**Information for authors: Papers should be short, but complete and essentially final reports. FEBS Letters is not a vehicle for publication of preliminary or fragmentary observations, or for reports that are scientifically sound but do not warrant urgent publication or that are only addressed to a specialised readership. As a rule, we do not publish the following: cloning and sequencing of a cDNA or a gene that has previously been reported for another species; conventionally achieved expression of a protein; incomplete NMR or other spectroscopic assignments; conventionally achieved crystallization of a protein; or just negative observations. Methodological papers are normally not published, unless they are truly novel and significant. The overriding criterion is that a paper must be of sufficient immediate importance to justify urgent publication. Please note that our rejection procedure may take as long as in other journals. This is because the confirming opinion of a second Editor will normally be obtained before the paper is actually rejected.**
**Preparation of manuscripts: see our "Notes to Authors" on the internet at http://www.elsevier.nl/febs or printed in FEBS Letters at the end of each tenth volume (i.e., at the end of Vols. 470, 480, etc.).**
The authors must submit a floppy disk of their manuscript along with the printed version (see under Notes to Authors). This accelerates the handling process and reduces the danger of misprints eventually appearing. Figures: Whenever possible, authors should submit figures (including colour figures) in the sizes they should appear in print, preferably fitting one printed column (width 8 cm). Also original photos should be submitted (not copies of photos). Proofs: As a rule authors will not be sent proofs; proofreading is the publisher's responsibility. Only when specifically requested at the time of submission and endorsed by the accepting editor on the acceptance form, will proofs be faxed to the authors to check for minor errors. If the authors wish to introduce extensive changes (at the issue manager's discretion) the proofs will be sent back to the accepting editor and the article treated as a resubmission of the original manuscript. Of course this will lead to a severe delay in publication.

## EDITORS:

J. AVILA
Fax: **34-1-397-47-99**; e-mail: javila@mvax.cbm.uam.es
M. BAGGIOLINI
Fax: **41-31-631-3799**; e-mail: baggiolini@tki.unibe.ch
J.E. CELIS
Fax: **45-3525-7375**; e-mail: jec@cancer.dk
G. CESARENI
Fax: **39-06-202 35 00**; e-mail: cesareni@uniroma2.it
R. COGDELL
Fax: **44-141-330-4620**; e-mail: r.cogdell@bio.gla.ac.uk
S.P. DATTA (Honorary Chairman), London, UK
H. EKLUND
Fax: **46-18-53-6971**; e-mail: hasse@xray.bmc.uu.se
H. FELDMANN
Fax: **49-89-59 96 316**; e-mail: horst.feldmann@bio.med.uni-muenchen.de
U.-I. FLÜGGE
Fax: **49-221-470-5039**; e-mail: uiflue@biolan.uni-koeln.de
T. GOJOBORI
Fax: **81-559-81-6848**; e-mail: tgojobor@genes.nig.ac.jp
B. HALLIWELL
Fax: **65-779-8842**; e-mail: bchbb@nus.edu.sg
J. HANOUNE
Fax: **33-1-48-98-09-08**; e-mail: hanoune@im3.inserm.fr
Th.L. JAMES
Fax: **1-415-502-4690**; e-mail: james@picasso.ucsf.edu
P. JOLLÈS
Fax: **33-1-4079-3122**; e-mail: pjolles@mnhn.fr
L. KISSELEV
Fax: **7-095-135-1405**; e-mail: kissel@imb.imb.ac.ru
H.-D. KLENK
Fax: **49-6421-28-68962**; e-mail: klenk@mailer.uni-marburg.de
V.-P. LEHTO
Fax: **358-8-537 59 53**; e-mail: lehto@csc.fi
N. MANTEI
Fax: **41-1-633-1069**; e-mail: mantei@cell.biol.ethz.ch
R. MARAIS
Fax: **44-207-352-3299**; e-mail: rmarais@icr.ac.uk
A.M. McGOUGH
Fax: **1-765-494-0876**; e-mail: amcgough@bilbo.bio.purdue.edu
M. MIYASAKA
Fax: **81-66-879-3979**; e-mail: mmiyasak@orgctl.med.osaka-u.ac.jp
M. MONTAL
Fax: **1-858-822-3763**; e-mail: montal@biomail.ucsd.edu
J. OVÁDI
Fax: **36-1-466-5465**; e-mail: ovadi@enzim.hu
M. SARASTE (Managing Editor)
Fax: **49-6221-387306**; e-mail: saraste@embl-heidelberg.de
G. SEMENZA (Past Managing Editor)
E-mail: semenza@bc.biol.ethz.ch
V.P. SKULACHEV
Fax: **7-095-939-0338**; e-mail: skulach@head.genebee.msu.su
G. SUPERTI-FURGA
Fax: **49-6221-387 166**; e-mail: superti@embl-heidelberg.de
G. TETTAMANTI
Fax: **39-02-236-3584**; e-mail: guido.tettamanti@unimi.it
M. VAN MONTAGU
Fax: **32-9-264-5349**; e-mail: mamon@gengenp.rug.ac.be
G. VON HEIJNE
**46-8-15-36-79**; e-mail: gunnar@dbb.su.se
F. WIELAND
Fax: **49-6221-544-366**; e-mail: fw-febs-letters@uni-hb.de

**For enquiries of manuscripts in press please contact FebsLettersIM@elsevier.nl.**

**Publication information:** *FEBS Letters* (ISSN 0014 5793). For 2001, *volume 487-509* are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/febs).
**Website.** On the website http://www.elsevier.nl/febs the full text of all articles since 1997 and the full text of articles in press is available free for subscribers.
**Review articles or Special Issues:** FEBS Letters is interested in publishing three to four Special Issues per year in addition to our normal weekly publication. Special Issues could consist of manuscripts focused on either (1) opportune topics of sufficient general interest: or (2) coverage of significant meetings/conferences. Please contact Connie Lee (lee@embl-heidelberg.de) at the FEBS Letters Editorial Office in Heidelberg if you have ideas or suggestions for future Special Issues in our journal.

Volume 486 (Suppl.)

# FEBS Letters

An international journal for the rapid publication of short reports in biochemistry, biophysics and molecular cell biology


## EDITORS

J. Avila, Madrid
M. Baggiolini, Berne
J.E. Celis, Aarhus
G. Cesareni, Rome
R. Cogdell, Glasgow
S.P. Datta, London, Honorary Chairman
H. Eklund, Uppsala
H. Feldmann, München
U.-I. Flügge, Köln
T. Gojobori, Mishima
B. Halliwell, Singapore
J. Hanoune, Créteil
Th.L. James, San Francisco
P. Jollès, Paris
L. Kisselev, Moscow
H.-D. Klenk, Marburg
V.-P. Lehto, Oulu
N. Mantei, Zürich
R. Marais, London
A.M. McGough, West Lafayette
M. Miyasaka, Suita
M. Montal, La Jolla
J. Ovádi, Budapest
M. Saraste, Heidelberg, Managing Editor
G. Semenza, Zürich
V.P. Skulachev, Moscow
G. Superti-Furga, Heidelberg
G. Tettamanti, Milan
M. Van Montagu, Gent
G. von Heijne, Stockholm
F. Wieland, Heidelberg



FEBS LETTERS EDITORIAL OFFICE

Managing Editor, Matti Saraste
Managing Editorial Assistant, Rosa M. Benito-Moreno
Editorial Assistant, Connie M. Lee
Editorial Secretary, Anne Müller

Please note that ALL articles must be submitted to:

FEBS Letters Editorial Office
European Molecular Biology Laboratory
Meyerhofstrasse 1
69117 Heidelberg (Germany)

E-mail: febs.letters@embl-heidelberg.de
Fax: (49)-6221-387 592
Tel.: (49)-6221-387 386

Alternatively, you can submit your article electronically at:

http://www.letsubmit.com/febssubmit/show/

Electronic submission is not compulsory.
Please do not submit the same article both by mail and electronically.

For questions that arise after acceptance of a paper contact:
FEBSLettersIM@elsevier.nl
Fax: (31)-20-485-2775

Published by Elsevier Science B.V.
on behalf of the
Federation of European Biochemical Societies

*The exclusive © for all languages and countries is vested in the Federation of European Biochemical Societies*

*No part of this volume may be reproduced in any form by print, photoprint, microfilm or any other means without the prior permission of the copyright owner**

*No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made.*

*Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.*

Special regulations for readers in the U.S.A.

*This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, U.S.A; phone: (+1) (978) 7508400, fax: (+1) (978) 7504744, and in the U.K. through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London 0LP, U.K. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fees indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.*

Special regulations for authors

*Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Federation of European Biochemical Societies. This transfer will ensure the widest possible dissemination of information*

ADONIS Identifier

*This Journal is in the ADONIS Service, whereby copies of individual articles can be printed out from CD-ROM on request. An explanatory leaflet can be obtained by writing to: ADONIS B.V., P.O. Box 993, 1000 AZ Amsterdam, The Netherlands. Or you can contact ADONIS by e-mail: info@adonis.nl or visit the website at www.adonis.nl*

* But see item 7 in Notes to Authors

♾ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

PRINTED IN THE NETHERLANDS

**Subscription information:** The subscription price for 2001, volumes 487–509 (23 volumes in 69 issues) is *f* 7702 (US$ 3910) including postage, packaging and handling. The Dutch guilder price is definitive. The U.S. dollar price is subject to exchange-rate fluctuations and is given only as a guide.
Subscriptions are accepted on a prepaid basis only, unless different terms have been previously agreed upon.
**Subscription orders** can be entered only by calendar year (Jan-Dec.) and should be sent to Elsevier Science Journal Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, telephone 31.20.4853642, fax 31.20.4853266, or to your usual subscription agent.
Postage & handling charges include surface delivery except following countries where air delivery via SAL (Surface Air Lift) mail is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Malaysia, Mexico, New Zealand, Pakistan, PR China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA.
Claims for missing issues must be made within six months of our publication (mailing) date, otherwise such claims cannot be honoured free of charge.
The Publishers reserve the right to issue additional volumes during the course of the year. Such volumes will be invoiced before publication and delivered on receipt of payment. In the United States and Canada: For further information concerning this or any other Elsevier Science journal, contact Elsevier Science Co., Inc., Attn: Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, USA. Telephone: (212) 633-3750; Telefax: (212) 633-3990; Telex: 420-643 AEP UI.
**Advertising information:** Advertising orders and enquiries can be sent to: **USA, Canada and South America**: Mr Tino DeCarlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan**: The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW**: Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk

US Mailing Notice

*US mailing notice – FEBS Letters* (ISSN 0014-5793) is published weekly by Elsevier Science B.V. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US$ 3910.00 (valid in North, Central and South America), including air speed delivery. Periodicals postage paid at Jamaica, NY 11431.
USA POSTMASTERS: Send address changes to *FEBS Letters*, Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003.
Airfreight and mailing in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

# FEBS Letters Volumes 465–486
# Master Author Index

PII: S0014-5793(01)02230-X

# A


Aasheim, H.-C. see E. Munthe (466) 169
Abahji, T.N. see C. Barz (482) 139
Abbas-Terki, T., O. Donzé and D. Picard, The molecular chaperone Cdc37 is required for Ste11 function and pheromone-induced cell cycle arrest (467) 111
Abbott, M., A. Dvoretsky, V. Gaponenko and P.R. Rosevear, Cardiac troponin I inhibitory peptide: location of interaction sites on troponin C (469) 168
Abdelmoity, A., R.C. Padre, K.E. Burzynski, J.T. Stull and K.S. Lau, Neuronal nitric oxide synthase localizes through multiple structural motifs to the sarcolemma in mouse myotubes (482) 65
Abe, I., K. Kashiwagi and H. Noguchi, Antioxidative galloyl esters as enzyme inhibitors of *p*-hydroxybenzoate hydroxylase (483) 131
Abe, K. see S. Makino (467) 365
Abell, B.M. see S. High (476) 38
Abián, J. see M. Valls (467) 189
Abid, Md.R., Z. Kachra, K.C. Spokes and W.C. Aird, NADPH oxidase activity is required for endothelial cell proliferation and migration (486) 252
Abramova, E.B. see N.P. Sharova (486) 14
Abriel, H., E. Kamynina, J.-D. Horisberger and O. Staub, Regulation of the cardiac voltage-gated $Na^+$ channel (H1) by the ubiquitin-protein ligase Nedd4 (466) 377
Accarino, M. see F. Acquati (468) 59
Acharya, S. see V.R. Srinivas (474) 76
Ache, P., D. Becker, N. Ivashikina, P. Dietrich, M..G. Roelfsema and R. Hedrich, GORK, a delayed outward rectifier expressed in guard cells of *Arabidopsis thaliana*, is a $K^+$-selective, $K^+$-sensing ion channel (486) 93
Ackrell, B.A.C., Progress in understanding structure–function relationships in respiratory chain complex II (466) 1
Acquati, F., M. Accarino, C. Nucci, P. Fumagalli, L. Jovine, S. Ottolenghi and R. Taramelli, The gene encoding DRAP (BACE2), a glycosylated transmembrane protein of the aspartic protease family, maps to the Down critical region (468) 59
Adachi, H. see N. Oishi (474) 16
Adachi, H. see S. Iwai (475) 47
Adachi, S. see M.C. Mutomba (478) 19
Adachi, T. see Y. Ihara (473) 24
Adachi, T. see M. Yamamoto (486) 159
Adamec, T. see Z. Palková (478) 281
Adami, P. see J.-L. Schlick (472) 241
Adams, T.E. see P.A. Hoyne (469) 57
Adarichev, V. see E. Ponimaskin (478) 173
Addya, S. see N. Maulik (485) 7
Adelman, J.P. see H. Jäger (469) 196
Adermann, K. see A. Krause (480) 147
Adhikari, S., S. Ray and R. Gachhui, Catalase activity of oxygenase domain of rat neuronal nitric oxide synthase. Evidence for product formation from L-arginine (475) 35
Adler, L. see N. Akhtar (483) 87
Adolph, H.-W. see M. Hernandez Valladares (467) 221
Adolph, H.-W. see J. Nord (472) 312
Adolph, H.-W. see M.H. Valladares (477) 285
Adzet, T. see A. Cabrero (484) 37
Aggarwal, B.B. see S.K. Manna (473) 113
Aggeler, R. see S.P. Tsunoda (470) 244
Agol, V.I. see A.G. Evstafieva (467) 150
Agrotis, A., M. Condron and A. Bobik, Alternative splicing within the TGF-β type I receptor gene (ALK-5) generates two major functional isoforms in vascular smooth muscle cells (467) 128
Aguilera, J. see C. Gil (481) 177
Aguilera, J. see A. Najib (486) 136
Agusti, A.G.N. see C. Miralles (476) 253
Ahmed, Z., B.J. Smith and T.S. Pillay, The APS adapter protein couples the insulin receptor to the phosphorylation of c-Cbl and facilitates ligand-stimulated ubiquitination of the insulin receptor (475) 31
Ahn, B. see J.-Y. Park (476) 174
Ahn, H.-Y. see A. Sachinidis (471) 51
Ahn, J.-S. see B.-Y. Kim (472) 45
Aihara, H. see H. Kurumizaka (477) 129
Aimi, T. see S. Okada (485) 153
Airaksinen, M.M. see V. Faivre (471) 56
Aird, W.C. see Md.R. Abid (486) 252
Airenne, K.J. see A.T. Marttila (467) 31
Akagi, A. see S. Tajima (469) 1
Akai, J., N. Makita, H. Sakurada, N. Shirai, K. Ueda, A. Kitabatake, K. Nakazawa, A. Kimura and M. Hiraoka, A novel *SCN5A* mutation associated with idiopathic ventricular fibrillation without typical ECG findings of Brugada syndrome (479) 29
Akasaka, K. see S. Sareth (470) 11
Akashi, M. see Y. Wang (470) 151
Akazawa, T. see E. Baroja-Fernández (480) 277
Akedo, H. see M. Mukai (484) 69
Åkesson, E. see P. Martinsson (465) 107
Akgul, C., D.A. Moulding, M.R.H. White and S.W. Edwards, In vivo localisation and stability of human Mcl-1 using green fluorescent protein (GFP) fusion proteins (478) 72
Akhtar, M. see Y.-Y. Liu (469) 61
Akhtar, N., A.-K. Påhlman, K. Larsson, A.H. Corbett and L. Adler, *SGD1* encodes an essential nuclear protein of *Saccharomyces cerevisiae* that affects expression of the *GPD1* gene for glycerol 3-phosphate dehydrogenase (483) 87
Akiyama, H. see C. Shukunami (469) 83
Akiyama, N. see S. Kizaka-Kondoh (466) 160
Akiyama, Y. see T. Tatsuta (478) 271
Akizawa, T. see K. Nakagomi (467) 235
Akusjärvi, G. see T. Punga (476) 248
Al-Babili, S., P. Hugueney, M. Schledz, R. Welsch, H. Frohnmeyer, O. Laule and P. Beyer, Identification of a novel gene coding for neoxanthin synthase from *Solanum tuberosum* (485) 168
Albillos, A. see E. García-Palomero (481) 235
Albracht, S.P.J. see R.P. Happe (466) 259
Albracht, S.P.J. and R. Hedderich, Learning from hydrogenases: location of a proton pump and of a second FMN in bovine NADH–ubiquinone oxidoreductase (Complex I) (485) 1
Albrecht, U. see D. Motzkus (486) 315
Alcántara, C., J. Cervera and V. Rubio, Carbamate kinase can replace in vivo carbamoyl phosphate synthetase. Implications for the evolution of carbamoyl phosphate biosynthesis (484) 261
Aldecoa, A., R. Gujer, J.A. Fischer and W. Born, Mammalian calcitonin receptor-like receptor/receptor activity modifying protein complexes define calcitonin gene-related peptide and adrenomedullin receptors in *Drosophila* Schneider 2 cells (471) 156
Aldecoa, A. see N. Bühlmann (486) 320
Alegret, M. see A. Cabrero (484) 37
Alessi, D.R. see A. Balendran (484) 217
Alexandrov, K. see A. Iakovenko (468) 155
Alexandrovich, A. see M. Sohi (465) 161
Al-Hasani, H. see N. Tennagels (479) 67
Ali, B.R.S., S. Claxton and M.C. Field, Export of a misprocessed GPI-anchored protein from the endoplasmic reticulum in vitro in an ATP- and cytosol-dependent manner (483) 32
Ali, M., Z.K. Siddiqui, A.B. Malik and S.S. Siddiqui, A novel C-terminal kinesin subfamily may be involved in chromosomal movement in *Caenorhabditis elegans* (470) 70
Allegra, C.J. see A. Itkes (474) 23
Allen, A.K. see L.M. Wright (468) 19
Allen, J.F. see A. Struglics (475) 213
Allen, J.M. see J.C. Norman (484) 179
Allen, P.D. see Z. Fajloun (469) 179
Allende, C.C. see G. Jacob (466) 363
Allende, J.E. see G. Jacob (466) 363
Aloria, K. see L. Martín (470) 93
Al-Shamkhani, A. see Sh.M. Nolan (486) 89
Altar, C. see T. Nakahashi (470) 113
Altmann, C. see C. Naber (484) 199
Altmann, F. see R. Strasser (472) 105
Altmann, S.M. see P.-F. Lenne (476) 124
Altschuler, E.L., N.V. Hud, J.A. Mazrimas and B. Rupp, Structure of polyglutamine (472) 166
Aluigi, M. see A.M. Martelli (486) 230
Alzari, P. see E. Osinaga (469) 24
Amachi, T. see Y. Nishii (465) 153
Amada, K. see K. Hyun-Ju (483) 139
Amariglio, N. see K. Kannan (470) 77
Amati, P. see Z. Palková (467) 359
Ametani, A. see W. Ise (465) 28
Amicosante, G. see M. Hernandez Valladares (467) 221


PII: S0014-5793(01)02230-X

Amicosante, G. see M.H. Valladares (477) 285
Amin, S. see A. Pal (486) 163
Ammer, H. and R. Schulz, Opioid tolerance/dependence in neuroblastoma×glioma (NG108-15) hybrid cells is associated with a reduction in spontaneous stimulatory receptor activity (485) 157
Amodeo, P., B. López Méndez, R. Guerrini, S. Salvadori, P.A. Temussi and T. Tancredi, Pain peptides. Solution structure of orphanin FQ2 (473) 157
Amor, Y., M. Chevion and A. Levine, Anoxia pretreatment protects soybean cells against $H_2O_2$-induced cell death: possible involvement of peroxidases and of alternative oxidase (477) 175
Amour, A., C. Knight, A. Webster, P.M. Slocombe, P.E. Stephens, V. Knäuper, A.J.P. Docherty and G. Murphy, The in vitro activity of ADAM-10 is inhibited by TIMP-1 and TIMP-3 (473) 275
Anand, P. see Y. Yiangou (467) 249
Ancans, J. and A.J. Thody, Activation of melanogenesis by vacuolar type $H^+$-ATPase inhibitors in amelanotic, tyrosinase positive human and mouse melanoma cells (478) 57
Andersen, B. see K. Suzuki (481) 53
Andersen, J.S. and M. Mann, Functional genomics by mass spectrometry (480) 25
Anderson, E.L. see C.N. Roy (484) 271
Anderson, P.A.V. see M.C. Jeziorski (483) 125
Andersson, B. see D.-H. Yang (466) 385
Anderton, B.H. see K. Leroy (465) 34
Anderton, B.H. see G.M. Gibb (485) 99
Andlauer, W., J. Kolb and P. Fürst, Absorption and metabolism of genistin in the isolated rat small intestine (475) 127
Andrade, M.A. and P. Bork, Automated extraction of information in molecular biology (476) 12
Andrè, A., A. Puca, F. Sansone, A. Brandi, G. Antico and R.A. Calogero, Reinitiation of protein synthesis in *Escherichia coli* can be induced by mRNA *cis*-elements unrelated to canonical translation initiation signals (468) 73
Andrei, C. see S. Gardella (481) 245
Andreu, A.L. see J. Asin (480) 161
Angeli, V. see C. Faveeuw (486) 261
Angermayr, M., G. Strobel, G. Müller and W. Bandlow, Stable plasma membrane expression of the soluble domain of the human insulin receptor in yeast (481) 8
Anke, T. see M. Weidler (484) 1
Annella, T. see P. Mondola (467) 57
Anokhina, M.M. see M.M. Beliakova (477) 263
Ansorge, S. see S. Wrenger (466) 155
Ansorge, W. see B. Pause (471) 23
Antico, G. see A. Andrè (468) 73
Antunes, F. and E. Cadenas, Estimation of $H_2O_2$ gradients across biomembranes (475) 121
Aoki, H. see A. Higashitani (485) 35
Aoki, J. see K. Bandoh (478) 159
Aoki, J. see M. Kitagawa (479) 57
Aoki, N. see M. Oubihi (473) 165
Aoto, H. see M. Ishino (474) 179
Aoyama, T., M. Chen, H. Fujiwara, T. Masaki and T. Sawamura, LOX-1 mediates lysophosphatidylcholine-induced oxidized LDL uptake in smooth muscle cells (467) 217
Appenzeller, C. see H.-P. Hauri (476) 32
Aqvist, J. see K. Kolmodin (465) 8
Aracil, A. see R. Planells-Cases (481) 131
Aragón, C. see A. Geerlings (470) 51
Arai, H. see K. Bandoh (478) 159
Arai, H. see M. Kitagawa (479) 57
Arai, T. see S. Takemura (476) 266
Arakawa, E., K. Hasegawa, N. Yanai, M. Obinata and Y. Matsuda, A mouse bone marrow stromal cell line, TBR-B, shows inducible expression of smooth muscle-specific genes (481) 193
Arakawa, T. see M. Nakagawa (473) 161
Araki, E. see S. Oyadomari (478) 141
Aranda, A. see J.A. Recio (469) 118
Arata, Y. see K. Masuda (473) 349
Arcuri, D. see S. Feo (473) 47
Ardito, R. see C. Losasso (484) 194
Arechaga, I., B. Miroux, S. Karrasch, R. Huijbregts, B. de Kruijff, M.J. Runswick and J.E. Walker, Characterisation of new intracellular membranes in *Escherichia coli* accompanying large scale over-production of the b subunit of $F_1F_o$ ATP synthase (482) 215
Ariga, H. see N. Koike (467) 17
Ariga, H. see T. Niki (475) 209
Ariga, H. see M. Takayama (477) 43
Arigoni, D. see T. Radykewicz (465) 157
Arima, N. see K.-Y. Wang (473) 345
Arimondo, P.B., N. Gelus, F. Hamy, D. Payet, A. Travers and C. Bailly, The chromosomal protein HMG-D binds to the TAR and RBE RNA of HIV-1 (485) 47
Ariño, J. see M. Morillas (466) 183
Arita, H. see Y. Yokota (478) 187
Ariyasu, H. see K. Mori (486) 213
Arku, B. see Z.H. Shah (478) 267
Arlaud, G. see M. Luckey (468) 23
Armugam, A. see N. Gong (473) 303
Arnaud, S. see C. Bourgin (480) 113
Arnould, T. see E. Minet (468) 53
Aroca, P., E. Santos and M.G. Kazanietz, Recombinant C1b domain of PKCδ triggers meiotic maturation upon microinjection in *Xenopus laevis* oocytes (483) 27
Arozarena, I. see V. Sanz (474) 169
Arró, M. see N. Cunillera (477) 170
Arseniev, A.S. see T.A. Balashova (466) 333
Arslan, E., A. Kannt, L. Thöny-Meyer and H. Hennecke, The symbiotically essential $cbb_3$-type oxidase of *Bradyrhizobium japonicum* is a proton pump (470) 7
Arthur, J.C. and P. Cohen, MSK1 is required for CREB phosphorylation in response to mitogens in mouse embryonic stem cells (482) 44
Asai, T. see M. Takikawa (466) 381
Asakawa, A. see K. Ohinata (473) 207
Asamitsu, K., T. Morishima, H. Tsuchie, T. Kurimura and T. Okamoto, Corrigendum to: Conservation of the central proline-rich (PxxP) motifs of human immunodeficiency virus type 1 Nef protein during the disease progression in two hemophiliac patients (FEBS 22727) (467) 366
Asano, R. see S. Takemura (476) 266
Asano, S. see K. Watari (466) 367
Asao, H. see K. Endo (477) 55
Ascoli, F. see M. Maccarrone (468) 176
Asenjo, A. and N. Villanueva, Regulated but not constitutive human respiratory syncytial virus (HRSV) P protein phosphorylation is essential for oligomerization (467) 279
Ashcroft, S.J.H. see M.V. Mikhailov (482) 59
Ashida, H., I. Fukuda, T. Yamashita and K. Kanazawa, Flavones and flavonols at dietary levels inhibit a transformation of aryl hydrocarbon receptor induced by dioxin (476) 213
Ashmarin, I.P., R.A. Danilova, M.F. Obukhova, T.A. Moskvitina and V.N. Prosorovsky, Main ethanol metabolizing alcohol dehydrogenases (ADH I and ADH IV): biochemical functions and the physiological manifestation (486) 49
Asín, J., A. Pérez-Martos, P. Fernández-Silva, J. Montoya and A.L. Andreu, Iron(II) induces changes in the conformation of mammalian mitochondrial DNA resulting in a reduction of its transcriptional rate (480) 161
Asins, G. see M. Morillas (466) 183
Askari, J.A. see K. Clark (471) 182
Asselta, R. see T. Simonic (469) 33
Assemat, K. see E. Osinaga (469) 24
Assfalg-Machleidt, I. see N. Schaschke (482) 91
Assmann, G. see M. Walter (479) 51
Astoul, E. see V. Lafont (486) 38
Atanassova, A. see Z. Magyar (486) 79
Atkins, J.M. see J.-B. Demoulin (482) 200
Atkinson, J.P. see M.D. Kirkitadze (467) 133
Atkinson, S. see H. Vais (470) 135
Atrian, S. see M. Valls (467) 189
Au, B.P.-Y. see N.D. Maruoka (473) 188
Au, T.K., R.A. Collins, T.L. Lam, T.B. Ng, W.P. Fong and D.C.C. Wan, The plant ribosome inactivating proteins luffin and saporin are potent inhibitors of HIV-1 integrase (471) 169
Aubourg, P. see N. Cartier (478) 205
Aunis, D. see C. Burgun (484) 189
Auriault, C. see B. Georges (481) 249
Aussel, L., H. Thérisod, D. Karibian, M.B. Perry, M. Bruneteau and M. Caroff, Novel variation of lipid A structures in strains of different *Yersinia* species (465) 87
Aussel, L., R. Chaby, K. Le Blay, J. Kelly, P. Thibault, M.B. Perry and M. Caroff, Chemical and serological characterization of the *Bordetella hinzii* lipopolysaccharides (485) 40

Auwerx, J. see M.D. Leibowitz (473) 333
Avarbock, M.R. see M. Nagano (475) 7
Averna, M. see R. De Tullio (475) 17
Avila Sáez, C., R. Muñoz-Chapuli, C. Plomion, J.-M. Frigerio and F.M. Cánovas, Two genes encoding distinct cytosolic glutamine synthetases are closely linked in the pine genome (477) 237
Avila, J., Tau aggregation into fibrillar polymers: taupathies (476) 89
Avila, J. see M. Pérez (486) 270
Avilés, F.X. see J. Villanueva (472) 27
Awad, M.M., J.A. Sanders and P.A. Gruppuso, A potential role for $p15^{Ink4b}$ and $p57^{Kip2}$ in liver development (483) 160
Awai, K. see N. Oosawa (474) 133
Ayaydin, F. see C. Seregélyes (482) 125
Ayaydin, F. see C. Seregélyes (485) 207

# B

Babij, J. see T. Joseph-Horne (481) 141
Babino, A. see E. Osinaga (469) 24
Babior, B.M. see M.C. Mutomba (478) 19
Babiychuk, E. see E. Belles-Boix (482) 19
Bacher, A. see T. Radykewicz (465) 157
Bächinger, H.P. see J.G. Bann (473) 237
Bachman, K.E. see D.T. Dang (476) 203
Bader, M.-F. see M. Gensse (480) 184
Baek, K. see T.-Y. Choi (483) 71
Baffic, J. see M.D. Leibowitz (473) 333
Bagby, S., T.K. Mal, D. Liu, E. Raddatz, Y. Nakatani and M. Ikura, TFIIA–TAF regulatory interplay: NMR evidence for overlapping binding sites on TBP (468) 149
Baici, A. see G. Kostoulas (466) 394
Bailey, S. see N.H. Mann (479) 72
Bailly, C. see J. Ren (470) 355
Bailly, C. see P.B. Arimondo (485) 47
Bailly, F., V. Zoete, J. Vamecq, J.-P. Catteau and J.-L. Bernier, Antioxidant actions of ovothiol-derived 4-mercaptoimidazoles: glutathione peroxidase activity and protection against peroxynitrite-induced damage (486) 19
Bairati, C. see G. Goi (473) 89
Baird, E. see H. Simon (471) 173
Baker, D. see A.R. Coker (473) 199
Bakker, O. see H.C. van Beeren (481) 213
Balaji, R., T. Sasaki, P. Gopalakrishnakone, K. Sato, R. Kini and B.-H. Bay, Purification, structure determination and synthesis of covalitoxin-II, a short insect-specific neurotoxic peptide from the venom of the *Coremiocnemis validus* (Singapore tarantula) (474) 208
Balashova, T.A., Z.O. Shenkarev, A.A. Tagaev, T.V. Ovchinnikova, J. Raap and A.S. Arseniev, NMR structure of the channel-former zervamicin IIB in isotropic solvents (466) 333
Balasubramanian, M. see J. Liu (478) 105
Baldi, D.L. see A.F. Cowman (476) 84
Balduini, C. see M. Torti (466) 355
Baldwin, J.E. see K.S. Hewitson (466) 372
Baldwin, J.E. see A. Dubus (485) 142
Balendran, A., G.R. Hare, A. Kieloch, M.R. Williams and D.R. Alessi, Further evidence that 3-phosphoinositide-dependent protein kinase-1 (PDK1) is required for the stability and phosphorylation of protein kinase C (PKC) isoforms (484) 217
Balestrieri, M.L. and T. Lee, Regulation of the biosynthesis of acyl analogs of platelet-activating factor by purinergic agonist in endothelial cells (479) 63
Ballatore, A. see J.-Y. Chang (473) 183
Balloy, V. see C. Trumel (484) 184
Balsinde, J. see I.D. Bianco (466) 292
Balzarini, J., B. Degrève, A. Esteban-Gamboa, R. Esnouf, E. De Clercq, Y. Engelborghs, M.-J. Camarasa and M.-J. Pérez-Pérez, Kinetic analysis of novel multisubstrate analogue inhibitors of thymidine phosphorylase (483) 181
Balzi, E. see J. DeRisi (470) 156
Bamberg, E. see G.A. Sauer (469) 98
Ban, N. see Y. Ihara (473) 24
Banchereau, J. see S. Denépoux (465) 39
Bandlow, W. see M. Angermayr (481) 8
Bandoh, K., J. Aoki, A. Taira, M. Tsujimoto, H. Arai and K. Inoue, Lysophosphatidic acid (LPA) receptors of the EDG family are differentially activated by LPA species (478) 159
Banki, K. see S. Thorell (475) 205
Bann, J.G., D.H. Peyton and H.P. Bächinger, Sweet is stable: glycosylation stabilizes collagen (473) 237
Banno, Y. see M. Czarny (467) 326
Barakat, A., P. Gallois, M. Raynal, D. Mestre-Ortega, C. Sallaud, E. Guiderdoni, M. Delseny and G. Bernardi, The distribution of T-DNA in the genomes of transgenic *Arabidopsis* and rice (471) 161
Baranov, V. see I. Tittawella (470) 319
Barańska, J. see A. Dygas (482) 205
Barańska, S. see G. Konopa (472) 217
Barany, G. see A.J. Benie (476) 287
Barbi, C. see S. Salvioli (469) 186
Barbier-Brygoo, H. see M.-J. Droillard (474) 217
Bardat, F. see T. Ghelis (474) 43
Bardat, F. see T. Ghelis (481) 89
Bardat, F. see T. Ghelis (483) 67
Bardet, C. see A. Manevski (483) 43
Barends, T. see E. Bokma (478) 119
Barhanin, J. see N. Tinel (480) 137
Bari, M. see M. Maccarrone (468) 176
Barisani, D., R. Meneveri, E. Ginelli, C. Cassani and D. Conte, Iron overload and gene expression in HepG2 cells: analysis by differential display (469) 208
Barlow, P.N. see M.D. Kirkitadze (467) 133
Barnèche, F. see S. Lahmy (480) 255
Baroja-Fernández, E., A. Zandueta-Criado, M. Rodríguez-López, T. Akazawa and J. Pozueta-Romero, Distinct isoforms of ADPglucose pyrophosphatase and ADPglucose pyrophosphorylase occur in the suspension-cultured cells of sycamore (*Acer pseudoplatanus* L.) (480) 277
Barone, R. see S. Sorrentino (466) 35
Baroudi, G., E. Carbonneau, V. Pouliot and M. Chahine, SCN5A mutation (T1620M) causing Brugada syndrome exhibits different phenotypes when expressed in *Xenopus* oocytes and mammalian cells (467) 12
Barouki, R. see L. Massaad-Massade (466) 49
Barradeau, S., T. Imaizumi-Scherrer, M.C. Weiss and D.M. Faust, Alternative 5′-exons of the mouse cAMP-dependent protein kinase subunit RIα gene are conserved and expressed in both a ubiquitous and tissue-restricted fashion (476) 272
Barragán, M. see M. Piqué (480) 193
Barré, H. see D. Roussel (477) 141
Barsanti, L., V. Passarelli, P.L. Walne and P. Gualtieri, The photoreceptor protein of *Euglena gracilis* (482) 247
Barsova, E.V. see A.F. Fradkov (479) 127
Bartek, J. see M. Thullberg (470) 161
Barth, A. and C. Zscherp, Substrate binding and enzyme function investigated by infrared spectroscopy (477) 151
Bartkova, J. see M. Thullberg (470) 161
Bartl, F., E. Ritter and K.P. Hofmann, FTIR spectroscopy of complexes formed between metarhodopsin II and C-terminal peptides from the G-protein α- and γ-subunits (473) 259
Bartrons, R. see J. Boada (480) 261
Bartsch, J.W., M. Jäckel, A. Perz and H. Jockusch, Steroid RU 486 inducible myogenesis by 10T1/2 fibroblastic mouse cells (467) 123
Bartsch, J.W. see S. Rathke-Hartlieb (481) 227
Barwicz, J., I. Gruda and P. Tancrède, A kinetic study of the oxidation effects of amphotericin B on human low-density lipoproteins (465) 83
Barz, C., T.N. Abahji, K. Trülzsch and J. Heesemann, The *Yersinia* Ser/Thr protein kinase YpkA/YopO directly interacts with the small GTPases RhoA and Rac-1 (482) 139
Bas, V. see L. Massaad-Massade (466) 49
Basak, S. see T. Bhaduri (486) 126
Basava, A. see C.N. Roy (484) 271
Bast, A. see F.A.A. van Acker (473) 145
Bastone, L. see A. Tagarelli (466) 139
Basu, S., A. Smedman and B. Vessby, Conjugated linoleic acid induces lipid peroxidation in humans (468) 33
Basu, S., A. Nozari, X.L. Liu, S. Rubertsson and L. Wiklund, Development of a novel biomarker of free radical damage in reperfusion injury after cardiac arrest (470) 1
Baszkin, A. see V. Faivre (471) 56

Batista, C. see C. Bottiglieri (479) 156
Batista, C. see A. Scaloni (481) 308
Batista, C.V.F., F. Gómez-Lagunas, S. Lucas and L.D. Possani, Tc1, from *Tityus cambridgei*, is the first member of a new subfamily of scorpion toxin that blocks $K^+$-channels (486) 117
Battiston, L. see S. Passamonti (482) 167
Battistoni, A. see M. Sette (483) 21
Bauer, L.S. see S.-J. Wu (473) 227
Baum, M. see K.J. Böhm (466) 59
Baumann, C.G. see A.L. Ferguson (481) 281
Baumann, U. see H. Lilie (470) 173
Baumeister, W. see I. Gutsche (477) 278
Bäumer, M., G.H. Braus and S. Irniger, Two different modes of cyclin Clb2 proteolysis during mitosis in *Saccharomyces cerevisiae* (468) 142
Baumert, A. see C. Milkowski (486) 183
Bäurle, I. see K. Eichenberg (470) 107
Baveye, S., E. Elass, J. Mazurier and D. Legrand, Lactoferrin inhibits the binding of lipopolysaccharides to L-selectin and subsequent production of reactive oxygen species by neutrophils (469) 5
Bay, B.-H. see R. Balaji (474) 208
Bay, S. see E. Osinaga (469) 24
Bayer, E.A. see A.T. Marttila (467) 31
Bayer, M., K. Bischof, R. Noiges and G. Koraimann, Subcellular localization and processing of the lytic transglycosylase of the conjugative plasmid R1 (466) 389
Bayley, P. see J. Kleinjung (470) 257
Beabealashvilly, R.Sh. see E.V. Kostenko (475) 181
Beaune, P. see L. Massaad-Massade (466) 49
Beauregard, M. see M.C. Gagnon (484) 144
Bechinger, B. see P. Henklein (482) 220
Beck, S.C. and T.F. Meyer, IgA1 protease from *Neisseria gonorrhoeae* inhibits TNFα-mediated apoptosis of human monocytic cells (472) 287
Becker, D. see P. Ache (486) 93
Becker, H.D., B. Min, C. Jacobi, G. Raczniak, J. Pelaschier, H. Roy, S. Klein, D. Kern and D. Söll, The heterotrimeric *Thermus thermophilus* Asp-$tRNA^{Asn}$ amidotransferase can also generate Gln-$tRNA^{Gln}$ (476) 140
Becuwe, P. see F. Casas (478) 4
Beenken, W. see D. Leupold (480) 73
Beer, J.H. see M. Müller (468) 115
Beeson, D. see E. Fostieri (481) 127
Behlke, J. see C. Krafft (471) 128
Behlke, J. see H. Xu (482) 180
Behn, H. see E. Ponimaskin (478) 173
Behrens, R., A. Nolting, F. Reimann, M. Schwarz, R. Waldschütz and O. Pongs, hKCNMB3 and hKCNMB4, cloning and characterization of two members of the large-conductance calcium-activated potassium channel β subunit family (474) 99
Behrensdorf, H.A., M. van de Craen, U.E. Knies, P. Vandenabeele and M. Clauss, The endothelial monocyte-activating polypeptide II (EMAP II) is a substrate for caspase-7 (466) 143
Behrmann, I. see S. Thiel (470) 15
Behrmann, I. see L. Terstegen (478) 100
Beintema, J.J. see E. Bokma (478) 119
Bektas, M. see M. Raisova (473) 27
Belcher, J.D. see J. Wang (474) 213
Beliakova, M.M., M.M. Anokhina, V.A. Spiridonova, E.N. Dobrov, T.A. Egorov, B. Wittmann-Liebold, P. Orth, W. Saenger and A.M. Kopylov, A direct photo-activated affinity modification of tetracycline transcription repressor protein TetR(D) with tetracycline (477) 263
Béliveau, R. see M. Demeule (466) 219
Bell, G.I. see B. Laine (479) 41
Bellacosa, A. see P. Borgatti (477) 27
Bellés, J.M. see L. Yenush (467) 321
Belles-Boix, E., E. Babiychuk, M. Van Montagu, D. Inzé and S. Kushnir, CEO1, a new protein from *Arabidopsis thaliana*, protects yeast against oxidative damage (482) 19
Bellingham, J. see A.R. Philp (468) 181
Bellingham, J. see A.R. Philp (473) 125
Bellingham, J. see P. Moutsaki (473) 316
Bellosillo, B. see M. Piqué (480) 193
Belmonte, C. see R. Planells-Cases (481) 131
Beloglazova, N.G., V.N. Sil'nikov, M.A. Zenkova and V.V. Vlassov, Cleavage of yeast $tRNA^{Phe}$ with complementary oligonucleotide conjugated to a small ribonuclease mimic (481) 277
Belorgey, D. see J. Duranton (473) 154
Belov, G.A. see A.G. Evstafieva (467) 150
Beltramo, D.M. see I.D. Bianco (466) 292
Benaglia, G. see A. Piccinotti (472) 143
Bender, E. and B. Kadenbach, The allosteric ATP-inhibition of cytochrome *c* oxidase activity is reversibly switched on by cAMP-dependent phosphorylation (466) 130
Benen, J.A.E. see L. Pařenicová (467) 333
Benie, A.J., D. Whitford, B. Hargittai, G. Barany and R.W. Janes, Solution structure of α-conotoxin SI (476) 287
Benito, M. see A.M. Valverde (472) 153
Bennecib, M., C.-X. Gong, I. Grundke-Iqbal and K. Iqbal, Role of protein phosphatase-2A and -1 in the regulation of GSK-3, cdk5 and cdc2 and the phosphorylation of tau in rat forebrain (485) 87
Bennett, M.K. see E.S. Masuda (470) 61
Bennett, V. see J.L.R. Freeman (473) 280
Bentley, J.D. see P.A. Hoyne (479) 15
Berecki, G. see H.A.A.J. Korthout (475) 139
Berezovsky, I.N., A.Y. Grosberg and E.N. Trifonov, Closed loops of nearly standard size: common basic element of protein structure (466) 283
Berger, G.D. see M.D. Leibowitz (473) 333
Berger, J. see M.D. Leibowitz (473) 333
Berglund, M.M. see E. Salaneck (484) 229
Bergman, T. see A.P. Jonsson (475) 131
Bergounioux, C. see S. Planchais (476) 78
Bergqvist, I. see B. Eriksson (479) 106
Bergschneider, E. see N. Tennagels (479) 67
Bergström, J. see T. Larsson (469) 155
Berliner, L.J. see E.A. Permyakov (473) 269
Bermúdez, J. see J. Boada (480) 261
Bernard, H., H. Meisel, C. Creminon and J.M. Wal, Post-translational phosphorylation affects the IgE binding capacity of caseins (467) 239
Bernardi, G. see A. Barakat (471) 161
Bernardi, G. see N. Carels (472) 302
Bernardi, R., A. Negri, S. Ronchi and S. Palmieri, Isolation of the epithiospecifier protein from oil-rape (*Brassica napus* ssp. *oleifera*) seed and its characterization (467) 296
Bernier, J.-L. see F. Bailly (486) 19
Berr, F. see C. Lange-zu Dohna (484) 77
Berrier, C., M. Bonhivers, L. Letellier and A. Ghazi, High-conductance channel induced by the interaction of phage lambda with its receptor maltoporin (476) 129
Berry, C. see K. Girdwood (474) 253
Berthonneau, E. and M. Mirande, A gene fusion event in the evolution of aminoacyl-tRNA synthetases (470) 300
Bertoni, A. see M. Torti (466) 355
Bertoni, G. see A. Manevski (483) 43
Bertrand, M. see B. Schoefs (486) 243
Besson, F. see L. Volpon (485) 76
Beterams, G., B. Böttcher and M. Nassal, Packaging of up to 240 subunits of a 17 kDa nuclease into the interior of recombinant hepatitis B virus capsids (481) 169
Betts, J.C. see G.M. Gibb (485) 99
Betz, H. see M. Horiuchi (480) 283
Betzler, M. see H. Splitt (472) 83
Beven, A.F. see T.D. Bunney (476) 145
Beyer, P. see S. Al-Babili (485) 168
Bezrukov, S.M., L. Kullman and M. Winterhalter, Probing sugar translocation through maltoporin at the single channel level (476) 224
Bhaduri, T., S. Basak, D. Sikder and V. Nagaraja, Inhibition of *Mycobacterium smegmatis* topoisomerase I by specific oligonucleotides (486) 126
Bhattacharya, S. see Y.K. Ghosh (473) 341
Bhaumik, S., M. Jyothi and A. Khar, Differential modulation of nitric oxide production by curcumin in host macrophages and NK cells (483) 78
Bianchi, A. see F. Casas (478) 4
Bianco, I.D., J. Balsinde, D.M. Beltramo, L.F. Castagna, C.A. Landa and E.A. Dennis, Chitosan-induced phospholipase $A_2$ activation and arachidonic acid mobilization in $P388D_1$ macrophages (466) 292
Bichet, D. see Z. Fajloun (469) 179
Biel, M. see L. Vaca (479) 35
Biemar, F. see A. Molina (474) 5
Bieth, J.G. see J. Duranton (473) 154

Bifulco, M. see P. Mondola (467) 57
Bigot, K. see C. Le May (475) 163
Billat, C. see E. Petitfrère (485) 117
Billi, A.M. see A.M. Martelli (486) 230
Binet, M.R.B. and R.K. Poole, Cd(II), Pb(II) and Zn(II) ions regulate expression of the metal-transporting P-type ATPase ZntA in *Escherichia coli* (473) 67
Binet, S. see B.H. Rihn (480) 95
Birch, R. see Y. Yiangou (467) 249
Birinyi-Strachan, L.C. see T.H. Szeto (470) 293
Bischof, K. see M. Bayer (466) 389
Bischoff, L. see F. Noble (467) 81
Bisogno, T. see L. De Petrocellis (483) 52
Björk, I. see V. Stoka (469) 29
Björklöf, K., V. Zickermann and M. Finel, Purification of the 45 kDa, membrane bound NADH dehydrogenase of *Escherichia coli* (NDH-2) and analysis of its interaction with ubiquinone analogues (467) 105
Blackstock, W.P. see G.M. Gibb (485) 99
Blahůšková, A. see D. Rösel (473) 323
Blair, G. see A. Chiter (481) 164
Blanchetot, C. and J. den Hertog, Antibody-induced dimerization of HARPTPα–EGFR chimera suggests a ligand dependent mechanism of regulation for RPTPα (484) 235
Blanco, J., A. Valenzuela, C. Herrera, C. Lluis, A.G. Hovanessian and R. Franco, The HIV-1 gp120 inhibits the binding of adenosine deaminase to CD26 by a mechanism modulated by CD4 and CXCR4 expression (477) 123
Blandl, T., S.E. Warder, M. Prorok and F.J. Castellino, Structure–function relationships of the NMDA receptor antagonist peptide, conantokin-R (470) 139
Blangy, A. see M. De Toledo (480) 287
Blankenship, R.E. see A.N. Melkozernov (471) 89
Blasi, F. see N. Sidenius (470) 40
Blasi, F. see N. Sidenius (475) 52
Blasko, I., M. Wagner, N. Whitaker, B. Grubeck-Loebenstein and P. Jansen-Dürr, The amyloid β peptide Aβ (25–35) induces apoptosis independent of p53 (470) 221
Blatt, M.R. see F.J. Quintero (471) 224
Blaudschun, R., P. Brenneisen, M. Wlaschek, C. Meewes and K. Scharffetter-Kochanek, The first peak of the UVB irradiation-dependent biphasic induction of vascular endothelial growth factor (VEGF) is due to phosphorylation of the epidermal growth factor receptor and independent of autocrine transforming growth factor α (474) 195
Blein, J.-P. see P. Etienne (466) 213
Blichenberg, A. see A.M. Szilvay (484) 43
Blichenberg, A. see A.M. Szilvay (485) 209
Bloemendal, H. see A.F. van Rijk (480) 79
Blomquist, A. see U. Rümenapp (467) 134
Blouquit, Y. see I. Durussel (472) 208
Blumenthal, R. see K.M. Jernigan (474) 246
Blumwald, E. see D.A. Palma (486) 155
Boada, J., T. Roig, X. Perez, A. Gamez, R. Bartrons, M. Cascante and J. Bermúdez, Cells overexpressing fructose-2,6-bisphosphatase showed enhanced pentose phosphate pathway flux and resistance to oxidative stress (480) 261
Bobik, A. see A. Agrotis (467) 128
Bobyleva, V. see S. Salvioli (469) 186
Bocharova, T.N. see A.A. Volodin (473) 53
Böck, A. see A. Magalon (473) 254
Bock, J. see C.R. Hauck (478) 260
Bödding, M. see U. Wissenbach (485) 127
Bode-Böger, S.M. see D. Tsikas (478) 1
Bodmer, J.-L. see A. Kaptein (485) 135
Boehm, M.K. and S.J. Perkins, Structural models for carcinoembryonic antigen and its complex with the single-chain Fv antibody molecule MFE23 (475) 11
Boehr, D.D. see R.J. Weselake (481) 189
Boelens, W.C. see A.F. van Rijk (480) 79
Boese, A., M. Sauter and N. Mueller-Lantzsch, A Rev-like NES mediates cytoplasmic localization of HERV-K cORF (468) 65
Boeynaems, J.-M. see D. Communi (475) 39
Bofill, R. see M. Valls (467) 189
Bogdanov, A.A. see A.G. Evstafieva (467) 150
Böger, R.H. see D. Tsikas (478) 1
Bogner, E. see K. Giesen (471) 215
Bogsch, E.G. see A. Bolhuis (472) 88
Bogyo, M. see C.R. Caffrey (466) 244
Böhm, K.J., R. Stracke, M. Baum, M. Zieren and E. Unger, Effect of temperature on kinesin-driven microtubule gliding and kinesin ATPase activity (466) 59
Bohn, G. see N. Klugbauer (470) 189
Bohn, G., S. Moosmang, H. Conrad, A. Ludwig, F. Hofmann and N. Klugbauer, Expression of T- and L-type calcium channel mRNA in murine sinoatrial node (481) 73
Bohuon, C. see S. Wrenger (466) 155
Boilly, B. see A.-S. Vercoutter-Edouart (478) 209
Bokma, E., T. Barends, A.C. Terwisscha van Scheltinga, B.W. Dijkstra and J.J. Beintema, Enzyme kinetics of hevamine, a chitinase from the rubber tree *Hevea brasiliensis* (478) 119
Böl, G.-F., O.J. Kreuzer and R. Brigelius-Flohé, Translocation of the interleukin-1 receptor-associated kinase-1 (IRAK-1) into the nucleus (477) 73
Bolan, E. see Y.-X. Pan (466) 337
Bolbrinker, J. see H. Funke-Kaiser (466) 310
Bolhuis, A., E.G. Bogsch and C. Robinson, Subunit interactions in the twin-arginine translocase complex of *Escherichia coli* (472) 88
Bolla, J.M. see E. Dé (469) 93
Bollen, M. see B. Nilius (466) 346
Bolognesi, M. see M.E. Stroppolo (483) 17
Bon, C. see S. Braud (471) 12
Bonaccorsi di Patti, M.C., M.R. Felice, A.P. Camuti, A. Lania and G. Musci, The essential role of Glu-185 and Tyr-354 residues in the ferroxidase activity of *Saccharomyces cerevisiae* Fet3 (472) 283
Bonaldo, P. see R. Doliana (484) 164
Bonatti, S. see M.C. Pascale (480) 226
Bones, A.M. see H.L. Foo (468) 243
Bonhivers, M. see C. Berrier (476) 129
Bonnekoh, B. see P. Mayer (480) 156
Bonvini, E. see L.J. Graham (470) 273
Bonza, M.C. see L. Luoni (482) 225
Bora, R.S., S. Ichikawa, A. Kanamori and Y. Hirabayashi, Genomic structure and promoter analysis of putative mouse acetyl-CoA transporter gene (473) 169
Bordo, D. see S. Pagani (472) 307
Borgatti, P., A.M. Martelli, A. Bellacosa, R. Casto, L. Massari, S. Capitani and L.M. Neri, Translocation of Akt/PKB to the nucleus of osteoblast-like MC3T3-E1 cells exposed to proliferative growth factors (477) 27
Bork, P. see D. Brett (474) 83
Bork, P. see M.A. Andrade (476) 12
Born, W. see A. Aldecoa (471) 156
Born, W. see N. Bühlmann (486) 320
Bornet, F. see F. Visioli (468) 159
Bornet, O. see C. Dominguez (482) 109
Boronat, A. see M. Rodriguez-Concepción (473) 328
Borovok, I. see H. Splitt (472) 83
Borsotto, M. see N. Tinel (480) 137
Borutaite, V., R. Morkuniene and G.C. Brown, Nitric oxide donors, nitrosothiols and mitochondrial respiration inhibitors induce caspase activation by different mechanisms (467) 155
Boschetti, M. see O. Marin (481) 63
Boswell, T. see E. Salaneck (484) 229
Bot, S. see R. Doliana (484) 164
Bott, M. see K. Schneider (483) 165
Böttcher, B. see G. Beterams (481) 169
Bottiglieri, C., L. Ferrara, M. Corona, G.B. Gurrola, C. Batista, E. Wanke and L.D. Possani, Disulfide bridges of Ergtoxin, a member of a new sub-family of peptide blockers of the *ether-a-go-go*-related $K^+$ channel (479) 156
Bottiglieri, C. see A. Scaloni (481) 308
Boucher, Y. see L. Briand (476) 179
Bouchier-Hayes, L. see S.A. Keogh (471) 93
Boudot, C. see E. Petitfrère (485) 117
Bourette, R. see C. Bourgin (480) 113
Bourgin, C., R. Bourette, G. Mouchiroud and S. Arnaud, Expression of Mona (monocytic adapter) in myeloid progenitor cells results in increased and prolonged MAP kinase activation upon macrophage colony-stimulating factor stimulation (480) 113
Bournat, P. see F. Ruggiero (469) 132
Bouron, A., Activation of a capacitative $Ca^{2+}$ entry pathway by store depletion in cultured hippocampal neurones (470) 269
Boyd, N.D. see A.A. Bremer (486) 43
Boylan, J.M. see P.A. Gruppuso (466) 200
Bozon, D. see T. Mourad-Terzian (475) 22

Bozzi, M. see M. Sette (483) 21
Bracci, M. see A. Orrico (478) 216
Bradley, N.J. see K.M. Naseem (473) 119
Braga, C.M.S. see M.F. Oliveira (477) 95
Brahim, J.S. see C.H. Lee (477) 268
Brahmachari, S.K., D. Sharma, S. Sharma, S. Pasha, S. Sen and Q. Saleem, Probing the polyglutamine puzzle in neurological disorders (472) 167
Braidot, E. see V. Casolo (474) 53
Brancaccio, A. see C. Losasso (484) 194
Brandeis, M. see C. Lange-zu Dohna (484) 77
Brandi, A. see A. Andrè (468) 73
Branton, P.E. see J. Kim (474) 121
Braslavsky, S.E. see C. Kneip (482) 252
Bratt, P. see A.P. Jonsson (475) 131
Braud, S., C. Bon, L. Touqui and C. Mounier, Activation of rabbit blood platelets by anandamide through its cleavage into arachidonic acid (471) 12
Braumüller, H., S. Gansauge, M. Ramadani and F. Gansauge, CD44v6 cell surface expression is a common feature of macrophages and macrophage-like cells – implication for a natural macrophage extravasation mechanism mimicked by tumor cells (476) 240
Braun, M. see B.H. Rauch (481) 3
Braus, G.H. see M. Bäumer (468) 142
Brazma, A. and J. Vilo, Gene expression data analysis (480) 17
Brdiczka, D. see M.R. Więckowski (484) 61
Breidbach, T., R. Krauth-Siegel and D. Steverding, Ribonucleotide reductase is regulated via the R2 subunit during the life cycle of *Trypanosoma brucei* (473) 212
Bremer, A.A., S.E. Leeman and N.D. Boyd, The common C-terminal sequences of substance P and neurokinin A contact the same region of the NK-1 receptor (486) 43
Bremser, M. see A.G. Maier (484) 82
Brenneisen, P. see R. Blaudschun (474) 195
Brenner, S. see B. Venkatesh (476) 3
Brentani, R.R. see E. Graner (482) 257
Brereton, I.M. see D. Clayton (479) 118
Bresciani, R. see A. Piccinotti (472) 143
Bressan, R.A. see H. Koiwa (471) 67
Breton, J. see E. Nabedryk (477) 283
Brett, D., J. Hanke, G. Lehmann, S. Haase, S. Delbrück, S. Krueger, J. Reich and P. Bork, EST comparison indicates 38% of human mRNAs contain possible alternative splice forms (474) 83
Briand, L., J.-C. Huet, V. Perez, G. Lenoir, C. Nespoulous, Y. Boucher, D. Trotier and J.-C. Pernollet, Odorant and pheromone binding by aphrodisin, a hamster aphrodisiac protein (476) 179
Briche, I. see B. Laine (479) 41
Brigelius-Flohé, R. see G.-F. Böl (477) 73
Brightman, F.A. and D.A. Fell, Differential feedback regulation of the MAPK cascade underlies the quantitative differences in EGF and NGF signalling in PC12 cells (482) 169
Bril, A. see M. Souchet (477) 99
Brinster, R.L. see M. Nagano (475) 7
Brion, J.P. see K. Leroy (465) 34
Briquaire, C. see J. Chemin (478) 166
Brisson, J.-R. see M. Caroff (477) 8
Brix, K. see C. Hitzel (485) 67
Broadhurst, R. see P.A. Reche (479) 93
Broekaert, D. see S. Eyckerman (486) 33
Broin, M., S. Cuiné, G. Peltier and P. Rey, Involvement of CDSP 32, a drought-induced thioredoxin, in the response to oxidative stress in potato plants (467) 245
Bronstein, I. see S. Tarabykina (475) 187
Brook, M., G. Sully, A.R. Clark and J. Saklatvala, Regulation of tumour necrosis factor α mRNA stability by the mitogen-activated protein kinase p38 signalling cascade (483) 57
Brooks, C.L. see F.C. Peterson (472) 276
Brouckaert, P. see W. Van Molle (467) 201
Brown, G.C. see V. Borutaite (467) 155
Brown, N.L. see J.R. Wilson (472) 78
Brown, P. see J. DeRisi (470) 156
Brown, T.J.N. see A. Dubus (485) 142
Broxterman, H.J. see J.H. Hooijberg (469) 47
Bruckdorfer, K. see K.M. Naseem (473) 119
Bruhn, H. see R. Nickel (486) 112
Bruin, W. see H.A.A.J. Korthout (475) 139
Brunati, A.M., A. Contri, M. Muenchbach, P. James, O. Marin and L.A. Pinna, GRP94 (endoplasmin) co-purifies with and is phosphorylated by Golgi apparatus casein kinase (471) 151
Bruneteau, M. see L. Aussel (465) 87
Bruni, P. see E. Meacci (473) 10
Bruni, P. see E. Meacci (482) 97
Brunk, U.T. see W. Li (470) 35
Brunk, U.T. see M. Zhao (485) 104
Brunner, J. see E.N.G. Houben (476) 229
Brunner, M. see T. Moeslinger (478) 95
Bryl, K. and K. Yoshihara, The role of chromophore in the lipid–protein interactions in bacteriorhodopsin–phosphatidylcholine vesicles (480) 123
Bubacco, L. see M. van Gastel (474) 228
Bucci, E. see S. Sorrentino (466) 35
Büchert, T. see G. Fritz (473) 63
Büchi, L. see M. Müller (468) 115
Budde, P. see S. Rathke-Hartlieb (481) 227
Bugiani, O. see G. Forloni (466) 205
Bühlmann, N., A. Aldecoa, K. Leuthäuser, R. Gujer, R. Muff, J.A. Fischer and W. Born, Glycosylation of the calcitonin receptor-like receptor at $Asn^{60}$ or $Asn^{112}$ is important for cell surface expression (486) 320
Buijs, R.M. see A. Takano (477) 106
Bujnicki, J.M. and L. Rychlewski, Prediction of a common fold for all four subunits of the yeast tRNA splicing endonuclease: implications for the evolution of the EndA/Sen family (486) 328
Bulimo, W.D., J.E. Miskin and L.K. Dixon, An ARID family protein binds to the African swine fever virus encoded ubiquitin conjugating enzyme, UBCv1 (471) 17
Bunney, T.D., P.J. Shaw, P.A.C. Watkins, J. Taylor, A.F. Beven, B. Wells, G.M. Calder and B.K. Drobak, ATP-dependent regulation of nuclear $Ca^{2+}$ levels in plant cells (476) 145
Burch, L.R., C.A. Midgley, R.A. Currie, D.P. Lane and T.R. Hupp, Mdm2 binding to a conformationally sensitive domain on p53 can be modulated by RNA (472) 93
Bürgin, H. see A. Tomschy (472) 169
Burgun, C., L. Esteve, N. Humblot, D. Aunis and J. Zwiller, Cyclic AMP-elevating agents induce the expression of MAP kinase phosphatase-1 in PC12 cells (484) 189
Burke, M. see R. Edge (471) 125
Burkhardt, H. see A. Sommer (474) 146
Burner, U. see P.G. Furtmüller (484) 139
Burns, L.J. see J. Wang (474) 213
Burrows, L. see K. Clark (471) 182
Burzynski, K.E. see A. Abdelmoity (482) 65
Busch, J.L.H. see J.P. Hannan (468) 161
Bushell, M. see S.J. Morley (477) 229
Bushweller, J.H. see Y.-Y. Tang (470) 167
Busquets, X. see C. Miralles (476) 253
Butelli, E. see M. Manunta (471) 256
Butler, R., J. Robertson and J.-M. Gallo, Mutually exclusive expression of $\beta_{III}$-tubulin and vimentin in adrenal cortex carcinoma SW13 cells (470) 198
Büttner, D. see H.-P. Stuible (467) 117
Buurman, G., S. Shima and R.K. Thauer, The metal-free hydrogenase from methanogenic archaea: evidence for a bound cofactor (485) 200
Bystedt, M. see T. Kieselbach (480) 271

# C

Cabello, G. see F. Casas (478) 4
Cabello, G. see F. Casas (482) 71
Cabiaux, V. see X.-M. Wang (481) 96
Cabrero, A., M. Alegret, R.M. Sánchez, T. Adzet, J.C. Laguna and M. Vázquez, Down-regulation of uncoupling protein-3 and -2 by thiazolidinediones in C2C12 myotubes (484) 37
Cadenas, E. see F. Antunes (475) 121
Caelles, C. see M.V. González (466) 395

Caffrey, C.R., M.A. Mathieu, A.M. Gaffney, J.P. Salter, M. Sajid, K.D. Lucas, C. Franklin, M. Bogyo and J.H. McKerrow, Identification of a cDNA encoding an active asparaginyl endopeptidase of *Schistosoma mansoni* and its expression in *Pichia pastoris* (466) 244
Caffrey, J.J. see A. Saiardi (468) 28
Caffrey, J.J. see A. Saiardi (469) 213
Calder, G.M. see T.D. Bunney (476) 145
Calendar, R. see T. Tatsuta (478) 271
Calera, J.A., J. Sánchez-Weatherby, R. López-Medrano and F. Leal, Distinctive properties of the catalase B of *Aspergillus nidulans* (475) 117
Callaway, J.C. see V. Faivre (471) 56
Callebaut, I. see M. Souchet (477) 99
Calmels, T.P.G. see M. Souchet (477) 99
Calogero, R.A. see A. Andrè (468) 73
Camarasa, M.-J. see J. Balzarini (483) 181
Cambiazo, V., E. Logarinho, H. Pottstock and C.E. Sunkel, Microtubule binding of the *Drosophila* DMAP-85 protein is regulated by phosphorylation in vitro (483) 37
Cameron, A., Y. Fortenberry and I. Lindberg, The SAAS granin exhibits structural and functional homology to 7B2 and contains a highly potent hexapeptide inhibitor of PC1 (473) 135
Camonis, J. see B. Vayssière (467) 91
Campbell, K.D. see K.M. Skubitz (469) 52
Campbell, K.P. see K.H. Holt (468) 79
Campos, N. see M. Rodríguez-Concepción (473) 328
Camuti, A.P. see M.C. Bonaccorsi di Patti (472) 283
Cañada, F. see A.J. Day (468) 166
Canals, F. see J. Villanueva (472) 27
Canessa, C.M. see S.S. Gupta (481) 77
Cánovas, F.M. see C. Ávila Sáez (477) 237
Cantacuzene, D. see E. Osinaga (469) 24
Canters, G.W. see M. van Gastel (474) 228
Cantrell, D. see V. Lafont (486) 38
Cao, Y., K.J. Murphy, T.M. McIntyre, G.A. Zimmerman and S.M. Prescott, Expression of fatty acid-CoA ligase 4 during development and in brain (467) 263
Cao, Y.-J., G. Gimpl and F. Fahrenholz, A mutation in the second intracellular loop of the pituitary adenylate cyclase activating polypeptide type I receptor confers constitutive receptor activation (469) 142
Capaldi, R.A. see S.P. Tsunoda (470) 244
Capaldi, R.A. see R.W. Gilkerson (474) 1
Capaldi, R.A. see R. Carrozzo (486) 297
Capdevila, M. see M. Valls (467) 189
Capilla, E. see J.V. Planas (481) 266
Capitani, S. see P. Borgatti (477) 27
Capron, M. see C. Faveeuw (486) 261
Carbajo, R.J. see L.M. Quirós (476) 186
Carbonell, X. see J.X. Feliu (474) 87
Carbonneau, E. see G. Baroudi (467) 12
Carels, N. and G. Bernardi, The compositional organization and the expression of the *Arabidopsis* genome (472) 302
Cariers, A. see M. Michalke (465) 64
Carloni, P. see L. Guidoni (477) 37
Carlson, E.J. see C.N. Roy (484) 271
Carnac, G. see L. Fajas (471) 29
Caroff, M. see L. Aussel (465) 87
Caroff, M., J.-R. Brisson, A. Martin and D. Karibian, Structure of the *Bordetella pertussis* 1414 endotoxin (477) 8
Caroff, M. see L. Aussel (485) 40
Caron, G. see M.C. Marden (472) 221
Carpen, A. see S. Pagani (472) 307
Carrascal, M. see M. Valls (467) 189
Carrère, J. see J. Duranton (473) 154
Carrió, M., R. Cubarsi and A. Villaverde, Fine architecture of bacterial inclusion bodies (471) 7
Carrion-Vazquez, M. see T.E. Fisher (482) 131
Carrozzo, R., J. Murray, F.M. Santorelli and R.A. Capaldi, The T9176G mutation of human mtDNA gives a fully assembled but inactive ATP synthase when modeled in *Escherichia coli* (486) 297
Carson, S.D., Limited proteolysis of the coxsackievirus and adenovirus receptor (CAR) on HeLa cells exposed to trypsin (484) 149
Cartas, M. see D. Lai (469) 191
Cartier, N., S. Guidoux, F. Rocchiccioli and P. Aubourg, Simvastatin does not normalize very long chain fatty acids in adrenoleukodystrophy mice (478) 205
Carton, I. see B. Nilius (466) 346
Caruso, D. see F. Visioli (468) 159
Casado, F. see M. Lostao (481) 137
Casas, F., L. Domenjoud, P. Rochard, R. Hatier, A. Rodier, L. Daury, A. Bianchi, P. Kremarik-Bouillaud, P. Becuwe, J.-M. Keller, H. Schohn, C. Wrutniak-Cabello, G. Cabello and M. Dauça, A 45 kDa protein related to PPARγ2, induced by peroxisome proliferators, is located in the mitochondrial matrix (478) 4
Casas, F., T. Pineau, P. Rochard, A. Rodier, L. Daury, M. Dauça, G. Cabello and C. Wrutniak-Cabello, New molecular aspects of regulation of mitochondrial activity by fenofibrate and fasting (482) 71
Casas-Finet, J.R. see D.R. Morcock (476) 190
Cascante, M. see T. Ureta (475) 145
Cascante, M. see J. Boada (480) 261
Casellas, P. see C. Serradeil-Le Gal (475) 150
Caskey, T. see D. Heidkaemper (480) 265
Casolo, V., E. Braidot, E. Chiandussi, F. Macrì and A. Vianello, The role of mild uncoupling and non-coupled respiration in the regulation of hydrogen peroxide generation by plant mitochondria (474) 53
Cassani, C. see D. Barisani (469) 208
Cassiman, J.-J. see L. Wei (473) 149
Castagna, L.F. see I.D. Bianco (466) 292
Castagnoli, L. see A. Zucconi (480) 49
Castellino, F.J. see T. Blandl (470) 139
Castello, P.R. see V. Levi (483) 99
Castilho, R.F. see E.B. Zago (478) 29
Castilla-Cortazar, I. see M. Garcia Fernandez (478) 290
Casto, R. see P. Borgatti (477) 27
Castro, C. see L.J. García-Rodríguez (478) 84
Cathala, N. see J.J. Vidmar (475) 65
Catisti, R. see A.E. Vercesi (473) 203
Cattaneo, M.G., J.E. Taylor, M.D. Culler, E. Nisoli and L.M. Vicentini, Selective stimulation of somatostatin receptor subtypes: differential effects on Ras/MAP kinase pathway and cell proliferation in human neuroblastoma cells (481) 271
Catteau, J.-P. see F. Bailly (486) 19
Cattori, V., B. Hagenbuch, N. Hagenbuch, B. Stieger, R. Ha, K.E. Winterhalter and P.J. Meier, Identification of organic anion transporting polypeptide 4 (Oatp4) as a major full-length isoform of the liver-specific transporter-1 (rlst-1) in rat liver (474) 242
Cavaliere, M.L. see A. Orrico (478) 216
Cavazos, G. see F. Urban Jr. (484) 159
Cawley, N.X., E. Normant, A. Chen and Y. Loh, Oligomerization of pro-opiomelanocortin is independent of pH, calcium and the sorting signal for the regulated secretory pathway (481) 37
Cazalé, A.-C. see M.-J. Droillard (474) 217
Cazzulo, J.J. see V. Stoka (469) 29
Cecconi, F. and B.I. Meyer, Gene trap: a way to identify novel genes and unravel their biological function (480) 63
Ceci, L.R. see M. Volpicella (468) 137
Ceciliani, F. see T. Simonic (469) 33
Celis, J.E., M. Kruhøffer, I. Gromova, C. Frederiksen, M. Østergaard, T. Thykjaer, P. Gromov, J. Yu, H. Pálsdóttir, N. Magnusson and T.F. Ørntoft, Gene expression profiling: monitoring transcription and translation products using DNA microarrays and proteomics (480) 2
Celis, J.E., FEBS in the new millennium (481) 1
Celis, J.E. see R.F.L. O'Shaughnessy (486) 149
Cencetti, F. see E. Meacci (473) 10
Cencetti, F. see E. Meacci (482) 97
Centelles, J.J. see T. Ureta (475) 145
Cervera, J. see C. Alcántara (484) 261
Cesareni, G. see A. Tommasi di Vignano (471) 229
Cesareni, G., Editorial (480) 1
Cesareni, G. see A. Zucconi (480) 49
Chabret, C. see G. Pitari (483) 149
Chaby, R. see L. Aussel (485) 40
Chahine, M. see G. Baroudi (467) 12
Chaïb-Oukadour, I. see C. Gil (481) 177
Chainier, F. see D. Roussel (477) 141
Chaires, J.B. see J. Ren (470) 355

Chakravarty, S. and R. Varadarajan, Elucidation of determinants of protein stability through genome sequence analysis (470) 65
Chakravarty, S., N. Mitra, I. Queitsch, A. Surolia, R. Varadarajan and S. Dübel, Protein stabilization through phage display (476) 296
Chamaon, K., R. Schulz, K.-H. Smalla, B. Seidel and E.D. Gundelfinger, Neuronal nicotinic acetylcholine receptors of *Drosophila melanogaster*: the α-subunit Dα3 and the β-type subunit ARD co-assemble within the same receptor complex (482) 189
Champness, J. see M. Sohi (465) 161
Chan, S.-M. see P.-L. Gu (472) 122
Chan, Y.B. see I. Miguel-Aliaga (486) 99
Chang, A. see Y.-X. Pan (466) 337
Chang, J.-H. see R.W. Roof (472) 117
Chang, J.-Y. and A. Ballatore, The structure of denatured bovine pancreatic trypsin inhibitor (BPTI) (473) 183
Chap, H. see E. Maury (466) 228
Chap, H. see M. Torti (466) 355
Chap, H. see C. Trumel (484) 184
Chapman, S.K. see T.W.B. Ost (486) 173
Chapus, C. see C. Dominguez (482) 109
Chardin, P. see B. Vayssière (467) 91
Chasserot-Golaz, S. see M. Gensse (480) 184
Chatterjee, T.K. see R.J. Mallis (482) 237
Chédeville, A. see A. Hubert (481) 209
Chemin, J., A. Monteil, C. Briquaire, S. Richard, E. Perez-Reyes, J. Nargeot and P. Lory, Overexpression of T-type calcium channels in HEK-293 cells increases intracellular calcium without affecting cellular proliferation (478) 166
Chen, A. see N.X. Cawley (481) 37
Chen, H. see F. Noble (467) 81
Chen, H.-M., J. Zhou and Y.-R. Dai, Cleavage of lamin-like proteins in in vivo and in vitro apoptosis of tobacco protoplasts induced by heat shock (480) 165
Chen, J. see J.-G. Ye (479) 136
Chen, L. see Z. Fajloun (469) 179
Chen, M. see T. Aoyama (467) 217
Chen, M. see K. Endo (477) 55
Chen, X. see X.-Y. Wang (465) 98
Chen, Y. see A.F. Fradkov (479) 127
Chen, Z.Y., J.-L. Shie and C.-C. Tseng, Up-regulation of gut-enriched krüppel-like factor by interferon-γ in human colon carcinoma cells (477) 67
Cheng, J. see J.R. Gallon (468) 231
Cheng, L. see G. Fan (467) 7
Cheng, M., H. Ho, C. Liang, Y. Chou, A. Stern, F. Lu and D.T. Chiu, Cellular glucose-6-phosphate dehydrogenase (G6PD) status modulates the effects of nitric oxide (NO) on human foreskin fibroblasts (475) 257
Cheong, J. see H.J. Kong (483) 114
Cherry, L., N. Menhart and L.W.-M. Fung, Spin label EPR structural studies of the N-terminus of α-spectrin (466) 341
Cheung, W.M.W., W.S. Hui, P.W.K. Chu, S.W. Chiu and N.Y. Ip, Ganoderma extract activates MAP kinases and induces the neuronal differentiation of rat pheochromocytoma PC12 cells (486) 291
Cheung, Y.-F. see T.W.B. Ost (486) 173
Chevion, M. see Y. Amor (477) 175
Chi, Y.H. see K.O. Lee (486) 103
Chiancone, E. see D. Verzili (471) 197
Chiandussi, E. see V. Casolo (474) 53
Chiarugi, P. see T. Fiaschi (473) 42
Chichkova, N.V. see A.G. Evstafieva (467) 150
Chien, E.Y.T. see C.M. Szabo (482) 25
Chien, K.Y. see G. Jayaraman (482) 154
Chignard, M. see C. Trumel (484) 184
Chikumi, H. see S. Fukuhara (485) 183
Childs, S. see F. Zhang (478) 89
Chimori, Y., K. Hayashi, K. Kimura, W. Nishida, S. Funahashi, S. Miyata, M. Shimane, Y. Matsuzawa and K. Sobue, Phenotype-dependent expression of cadherin 6B in vascular and visceral smooth muscle cells (469) 67
Chinetti, G. see C. Faveeuw (486) 261
Chiozzi, P. see D. Ferrari (486) 217
Chiquet-Ehrismann, R. see L.I. Murphy (480) 189
Chiter, A., J. Forbes and G. Blair, DNA stability in plant tissues: implications for the possible transfer of genes from genetically modified food (481) 164
Chiu, D.T. see M. Cheng (475) 257
Chiu, S.W. see W.M.W. Cheung (486) 291
Chizhov, I. see G. Schmies (466) 67
Cho, J.-H., Y. Noda and K. Yoda, Proteins in the early Golgi compartment of *Saccharomyces cerevisiae* immunoisolated by Sed5p (469) 151
Cho, M.J. see K.O. Lee (486) 103
Cho, N.-Y. see T.-Y. Choi (483) 71
Choi, S.Y. see H.Y. Kwon (485) 163
Choi, T.-Y., N.-Y. Cho, Y. Oh, M.-A. Yoo, A. Matsukage, Y. Ryu, K. Han, J. Yoon and K. Baek, The DNA replication-related element (DRE)–DRE-binding factor (DREF) system may be involved in the expression of the *Drosophila melanogaster TBP* gene (483) 71
Choi, Y.-K. see B.-Y. Kim (472) 45
Choi, Y.O. see K.O. Lee (486) 103
Chottard, J.-C. see L. Massaad-Massade (466) 49
Chou, C.-K. see Y.-L. Lin (467) 184
Chou, K.-C., A.G. Tomasselli and R.L. Heinrikson, Prediction of the tertiary structure of a caspase-9/inhibitor complex (470) 249
Chou, Y. see M. Cheng (475) 257
Choubey, D., S. Walter, Y. Geng and H. Xin, Cytoplasmic localization of the interferon-inducible protein that is encoded by the *AIM2* (absent in melanoma) gene from the 200-gene family (474) 38
Chow, A., A.J. Davis and D.J. Gawler, Identification of a novel protein complex containing annexin VI, Fyn, Pyk2, and the $p120^{GAP}$ C2 domain (469) 88
Chow, K.-C. and W.L. Tung, Magnetic field exposure enhances DNA repair through the induction of DnaK/J synthesis (478) 133
Chowdhury, S. see S. Oyadomari (478) 141
Christen, G., R. Steffen and G. Renger, Delayed fluorescence emitted from light harvesting complex II and photosystem II of higher plants in the 100 ns–5 μs time domain (475) 103
Christen, P. see B. Kunz (466) 207
Christen, P. see M. Manunta (474) 255
Christie, M.J. see T.H. Szeto (470) 293
Chu, P.W.K. see W.M.W. Cheung (486) 291
Chung, C.H. see I.S. Seong (477) 224
Chung, J.H. see Y.J. Lee (472) 230
Chung, J.H. see Y. Hahn (482) 31
Church, F.C. see C.A. Holland (484) 87
Ciaffoni, F. see R. Salvioli (472) 17
Cianflone, K. see R.J. Weselake (481) 189
Cielens, I., V. Ose, I. Petrovskis, A. Strelnikova, R. Renhofa, T. Kozlovska and P. Pumpens, Mutilation of RNA phage Qβ virus-like particles: from icosahedrons to rods (482) 261
Ciminale, V. see O. Marin (481) 63
Cimino, F. see F. Esposito (470) 211
Cingolani, G., H.A. Lashuel, L. Gerace and C.W. Müller, Nuclear import factors importin α and importin β undergo mutually induced conformational changes upon association (484) 291
Cioffi, F.A. see A. Palumbo (485) 109
Ciriolo, M.R. see P. Mondola (467) 57
Ciruela, A. see J.B. Morris (475) 57
Cisneros, B. see E. González (482) 209
Cittadini, A. see C. Losasso (484) 194
Clapp, P.J. see C.R. Miller (467) 52
Clark, A. see C.E. Higham (470) 55
Clark, A.R. see M. Brook (483) 57
Clark, K., P. Newham, L. Burrows, J.A. Askari and M.J. Humphries, Production of recombinant soluble human integrin α4β1 (471) 182
Clarke, P.R. see J.R.A. Hutchins (466) 91
Clarkson, M.J. see M. Johnson-Saliba (467) 169
Claro, E. see E. Sarri (486) 63
Clauss, M. see H.A. Behrensdorf (466) 143
Claxton, S. see B.R.S. Ali (483) 32
Clayton, C. see A.G. Maier (484) 82
Clayton, D., I.M. Brereton, P.A. Kroon and R. Smith, Three-dimensional NMR structure of the sixth ligand-binding module of the human LDL receptor: comparison of two adjacent modules with different ligand binding specificities (479) 118
Clemens, M.J. see S.J. Morley (477) 229
Clement, M.V. see B. Halliwell (486) 10
Clotet, J. see M. Morillas (466) 183
Cocco, L. see A.M. Martelli (486) 230
Coffer, P.J. see N. Geijsen (471) 83
Cogdell, R.J. see K.E. McAuley (467) 285

Cohen, P. see K.S. Walker (466) 121
Cohen, P. see J.C. Arthur (482) 44
Coker, A.R., A. Purvis, D. Baker, M.B. Pepys and S.P. Wood, Molecular chaperone properties of serum amyloid P component (473) 199
Colegrave, M. see G. Miller (486) 325
Collavin, L., M. Monte, R. Verardo, C. Pfleger and C. Schneider, Cell-cycle regulation of the p53-inducible gene B99 (481) 57
Collins, R.A. see T.K. Au (471) 169
Collombel, C. see T. Mourad-Terzian (475) 22
Colnaghi, R. see S. Pagani (472) 307
Colombatti, A. see R. Doliana (484) 164
Colombo, K. see M. De Toledo (480) 287
Comellas, A. see L. Pesce (486) 310
Comminges, C. see E. Maury (466) 228
Communi, D., R. Janssens, B. Robaye, N. Zeelis and J.-M. Boeynaems, Rapid up-regulation of P2Y messengers during granulocytic differentiation of HL-60 cells (475) 39
Comte, J. see F. Ruggiero (469) 132
Conde, R., F.Z. Zamudio, M.H. Rodríguez and L.D. Possani, Scorpine, an anti-malaria and anti-bacterial agent purified from scorpion venom (471) 165
Condron, M. see A. Agrotis (467) 128
Conlon, J. see B. Matutte (483) 135
Connor, M. see T.H. Szeto (470) 293
Conrad, H. see G. Bohn (481) 73
Conreur, J.L. see K. Leroy (465) 34
Conte, D. see D. Barisani (469) 208
Conti, F. see O. Moran (473) 132
Contri, A. see A.M. Brunati (471) 151
Cooper, C.E. see J. Torres (475) 263
Cooper, H.M., C.R. Rosenberg and R.H. Hilderman, $p^1,p^4$-Diadenosine 5′-tetraphosphate induces the uptake of arginine and citrulline by a pore on the plasma membrane of bovine aortic endothelial cells (485) 57
Cooper, J. see I. Volf (483) 155
Cooper, L.A. see H.R. Reiske (486) 275
Cope, D.L., S.-H. Lee, D.R. Melvin and G.W. Gould, Identification of further important residues within the Glut4 carboxy-terminal tail which regulate subcellular trafficking (481) 261
Copse, C.L. see T. Fawcett (484) 65
Corbett, A.H. see N. Akhtar (483) 87
Corbi, A.L., U.B. Jensen and F.M. Watt, The α2 and α5 integrin genes: identification of transcription factors that regulate promoter activity in epidermal keratinocytes (474) 201
Coria, R. see L. Ongay-Larios (467) 22
Cornel, D. see T. Ghelis (474) 43
Cornel, D. see T. Ghelis (481) 89
Cornish-Bowden, A. see J.-H.S. Hofmeyr (476) 47
Corona, M. see C. Bottiglieri (479) 156
Corona, M. see A. Scaloni (481) 308
Cosgrove, L.J. see P.A. Hoyne (479) 15
Cossarizza, A. see S. Salvioli (469) 186
Cossarizza, A. see M. Garcia Fernandez (478) 290
Costa, M., Y. Shen and R.L. Medcalf, Overexpression of a dominant negative CREB protein in HT-1080 cells selectively disrupts plasminogen activator inhibitor type 2 but not tissue-type plasminogen activator gene expression (482) 75
Costas, M.A. see S. Werbajh (485) 195
Coupland, L.A. see O.K. Khurana (477) 118
Cowman, A.F., D.L. Baldi, J. Healer, K.E. Mills, R.A. O'Donnell, M.B. Reed, T. Triglia, M.E. Wickham and B.S. Crabb, Functional analysis of proteins involved in *Plasmodium falciparum* merozoite invasion of red blood cells (476) 84
Cox, J.A. see I. Durussel (472) 208
Cox, J.A. see T.M. Egan (475) 287
Crabb, B.S. see A.F. Cowman (476) 84
Craescu, C.T. see I. Durussel (472) 208
Craig, E.A. see C. Satyanarayana (470) 232
Creminon, C. see H. Bernard (467) 239
Crespo, P. see V. Sanz (474) 169
Cribbs, L.L., J.C. Gomora, A.N. Daud, J.-H. Lee and E. Perez-Reyes, Molecular cloning and functional expression of $Ca_v3.1c$, a T-type calcium channel from human brain (466) 54
Cribbs, L.L., J.C. Gomora, A.N. Daud, J.-H. Lee and E. Perez-Reyes, Corrigendum to: Molecular cloning and functional expression of $Ca_v3.1c$, a T-type calcium channel from human brain (470) 378
Crielaard, W. see A. Haker (486) 52
Crilly, K.S. see Q.-B. She (469) 163
Crilly, K.S. see Q.-B. She (473) 33
Crosbie, R.H. see K.H. Holt (468) 79
Cross, C.E. see G. Valacchi (466) 165
Crowther, R. see M.J. Smith (484) 265
Crute, B.E. see Y.-Y. Tang (470) 167
Cuadros, R. see M. Pérez (486) 270
Cubarsi, R. see M. Carrió (471) 7
Cucciolla, V. see C. Manna (470) 341
Cuchillo-Ibáñez, I. see E. Garcia-Palomero (481) 235
Cui, Y.-D. see T. Yamamori (467) 253
Cuiné, S. see M. Broin (467) 245
Culler, M.D. see M.G. Cattaneo (481) 271
Cullinan, C.A. see M.D. Leibowitz (473) 333
Cunha R.A., J.O. Malva and J.A. Ribeiro, Pertussis toxin prevents presynaptic inhibition by kainate receptors of rat hippocampal [$^3$H]GABA release (469) 159
Cunillera, N., M. Arró, O. Forés, D. Manzano and A. Ferrer, Characterization of dehydrodolichyl diphosphate synthase of *Arabidopsis thaliana*, a key enzyme in dolichol biosynthesis (477) 170
Cunningham, F.X. see Y. Ershov (473) 337
Cuppens, H. see L. Wei (473) 149
Currie, R.A. see L.R. Burch (472) 93
Czarny, M., G. Fiucci, Y. Lavie, Y. Banno, Y. Nozawa and M. Liscovitch, Phospholipase D2: functional interaction with caveolin in low-density membrane microdomains (467) 326
Czerski, L. and C.R. Sanders, Thiol modification of diacylglycerol kinase: dependence upon site membrane disposition and reagent hydrophobicity (472) 225

# D

Da Nascimento, S. see F. Noble (467) 81
Daffé, M. see I. Saves (480) 221
D'Agostino, D.M. see O. Marin (481) 63
Dai, S. see N. Klugbauer (470) 189
Dai, Y.-R. see R.-H. Tian (474) 11
Dai, Y.-R. see H.-M. Chen (480) 165
Daidone, M.G. see R. Villa (473) 241
Dalen, H. see W. Li (470) 35
D'Alessio, G. see S. Sorrentino (466) 35
Dali Ali, F. see I. Florenta (484) 246
Dalmau, M. see M. Piqué (480) 193
Damiani, E. see R. Sacchetto (481) 255
Damon, M. see A. Lombardi (475) 84
Dan, I., N.M. Watanabe, T. Kobayashi, K. Yamashita-Suzuki, Y. Fukagaya, E. Kajikawa, W.K. Kimura, T.M. Nakashima, K. Matsumoto, J. Ninomiya-Tsuji and A. Kusumi, Molecular cloning of MINK, a novel member of mammalian GCK family kinases, which is up-regulated during postnatal mouse cerebral development (469) 19
Dan, P. see N.D. Maruoka (473) 188
Danchin, A. see E.P.C. Rocha (476) 8
Dancsházy, Z. and Z. Tokaji, Blue light regeneration of bacteriorhodopsin bleached by continuous light (476) 171
Dang, D.T., K.E. Bachman, C.S. Mahatan, L.H. Dang, F.M. Giardiello and V.W. Yang, Decreased expression of the gut-enriched Krüppel-like factor gene in intestinal adenomas of multiple intestinal neoplasia mice and in colonic adenomas of familial adenomatous polyposis patients (476) 203
Dang, L.H. see D.T. Dang (476) 203
D'Angelo, S. see C. Manna (470) 341
Daniel, P. see M. Raisova (473) 27
Danielsen, B.-E. see H.L. Foo (468) 243
Danilova, R.A. see I.P. Ashmarin (486) 49
Danker, K. see R. Horstkorte (470) 315
Dansa-Petretski, M. see M.F. Oliveira (477) 95
Darmawan, S. see R.J. Mallis (482) 237
Darszon, A. see F. Espinosa (475) 251

Das, D., G. Pintucci and A. Stern, MAPK-dependent expression of $p21^{WAF}$ and $p27^{kip1}$ in PMA-induced differentiation of HL60 cells (472) 50
Das, D.K. see N. Maulik (485) 7
Dash, L. see A. Kaptein (485) 135
Dauça, M. see F. Casas (478) 4
Dauça, M. see F. Casas (482) 71
Daud, A.N. see L.L. Cribbs (466) 54
Daud, A.N. see L.L. Cribbs (470) 378
Daugas, E., D. Nochy, L. Ravagnan, M. Loeffler, S.A. Susin, N. Zamzami and G. Kroemer, Apoptosis-inducing factor (AIF): a ubiquitous mitochondrial oxidoreductase involved in apoptosis (476) 118
Daum, G. see D. Zweytick (470) 83
Daury, L. see F. Casas (478) 4
Daury, L. see F. Casas (482) 71
David-Gray, Z.K. see P. Moutsaki (473) 316
Davidian, J.-C.E. see J.J. Vidmar (475) 65
Davies, J. see R. Kao (466) 87
Davies, K.E. see I. Miguel-Aliaga (486) 99
Davies, L.A., Q. Zhong, M.L. Klein and D. Scharf, Molecular dynamics simulation of four-α-helix bundles that bind the anesthetic halothane (478) 61
Davies, M.C. see A.L. Martin (480) 106
Davis, A.J. see A. Chow (469) 88
Davis, E.O. see L.R. Williams (476) 301
Davis, J.B. see L. De Petrocellis (483) 52
Davy, S.L. see J.P. Hannan (468) 161
Dawson, G., J. Kilkus and G.L. Schieven, Selective phosphotyrosine phosphatase inhibition and increased ceramide formation is associated with B-cell death by apoptosis (478) 233
Day, A.J., F. Cañada, J.C. Díaz, P.A. Kroon, R. Mclauchlan, C.B. Faulds, G.W. Plumb, M.R.A. Morgan and G. Williamson, Dietary flavonoid and isoflavone glycosides are hydrolysed by the lactase site of lactase phlorizin hydrolase (468) 166
Dayan, F.E. see J.G. Romagni (480) 301
Dayanandan, R. see K. Leroy (465) 34
Dé, E., M. Jullien, G. Labesse, J.M. Pagès, G. Molle and J.M. Bolla, MOMP (major outer membrane protein) of *Campylobacter jejuni*: a versatile pore-forming protein (469) 93
de Bree, F.M., D. Knight, L. Howell and D. Murphy, Sorting of the vasopressin prohormone into the regulated secretory pathway (475) 175
De Clercq, E. see J. Balzarini (483) 181
De Geyter, C. see H. Zhang (480) 311
de Gier, J.-W.L. see E.N.G. Houben (476) 229
De Jaeger, G., E. Fiers, D. Eeckhout and A. Depicker, Analysis of the interaction between single-chain variable fragments and their antigen in a reducing intracellular environment using the two-hybrid system (467) 316
de Jong, L. see Z.H. Shah (478) 267
de Jong, L., S.D.J. Elzinga, M.T. McCammon, L.A. Grivell and H. van der Spek, Increased synthesis and decreased stability of mitochondrial translation products in yeast as a result of loss of mitochondrial ($NAD^+$)-dependent isocitrate dehydrogenase (483) 62
de Jong, W.W. see A.F. van Rijk (480) 79
de Kruijff, B. see I. Arechaga (482) 215
de Kruijff, B. see F. van Voorst (486) 57
de la Luna, S. see C. Pucharcos (478) 43
de la TorreRuiz, M.-A. and N.F. Lowndes, The *Saccharomyces cerevisiae* DNA damage checkpoint is required for efficient repair of double strand breaks by non-homologous end joining (467) 311
de la Torre Ruiz, M.-A. and N.F. Lowndes, DUN1 defines one branch downstream of *RAD53* for transcription and DNA damage repair in *Saccharomyces cerevisiae* (485) 205
De la Vega-Beltrán, J.L. see F. Espinosa (475) 251
De Michelis, M.I. see L. Luoni (482) 225
De Petrocellis, L., T. Bisogno, J.B. Davis, R.G. Pertwee and V. Di Marzo, Overlap between the ligand recognition properties of the anandamide transporter and the VR1 vanilloid receptor: inhibitors of anandamide uptake with negligible capsaicin-like activity (483) 52
De Pol, A. see A.M. Martelli (486) 230
de Souza Pereira, R., Detection of the absorption of glucose molecules by living cells using atomic force microscopy (475) 43
de Souza, W. see M.F. Oliveira (477) 95
De Toledo, M., K. Colombo, T. Nagase, O. Ohara, P. Fort and A. Blangy, The yeast exchange assay, a new complementary method to screen for Dbl-like protein specificity: identification of a novel RhoA exchange factor (480) 287
De Tullio, R., M. Averna, F. Salamino, S. Pontremoli and E. Melloni, Differential degradation of calpastatin by μ- and m-calpain in $Ca^{2+}$-enriched human neuroblastoma LAN-5 cells (475) 17
De Veylder, L. see Z. Magyar (486) 79
de Vries, W. see I. Van den Wyngaert (478) 77
De Waard, M. see Z. Fajloun (469) 179
de Zeeuw, D. see C.M. Filipeanu (474) 107
Dean, D.H. see S.-J. Wu (473) 227
DeBell, K.E. see L.J. Graham (470) 273
Declercq, W. see G. Denecker (465) 47
Decottignies, P. see I. Schepens (471) 240
Deeva, I.B. see W. Malorni (468) 125
Degrève, B. see J. Balzarini (483) 181
Dekel, I., N. Russek, T. Jones, M.A. Mortin and S. Katzav, Identification of the *Drosophila melanogaster* homologue of the mammalian signal transducer protein, Vav (472) 99
Dekker, N. see R. Kramer (468) 220
Del Principe, D. see W. Malorni (468) 125
Del Sal, G. see M. Stebel (481) 152
Delahay, R. see J.L. Herrmann (473) 358
Delaissé, J.-M. see M. Ferreras (486) 247
Delbrück, S. see D. Brett (474) 83
Delerive, P., C. Furman, E. Teissier, J.-C. Fruchart, P. Duriez and B. Staels, Oxidized phospholipids activate PPARα in a phospholipase A2-dependent manner (471) 34
Delerive, P. see C. Faveeuw (486) 261
Dellis, O. see T. Ghelis (474) 43
Dellis, O. see T. Ghelis (481) 89
Dellis, O. see T. Ghelis (483) 67
Delrieu, I., The high molecular weight isoforms of basic fibroblast growth factor (FGF-2): an insight into an intracrine mechanism (468) 6
Delseny, M. see A. Barakat (471) 161
Delseny, M. see S. Lahmy (480) 255
Demer, L.L. see S.M. Jackson (471) 119
Demeule, M., J. Jodoin, D. Gingras and R. Béliveau, P-glycoprotein is localized in caveolae in resistant cells and in brain capillaries (466) 219
Demoulin, J.-B., L. Grasso, J.M. Atkins, M. Stevens, J. Louahed, R.C. Levitt, N.C. Nicolaides and J.-C. Renauld, Role of insulin receptor substrate-2 in interleukin-9-dependent proliferation (482) 200
den Dunnen, J.T. see I. Stec (473) 1
den Hertog, J. see C. Blanchetot (484) 235
Denecker, G., H. Dooms, G. Van Loo, D. Vercammen, J. Grooten, W. Fiers, W. Declercq and P. Vandenabeele, Phosphatidyl serine exposure during apoptosis precedes release of cytochrome *c* and decrease in mitochondrial transmembrane potential (465) 47
Denépoux, S., P.B. Eibensteiner, P. Steinberger, S. Vrtala, V. Visco, A. Weyer, D. Kraft, J. Banchereau, R. Valenta and S. Lebecque, Molecular characterization of human IgG monoclonal antibodies specific for the major birch pollen allergen Bet v 1. Anti-allergen IgG can enhance the anaphylactic reaction (465) 39
Deng, M.-G. see K.-H. Zhao (469) 9
Denker, K. see D. Tsikas (483) 83
Dennis, E.A. see I.D. Bianco (466) 292
Dente, L. see A. Tommasi di Vignano (471) 229
Dente, L. see A. Zucconi (480) 49
Depicker, A. see H. Van Houdt (467) 41
Depicker, A. see A. Kovařík (467) 47
Depicker, A. see G. De Jaeger (467) 316
Derancourt, J. see S. Lahmy (480) 255
DeRisi, J., B. van den Hazel, P. Marc, E. Balzi, P. Brown, C. Jacq and A. Goffeau, Genome microarray analysis of transcriptional activation in multidrug resistance yeast mutants (470) 156
Dernbach, E. see S. Dimmeler (477) 258
Derrick, P.J. see S. Tarabykina (475) 187
Dervan, P. see H. Simon (471) 173
Desai, D.H. see A. Pal (486) 163
Deshpande, U. see R. Smith (484) 285
Desideri, A. see M.E. Stroppolo (483) 17
Desmet, J. see S.E. Hufton (475) 225
Desvoyes, B. see J.-L. Schlick (472) 241

Desvoyes, B. and K.-B.G. Scholthof, RNA: protein interactions associated with satellites of panicum mosaic virus (485) 25
Devenish, R.J. see X. Roucou (471) 235
Devin, A. see M.A. Piquet (468) 239
Devonshire, A.L. see H. Vais (470) 135
Dewar, S.J. see R. Dorazi (478) 13
Dewaste, V. see E. Dubois (486) 300
Di Cesare, P.E. see J.O. Stracke (478) 52
Di Luccio, E. see Z. Fajloun (469) 179
Di Marzo, V. see L. De Petrocellis (483) 52
Di Pede, S. see D. Pastore (470) 88
Di Tommaso, F. see C. Losasso (484) 194
Di Virgilio, F. see D. Ferrari (486) 217
Di Zenzo, G. see A. Tommasi di Vignano (471) 229
Diana, A. see G. Diaz (475) 218
Diaz, G., A.M. Falchi, F. Gremo, R. Isola and A. Diana, Homogeneous longitudinal profiles and synchronous fluctuations of mitochondrial transmembrane potential (475) 218
Diaz, J.C. see A.J. Day (468) 166
Dichmann, S. see D. Ferrari (486) 217
Didichenko, S.A., A.W. Segal and M. Thelen, Evidence for a pool of coronin in mammalian cells that is sensitive to PI 3-kinase (485) 147
Diehl, A. see C. Krafft (471) 128
Diekert, K. see W. Pelzer (476) 134
Dietrich, P. see P. Ache (486) 93
Dijkers, P.F. see N. Geijsen (471) 83
Dijkstra, B.W. see E. Bokma (478) 119
Dikshit, K.L. see G. Rajamohan (474) 151
Dilaver, G. see A. Kaptein (485) 135
Dimitrova, D.D. see N.P. Sharova (486) 14
Dimmeler, S., E. Dernbach and A.M. Zeiher, Phosphorylation of the endothelial nitric oxide synthase at Ser-1177 is required for VEGF-induced endothelial cell migration (477) 258
Dimroth, P. see K. Schneider (483) 165
Ding, L. see A.F. Fradkov (479) 127
Diochot, S. see N. Tinel (480) 137
Dirmeier, R., G. Hauska and K.O. Stetter, ATP synthesis at 100°C by an ATPase purified from the hyperthermophilic archaeon *Pyrodictium abyssi* (467) 101
Dirr, H.W. see Y. Sayed (465) 169
d'Ischia, M. see A. Palumbo (485) 109
Dishlers, A. see P. Preikschat (478) 127
Dixon, L.K. see W.D. Bulimo (471) 17
Dmitrieva, S.B. see N.P. Sharova (486) 14
Dobó, J. see A. Németh (468) 48
Dobrov, E.N. see L.D. Zorova (466) 305
Dobrov, E.N. see M.M. Beliakova (477) 263
Dobrucki, J. see S. Salvioli (469) 186
Docampo, R. see A.E. Vercesi (473) 203
Docherty, A.J.P. see A. Amour (473) 275
Dodge, K. and J.D. Scott, AKAP79 and the evolution of the AKAP model (476) 58
Dodson, G.G. see S. Tarabykina (475) 187
Doel, J.J. see B.L.J. Godber (475) 93
Dolginov, Y. see Z. Yao (468) 37
Doliana, R., S. Bot, P. Bonaldo and A. Colombatti, EMI, a novel cysteine-rich domain of EMILINs and other extracellular proteins, interacts with the gC1q domains and participates in multimerization (484) 164
Domansky, A.N., E.P. Kopantzev, E.V. Snezhkov, Y.B. Lebedev, C. Leib-Mosch and E.D. Sverdlov, Solitary HERV-K LTRs possess bi-directional promoter activity and contain a negative regulatory element in the U5 region (472) 191
Domenjoud, L. see F. Casas (478) 4
Domingues, F.S., W.A. Koppensteiner and M.J. Sippl, The role of protein structure in genomics (476) 98
Dominguez, C., C. Sebban-Kreuzer, O. Bornet, B. Kerfelec, C. Chapus and F. Guerlesquin, Interactions of bile salt micelles and colipase studied through intermolecular nOes (482) 109
Donati, C. see E. Meacci (473) 10
Donati, C. see E. Meacci (482) 97
Donato, L. see J. Duranton (473) 154
Donovan, M.J. see L.M. Wright (468) 19
Dontsova, M., L. Frolova, J. Vassilieva, W. Piendl, L. Kisselev and M. Garber, Translation termination factor aRF1 from the archaeon *Methanococcus jannaschii* is active with eukaryotic ribosomes (472) 213
Donzé, O. see T. Abbas-Terki (467) 111
Dooms, H. see G. Denecker (465) 47
Dorazi, R. and S.J. Dewar, Membrane topology of the N-terminus of the *Escherichia coli* FtsK division protein (478) 13
Döring, F. see E. Wischmeyer (466) 115
Döring, F. and A. Karschin, Genomic structure and promoter analysis of the rat Kir7.1 potassium channel gene (*Kcnj13*) (483) 93
Doroudi, R. see L. Gan (477) 89
Dotti, M.T. see A. Orrico (481) 285
Doucet, A. see M.C. Gagnon (484) 144
Dougherty, L.J. see J.R. Gallon (468) 231
Doutre, P. see G. Ferrières (479) 99
Dráber, P. see M. Zíková (473) 19
Dráberová, E. see M. Zíková (473) 19
Drainas, D. see A. Tekos (485) 71
Drakenberg, T. see A. Muranyi (475) 135
Drøbak, B.K. see T.D. Bunney (476) 145
Drøbak, B.K. and P.A.C. Watkins, Inositol(1,4,5)trisphosphate production in plant cells: an early response to salinity and hyperosmotic stress (481) 240
Drobecq, H. see I. Florenta (484) 246
Dröge, P. see M. Schwikardi (471) 147
Droillard, M.-J., S. Thibivilliers, A.-C. Cazalé, H. Barbier-Brygoo and C. Laurière, Protein kinases induced by osmotic stresses and elicitor molecules in tobacco cell suspensions: two crossroad MAP kinases and one osmoregulation-specific protein kinase (474) 217
Droogmans, G. see B. Nilius (466) 346
Dryden, D.T.F. see M.D. Kirkitadze (467) 133
Dübel, S. see S. Chakravarty (476) 296
Dubey, A.K., C. Suresh, R. Kavitha, N.G. Karanth and S. Umesh-Kumar, Evidence that the glucoamylases and α-amylase secreted by *Aspergillus niger* are proteolytically processed products of a precursor enzyme (471) 251
Dubois, E., V. Dewaste, C. Erneux and F. Messenguy, Inositol polyphosphate kinase activity of Arg82/ArgRIII is not required for the regulation of the arginine metabolism in yeast (486) 300
Dubowchik, G.M. see W. Li (470) 35
Dubus, A., M. Sami, T.J.N. Brown, C.J. Schofield, J.E. Baldwin and J.-M. Frère, Studies of isopenicillin N synthase enzymatic properties using a continuous spectrophotometric assay (485) 142
Duch, D.S. see R. Lingameneni (473) 265
Dudits, D. see C. Seregélyes (482) 125
Dudits, D. see C. Seregélyes (485) 207
Duez, H. see M.D. Leibowitz (473) 333
Duga, S. see T. Simonic (469) 33
Dujon, B. see B. Llorente (475) 237
Dukes, B.D. see R.W. Roof (472) 117
Dulieu, P. see J.-L. Schlick (472) 241
Dunbar, J. see F. Urban Jr. (484) 159
Dunne, P.W. see M. Shimizu (475) 273
Duprè, S. see G. Pitari (483) 149
Dupuy, P.-H. see I. Soustre (470) 102
Durán, A. see L.J. García-Rodríguez (478) 84
Durán-Avelar, Ma.d.J. see L. Ongay-Larios (467) 22
Duranton, J., D. Belorgey, J. Carrère, L. Donato, T. Moritz and J.G. Bieth, Effect of DNase on the activity of neutrophil elastase, cathepsin G and proteinase 3 in the presence of DNA (473) 154
Durgan, J. see B.L.J. Godber (475) 93
Duriez, P. see P. Delerive (471) 34
Durussel, I., Y. Blouquit, S. Middendorp, C.T. Craescu and J.A. Cox, Cation- and peptide-binding properties of human centrin 2 (472) 208
D'Urzo, M.P. see H. Koiwa (471) 67
Duszyński, J. see M. Waśniewska (478) 237
Dvoretsky, A. see M. Abbott (469) 168
Dygas, A., K. Przybylek, A. Meljon and J. Barańska, Serine base-exchange in rat liver nuclei (482) 205
Dyson, H. see G.C. Pérez-Alvarado (470) 125

# E

Eaton, J.W. see M. Zhao (485) 104
Eberhard, D. see N. Wedemeyer (477) 49

Eberle, J. see M. Raisova (473) 27
Ebisu, H. see K. Nakagomi (467) 235
Echeverria, M. see S. Lahmy (480) 255
Eckhardt, K., I. Nevo, R. Levy, G. Mikus, M. Eichelbaum and Z. Vogel, Morphine-related metabolites differentially activate adenylyl cyclase isozymes after acute and chronic administration (470) 309
Economou, A., Bacterial protein translocase: a unique molecular machine with an army of substrates (476) 18
Edge, R., E.J. Land, D.J. McGarvey, M. Burke and T. Truscott, The reduction potential of the β-carotene$^{+}$/β-carotene couple in an aqueous micro-heterogeneous environment (471) 125
Edwards, S.W. see C. Akgul (478) 72
Eeckhout, D. see G. De Jaeger (467) 316
Eeckhoute, J. see B. Laine (479) 41
Effertz, K. see R. Horstkorte (470) 315
Egan, T.M., J.A. Cox and M.M. Voigt, Molecular cloning and functional characterization of the zebrafish ATP-gated ionotropic receptor $P2X_3$ subunit (475) 287
Egea, P.F., B.P. Klaholz and D. Moras, Ligand–protein interactions in nuclear receptors of hormones (476) 62
Egert, G. see R.P. Happe (466) 259
Eggermont, J. see B. Nilius (466) 346
Eggert, A. see T. Kuittinen (473) 233
Eglen, R. see Y. Yiangou (467) 249
Egmond, M.R. see R. Kramer (468) 220
Egorov, T.A. see M.M. Beliakova (477) 263
Ehler, E. see A. Ferrari (486) 121
Ehlting, J. see H.-P. Stuible (467) 117
Ehrman, M.M. see G.T. Melroe (465) 115
Eibensteiner, P.B. see S. Denépoux (465) 39
Eichelbaum, M. see K. Eckhardt (470) 309
Eichenberg, K., I. Bäurle, N. Paulo, R.A. Sharrock, W. Rüdiger and E. Schäfer, *Arabidopsis* phytochromes C and E have different spectral characteristics from those of phytochromes A and B (470) 107
Eide, F.F., S.R. Eisenberg and T.A. Sanders, Electroporation-mediated gene transfer in free-swimming embryonic *Xenopus laevis* (486) 29
Eisen, T. see K. Smalley (476) 198
Eisenberg, S.R. see F.F. Eide (486) 29
Eisenreich, W. see T. Radykewicz (465) 157
Eisenthal, R. see B.L.J. Godber (475) 93
Ek, P. see M. Loog (480) 244
El Ayeb, M. see Z. Fajloun (469) 179
El Far, O. see M. Horiuchi (480) 283
Elass, E. see S. Baveye (469) 5
Eldursi, N. see H. Vais (470) 135
Eling, T.E. see H. Kamitani (467) 341
Elleman, T.C. see P.A. Hoyne (469) 57
Elleman, T.C. see P.A. Hoyne (479) 15
Ellis, S.R. see L.R. Williams (476) 301
Ellory, J.C. see J.S. Gibson (480) 179
Elzinga, S.D.J. see L. de Jong (483) 62
Endo, I. see M. Nojiri (465) 173
Endo, J., N. Toyama-Sorimachi, C. Taya, S. Kuramochi-Miyagawa, K. Nagata, K. Kuida, T. Takashi, H. Yonekawa, Y. Yoshizawa, N. Miyasaka and H. Karasuyama, Deficiency of a STE20/PAK family kinase LOK leads to the acceleration of LFA-1 clustering and cell adhesion of activated lymphocytes (468) 234
Endo, K., T. Takeshita, H. Kasai, Y. Sasaki, N. Tanaka, H. Asao, K. Kikuchi, M. Yamada, M. Chen, J.J. O'Shea and K. Sugamura, STAM2, a new member of the STAM family, binding to the Janus kinases (477) 55
Endo, K. see K. Tsuchihara (478) 299
Endo-Inagaki, T. see M. Kita (469) 173
Endre, G. see C. Seregélyes (482) 125
Endre, G. see C. Seregélyes (485) 207
Engeland, K. see C. Lange-zu Dohna (484) 77
Engelborghs, Y. see J. Balzarini (483) 181
Engelbrecht, S. see O. Pänke (472) 34
Engelhard, M. see G. Schmies (466) 67
Engelhard, M. see C. Gellini (472) 263
Enns, C.A. see C.N. Roy (484) 271
Enomoto, A. see Y. Matsumoto (478) 67
Epstein, H.F. see M. Shimizu (475) 273
Erba, F. see M. Maccarrone (468) 176
Erdödi, F. see A. Tóth (484) 113
Erickson, J.W. see W. Shao (473) 363
Erickson, R.H. see J.R. Gum Jr. (482) 49
Eriksson, B., I. Bergqvist, M. Eriksson and D. Holmberg, Functional expression of Cre recombinase in sub-regions of mouse CNS and retina (479) 106
Eriksson, J.E. see K. Kaarniranta (475) 283
Eriksson, M. see B. Eriksson (479) 106
Erkel, G., Trichodion, a new inhibitor of inflammatory signal transduction pathways from a *Trichosporiella* species (477) 219
Erkel, G. see M. Weidler (484) 1
Erneux, C. see E. Dubois (486) 300
Ershov, Y., R. Gantt, F.X. Cunningham and E. Gantt, Isopentenyl diphosphate isomerase deficiency in *Synechocystis* sp. strain PCC6803 (473) 337
Escande, D. see G. Guihard (476) 234
Escher, P. see F. Urban Jr. (484) 159
Escoubas, P., M. Stankiewicz, T. Takaoka, M. Pelhate, R. Romi-Lebrun, F.Q. Wu and T. Nakajima, Sequence and electrophysiological characterization of two insect-selective excitatory toxins from the venom of the Chinese scorpion *Buthus martensi* (483) 175
Esnouf, R. see J. Balzarini (483) 181
Espinosa, F., I. López-González, C. Muñoz-Garay, R. Felix, J.L. De la Vega-Beltrán, G.S. Kopf, P.E. Visconti and A. Darszon, Dual regulation of the T-type $Ca^{2+}$ current by serum albumin and β-estradiol in mammalian spermatogenic cells (475) 251
Esposito, F., L. Russo, T. Russo and F. Cimino, Retinoblastoma protein dephosphorylation is an early event of cellular response to prooxidant conditions (470) 211
Esser, V. see M.C. Mutomba (478) 19
Essler, M. see M. Retzer (466) 70
Esteban-Gamboa, A. see J. Balzarini (483) 181
Esteve, L. see C. Burgun (484) 189
Estivill, X. see C. Pucharcos (478) 43
Etienne, P., A.-S. Petitot, V. Houot, J.-P. Blein and L. Suty, Induction of *tcI 7*, a gene encoding a β-subunit of proteasome, in tobacco plants treated with elicitins, salicylic acid or hydrogen peroxide (466) 213
Eum, W.S. see H.Y. Kwon (485) 163
Evans, M.C.W., A.M. Rich and J.H.A. Nugent, Evidence for the presence of a component of the Mn complex of the photosystem II reaction centre which is exposed to water in the $S_2$ state of the water oxidation complex (477) 113
Evenäs, J. see A. Muranyi (475) 135
Evers, D. see N. Wedemeyer (477) 49
Evertzen, M.W.A. see H.H. Versteeg (465) 69
Evjen, G. see S. Numao (484) 175
Evstafieva, A.G., G.A. Belov, M. Kalkum, N.V. Chichkova, A.A. Bogdanov, V.I. Agol and A.B. Vartapetian, Prothymosin α fragmentation in apoptosis (467) 150
Ewert, S. see S. Rathke-Hartlieb (481) 227
Exner, M., M. Hermann, R. Hofbauer, S. Kapiotis, W. Speiser, I. Held, C. Seelos and B.M.K. Gmeiner, The salicylate metabolite gentisic acid, but not the parent drug, inhibits glucose autoxidation-mediated atherogenic modification of low density lipoprotein (470) 47
Exposito, J.-Y. see F. Ruggiero (469) 132
Eyckerman, S., D. Broekaert, A. Verhee, J. Vandekerckhove and J. Tavernier, Identification of the Y985 and Y1077 motifs as SOCS3 recruitment sites in the murine leptin receptor (486) 33

# F

Fabbrizio, E. see L. Fajas (471) 29
Fabisiak, J.P. see V.E. Kagan (477) 1
Faenza, I. see A.M. Martelli (486) 230
Fahrenholz, F. see Y.-J. Cao (469) 142
Fainzilber, M. see Y. Neuberger (469) 44
Faivre, V., P. Manivet, J.C. Callaway, M.M. Airaksinen, H. Morimoto, A. Baszkin, J.M. Launay and V. Rosilio, Ligand interaction with the purified serotonin transporter in solution and at the air/water interface (471) 56

Fajas, L., L. Le Cam, J. Polanowska, E. Fabbrizio, N. Servant, A. Philips, G. Carnac and C. Sardet, A CDE/CHR-like element mediates repression of transcription of the mouse *RB2 (p130)* gene (471) 29
Fajkus, J. see J. Fulnečková (467) 305
Fajloun, Z., R. Kharrat, L. Chen, C. Lecomte, E. Di Luccio, D. Bichet, M. El Ayeb, H. Rochat, P.D. Allen, I.N. Pessah, M. De Waard and J.M. Sabatier, Chemical synthesis and characterization of maurocalcine, a scorpion toxin that activates $Ca^{2+}$ release channel/ryanodine receptors (469) 179
Falchi, A.M. see G. Diaz (475) 218
Falciani, M. see A. Orrico (478) 216
Falconi, M. see M.E. Stroppolo (483) 17
Falconi, M. see A.M. Martelli (486) 230
Fan, G., L. Xiao, L. Cheng, X. Wang, B. Sun and G. Hu, Targeted disruption of NDST-1 gene leads to pulmonary hypoplasia and neonatal respiratory distress in mice (467) 7
Fanarraga, M.L. see L. Martín (470) 93
Fang, J.C. see G. Jayaraman (482) 154
Farnararo, M. see E. Meacci (473) 10
Farnsworth, P.N. and K. Singh, Self-complementary motifs (SCM) in α-crystallin small heat shock proteins (482) 175
Farrow, S.N. see A. Kaptein (485) 135
Fasano, M. see M. Sette (483) 21
Faulds, C.B. see A.J. Day (468) 166
Faust, D.M. see S. Barradeau (476) 272
Faveeuw, C., S. Fougeray, V. Angeli, J. Fontaine, G. Chinetti, P. Gosset, P. Delerive, C. Maliszewski, M. Capron, B. Staels, M. Moser and F. Trottein, Peroxisome proliferator-activated receptor γ activators inhibit interleukin-12 production in murine dendritic cells (486) 261
Fawcett, T., C.L. Copse, J. Simon and A.R. Slabas, Kinetic mechanism of NADH-enoyl-ACP reductase from *Brassica napus* (484) 65
Feder, J.N. see C.N. Roy (484) 271
Federici, L. see C. Savino (470) 239
Federico, A. see A. Orrico (481) 285
Fedida, D. see N.D. Maruoka (473) 188
Felbor, U. see M. Ferreras (486) 247
Felice, M.R. see M.C. Bonaccorsi di Patti (472) 283
Feliu, J.X., E. Ramirez and A. Villaverde, Corrigendum to: Distinct mechanisms of antibody-mediated enzymatic reactivation in β-galactosidase molecular sensors (473) 123
Feliu, J.X., X. Carbonell and A. Villaverde, Successful mimicry of a complex viral antigen by multiple peptide insertions in a carrier protein (474) 87
Felix, R. see F. Espinosa (475) 251
Fell, D.A. see F.A. Brightman (482) 169
Feng, J. see M. Koyama (475) 197
Feng, Y.-H., Y. Saad and S.S. Karnik, Reversible inactivation of $AT_2$ angiotensin II receptor from cysteine–disulfide bond exchange (484) 133
Feo, S., D. Arcuri, E. Piddini, R. Passantino and A. Giallongo, ENO1 gene product binds to the c-*myc* promoter and acts as a transcriptional repressor: relationship with Myc promoter-binding protein 1 (MBP-1) (473) 47
Ferguson, A.L., A.D. Hughes, U. Tufail, C.G. Baumann, D.J. Scott and J.G. Hoggett, Interaction of $\sigma^{70}$ with *Escherichia coli* RNA polymerase core enzyme studied by surface plasmon resonance (481) 281
Ferlinz, K. see C.R. Hauck (478) 260
Fernandez, A. see K. Pelpel (474) 233
Fernández, E. see J.-J. Zhou (466) 225
Fernández, E. see J.-J. Zhou (481) 88
Fernandez, J. and M. Valdeolmillos, Synchronous glucose-dependent $[Ca^{2+}]_i$ oscillations in mouse pancreatic islets of Langerhans recorded in vivo (477) 33
Fernandez, J.M. see T.E. Fisher (482) 131
Fernández, W.Y. see T. Ureta (475) 145
Fernández-Silva, P. see J. Asín (480) 161
Ferrara, L. see C. Bottiglieri (479) 156
Ferrara, L. see A. Scaloni (481) 308
Ferrari, A., E. Ehler, R.M. Nitsch and J. Götz, Immature human NT2 cells grafted into mouse brain differentiate into neuronal and glial cell types (486) 121
Ferrari, D., M. Idzko, S. Dichmann, D. Purlis, C. Virchow Jr., J. Norgauer, P. Chiozzi, F. Di Virgilio and W. Luttmann, P2 purinergic receptors of human eosinophils: characterization and coupling to oxygen radical production (486) 217
Ferrer, A. see N. Cunillera (477) 170
Ferreras, M., U. Felbor, T. Lenhard, B.R. Olsen and J.-M. Delaissé, Generation and degradation of human endostatin proteins by various proteinases (486) 247
Ferrer-Montiel, A.V. see R. Planells-Cases (481) 131
Ferrières, G., M. Pugnière, J.-C. Mani, S. Villard, M. Laprade, P. Doutre, B. Pau and C. Granier, Systematic mapping of regions of human cardiac troponin I involved in binding to cardiac troponin C: N- and C-terminal low affinity contributing regions (479) 99
Ferroni, S. see M. Nobile (479) 10
Feussner, I. see K. Matsui (481) 183
Fiaschi, T., P. Chiarugi, D. Veggi, G. Raugei and G. Ramponi, The inhibitory effect of the 5′ untranslated region of muscle acylphosphatase mRNA on protein expression is relieved during cell differentiation (473) 42
Fidelis, K. see K. Ginalski (482) 119
Field, M.C. see B.R.S. Ali (483) 32
Fiers, E. see G. De Jaeger (467) 316
Fiers, W. see G. Denecker (465) 47
Fiévet, C. see M.D. Leibowitz (473) 333
Filipeanu, C.M., A. Nelemans, R.J. Veldman, D. de Zeeuw and J.W. Kok, Regulation of $[Ca^{2+}]_i$ homeostasis in MRP1 overexpressing cells (474) 107
Filipowicz, W. see S. Lahmy (480) 255
Filippi, C. see M.A. Piquet (468) 239
Finazzi-Agrò, A. see M. Maccarrone (468) 176
Finazzi-Agrò, A. see M. Maccarrone (483) 85
Finel, M. see K. Björklöf (467) 105
Finkel, T. see D. Xu (470) 20
Finkel, T., Redox-dependent signal transduction (476) 52
Fiorucci, L. see M. Maccarrone (468) 176
Firestone, R.A. see W. Li (470) 35
Fischer, D. see L.I. Murphy (480) 189
Fischer, G. see M. Weiwad (478) 39
Fischer, J.A. see A. Aldecoa (471) 156
Fischer, J.A. see N. Bühlmann (486) 320
Fisher, C.L. see F. Zhang (478) 89
Fisher, R.A. see R.J. Mallis (482) 237
Fisher, T.E., M. Carrion-Vazquez and J.M. Fernandez, Intracellular $Ca^{2+}$ channel immunoreactivity in neuroendocrine axon terminals (482) 131
Fiucci, G. see M. Czarny (467) 326
Flockerzi, V. see U. Wissenbach (485) 127
Florencio, F.J. see E. Martin-Figueroa (476) 282
Florenta, I., E. Mouray, F. Dali Ali, H. Drobecq, S. Girault, J. Schrével, C. Sergheraert and P. Grellier, Cloning of *Plasmodium falciparum* protein disulfide isomerase homologue by affinity purification using the antiplasmodial inhibitor 1,4-bis-{3-[*N*-(cyclohexyl methyl)amino]propyl}piperazine (484) 246
Flouriot, G. see M. Kos (477) 15
Flucher, B.E., N. Kasielke, U. Gerster, B. Neuhuber and M. Grabner, Insertion of the full-length calcium channel $\alpha_{1S}$ subunit into triads of skeletal muscle in vitro (474) 93
Folini, M. see R. Villa (473) 241
Folk, P. see D. Rösel (473) 323
Fong, W.P. see T.K. Au (471) 169
Fonina, L.A. see L.A. Strelkov (470) 281
Fontaine, E. see M.A. Piquet (468) 239
Fontaine, J. see C. Faveeuw (486) 261
Fontecilla-Camps, J.C. see M. Sohi (465) 161
Foo, H.L., L.M. Grønning, L. Goodenough, A.M. Bones, B.-E. Danielsen, D.A. Whiting and J.T. Rossiter, Purification and characterisation of epithiospecifier protein from *Brassica napus*: enzymic intramolecular sulphur addition within alkenyl thiohydroximates derived from alkenyl glucosinolate hydrolysis (468) 243
Forbes, J. see A. Chiter (481) 164
Forés, O. see N. Cunillera (477) 170
Forlani, F. see S. Pagani (472) 307
Forloni, G., M. Salmona, O. Bugiani and F. Tagliavini, Comment on: Neurotoxicity of prion peptide 106–126 not confirmed, by Beat Kunz, Erika Sandmeier, Philipp Christen (466) 205
Formstecher, P. see B. Laine (479) 41

Forsberg, L., L. Leeb, S. Thorén, R. Morgenstern and P.-J. Jakobsson, Human glutathione dependent prostaglandin E synthase: gene structure and regulation (471) 78
Forssmann, W.-G. see A. Krause (480) 147
Forssmann, W.-G. see D. Motzkus (486) 315
Förstner, G. see K.J.F. Kepplinger (477) 161
Forstová, J. see Z. Palková (467) 359
Forstová, J. see Z. Palková (478) 281
Forsyth, V. see M. Luckey (468) 23
Fort, P. see N. Meyer (478) 151
Fort, P. see M. De Toledo (480) 287
Fortenberry, Y. see A. Cameron (473) 135
Fortes, F. see W. Jarmuszkiewicz (467) 145
Fosang, A.J. see J.O. Stracke (478) 52
Foster, R.G. see A.R. Philp (468) 181
Foster, R.G. see A.R. Philp (473) 125
Foster, R.G. see P. Moutsaki (473) 316
Fostieri, E., D. Beeson and S.J. Tzartos, The conformation of the main immunogenic region on the α-subunit of muscle acetylcholine receptor is affected by neighboring receptor subunits (481) 127
Fougeray, S. see C. Faveeuw (486) 261
Fournié-Zaluski, M.-C. see F. Noble (467) 81
Fraaije, M.W. see R.H.H. van den Heuvel (481) 109
Fradkov, A.F., Y. Chen, L. Ding, E.V. Barsova, M.V. Matz and S.A. Lukyanov, Novel fluorescent protein from *Discosoma* coral and its mutants possesses a unique far-red fluorescence (479) 127
Franceschi, C. see W. Malorni (468) 125
Franceschi, C. see S. Salvioli (469) 186
Franco, R. see J. Blanco (477) 123
François, F., M.J. Godinho and M.L. Grimes, CREB is cleaved by caspases during neural cell apoptosis (486) 281
Frank, J. see H. Xu (482) 180
Franklin, C. see C.R. Caffrey (466) 244
Fraser, P.E. see C.E. Higham (470) 55
Fraternali, F. see J. Kleinjung (470) 257
Fratianni, A. see D. Pastore (470) 88
Frederiksen, C. see J.E. Celis (480) 2
Fredlund, K.M. see A. Struglics (475) 213
Freeman, J.L.R., J.A. Pitcher, X. Li, V. Bennett and R.J. Lefkowitz, α-Actinin is a potent regulator of G protein-coupled receptor kinase activity and substrate specificity in vitro (473) 280
Freichel, M. see U. Wissenbach (485) 127
Frère, J.-M. see M. Hernandez Valladares (467) 221
Frère, J.-M. see M.H. Valladares (477) 285
Frère, J.-M. see A. Dubus (485) 142
Frey, J. see S. Rathke-Hartlieb (481) 227
Fridkin, M. see R. Granoth (475) 71
Fridkin, M. see R. Granoth (475) 78
Fridkin, M. see E.J. Yavin (472) 259
Friedl, R. see T. Moeslinger (478) 95
Friedman, S.L. see J. Okano (473) 95
Friedrich, B. see R.P. Happe (466) 259
Friedrich, C.G. see R.P. Happe (466) 259
Friedrich, T. and D. Scheide, The respiratory complex I of bacteria, archaea and eukarya and its module common with membrane-bound multisubunit hydrogenases (479) 1
Frigerio, J.-M. see C. Avila Sáez (477) 237
Frischauf, A.-M. see R.F.L. O'Shaughnessy (486) 149
Frischmuth, K. see D. Heidkaemper (480) 265
Fritz, G., T. Büchert, H. Huber, K.O. Stetter and P.M.H. Kroneck, Adenylylsulfate reductases from archaea and bacteria are 1:1 αβ-heterodimeric iron–sulfur flavoenzymes – high similarity of molecular properties emphasizes their central role in sulfur metabolism (473) 63
Fritzsch, G. see A. Kuglstatter (472) 114
Fritzsch, G. see A. Kuglstatter (477) 284
Fröhlich, K.-U. and F. Madeo, Apoptosis in yeast – a monocellular organism exhibits altruistic behaviour (473) 6
Frohnmeyer, H. see S. Al-Babili (485) 168
Frölich, J.C. see D. Tsikas (478) 1
Frölich, J.C. see D. Tsikas (483) 83
Frolova, L. see M. Dontsova (472) 213
Frommer, W.B. see W. Schulze (485) 189
Fronhoffs, S. see S. Stier (467) 299
Frøyset, A.K. see F. Selheim (485) 62
Fruchart, J.-C. see P. Delerive (471) 34
Fu, Y. see X.-L. Yang (470) 29
Fuero-Oderda, C. see T. Kirikae (478) 221
Fuh, G. and S.S. Sidhu, Efficient phage display of polypeptides fused to the carboxy-terminus of the M13 gene-3 minor coat protein (480) 231
Fujii, K. see S. Machida (486) 131
Fujii, T. see S. Makino (467) 365
Fujiki, Y., Peroxisome biogenesis and peroxisome biogenesis disorders (476) 42
Fujimori, K. see H. Tatsuzawa (484) 280
Fujimoto, S. see K. Matsui (481) 183
Fujimoto, T. see H. Kogo (465) 119
Fujimoto, Z. see A. Kuno (482) 231
Fujimura, H. see T. Nakahashi (470) 113
Fujinaga, Y., K. Inoue, T. Nomura, J. Sasaki, J.C. Marvaud, M.R. Popoff, S. Kozaki and K. Oguma, Identification and characterization of functional subunits of *Clostridium botulinum* type A progenitor toxin involved in binding to intestinal microvilli and erythrocytes (467) 179
Fujisaki, K. see Y. Nishikawa (466) 179
Fujisawa, R. see M. Mizuno (479) 123
Fujita, K., J. Katahira, Y. Horiguchi, N. Sonoda, M. Furuse and S. Tsukita, *Clostridium perfringens* enterotoxin binds to the second extracellular loop of claudin-3, a tight junction integral membrane protein (476) 258
Fujiwara, H. see T. Aoyama (467) 217
Fujiwara, M., A. Nagashima, K. Kanamaru, K. Tanaka and H. Takahashi, Three new nuclear genes, *sigD*, *sigE* and *sigF*, encoding putative plastid RNA polymerase σ factors in *Arabidopsis thaliana* (481) 47
Fujiwara, M. see Y. Shirano (485) 178
Fujiwara, T. see K. Yoshimatsu (470) 216
Fujiyama, A. see H.-S. Park (475) 167
Fukagaya, Y. see I. Dan (469) 19
Fukamizo, T. see Y. Honda (476) 194
Fukasawa, T. see S. Iino (479) 46
Fukuda, I. see H. Ashida (476) 213
Fukuda, M., H. Kabayama and K. Mikoshiba, *Drosophila* AD3 mutation of synaptotagmin impairs calcium-dependent self-oligomerization activity (482) 269
Fukuda, M., H. Kabayama and K. Mikoshiba, Erratum to: *Drosophila* AD3 mutation of synaptotagmin impairs calcium-dependent self-oligomerization activity (FEBS 24173) (484) 299
Fukudome, K. see F. Shu (477) 208
Fukuhara, S., H. Chikumi and J. Gutkind, Leukemia-associated Rho guanine nucleotide exchange factor (LARG) links heterotrimeric G proteins of the $G_{12}$ family to Rho (485) 183
Fukui, T. see A. Iwahori (466) 239
Fukui, Y. see T. Yokogawa (473) 222
Fukunishi, Y., H. Suzuki, M. Yoshino, H. Konno and Y. Hayashizaki, Corrigendum to: Prediction of human cDNA from its homologous mouse full-length cDNA and human shotgun database (471) 261
Fukushima, N. see M. Kohno (473) 101
Fukushima, T. see K. Watari (466) 367
Fukuyama, K. see M. Sugishima (471) 61
Fulnečková, J. and J. Fajkus, Inhibition of plant telomerase by telomere-binding proteins from nuclei of telomerase-negative tissues (467) 305
Fumagalli, P. see F. Acquati (468) 59
Funahashi, S. see Y. Chimori (469) 67
Funakoshi, A., K. Miyasaka, H. Matsumoto, S. Yamamori, S. Takiguchi, K. Kataoka, Y. Takata, K. Matsusue, A. Kono and H. Shimokata, Gene structure of human cholecystokinin (CCK) type-A receptor: body fat content is related to CCK type-A receptor gene promoter polymorphism (466) 264
Fung, L.W.-M. see L. Cherry (466) 341
Fung, L.W.-M. see S. Park (485) 81
Fung, P.C.W. see Y. Peng (482) 37
Funke-Kaiser, H., J. Bolbrinker, S. Theis, J. Lemmer, C.-M. Richter, M. Paul and H.-D. Orzechowski, Characterization of the c-specific promoter of the gene encoding human endothelin-converting enzyme-1 (ECE-1) (466) 310
Furkert, J. see R. Schülein (466) 101
Furkert, J. see R. Schülein (473) 124
Furman, C. see P. Delerive (471) 34
Fürst, P. see W. Andlauer (475) 127
Furter, R. see N. Sharma (467) 37

Furtmüller, P.G., U. Burner, W. Jantschko, G. Regelsberger and C. Obinger, Two-electron reduction and one-electron oxidation of organic hydroperoxides by human myeloperoxidase (484) 139
Furuhata, Y. see E. Kuranaga (472) 137
Furukawa, T. see T. Nakajima (481) 197
Furumoto, H., A. Taguchi, T. Itoh, T. Morinaga and T. Itoh, 5S rRNA binding proteins from the hyperthermophilic archaeon, *Pyrococcus furiosus* (486) 195
Furuse, M. see K. Fujita (476) 258
Furuta, H. see B. Laine (479) 41
Fusada, N. see N. Oosawa (474) 133
Fushinobu, S. see S. Makino (467) 365
Futakawa, S. see H. Hasegawa (473) 76
Futami, K. see H. Zhang (469) 39
Futerman, A.H. see Y. Neuberger (469) 44
Fyfe, P.K. see K.E. McAuley (467) 285

# G

Gaballo, A. see F. Zanotti (482) 163
Gachhui, R. see S. Adhikari (475) 35
Gaffney, A.M. see C.R. Caffrey (466) 244
Gagnon, M.C., M. Williams, A. Doucet and M. Beauregard, Replacement of Tyr62 by Trp in the designer protein Milk Bundle-1 results in significant improvement of conformational stability (484) 144
Gailly, P., M. Najimi and E. Hermans, Evidence for the dual coupling of the rat neurotensin receptor with pertussis toxin-sensitive and insensitive G-proteins (483) 109
Gál, P. see A. Németh (468) 48
Galán, J.E. see K. Mitra (482) 81
Galateau, F. see B.H. Rihn (480) 95
Gallagher, A. see J.L. Herrmann (473) 358
Galland, F. see G. Pitari (483) 149
Gallar, J. see R. Planells-Cases (481) 131
Galleni, M. see M. Hernandez Valladares (467) 221
Galleni, M. see M.H. Valladares (477) 285
Gallerani, R. see M. Volpicella (468) 137
Galletti, P. see C. Manna (470) 341
Galli, C. see F. Visioli (468) 159
Galli, C. see F. Visioli (471) 75
Galli, G. see F. Visioli (468) 159
Galli, I. see T. Niki (475) 209
Galli, L. see A. Orrico (478) 216
Galli, L. see A. Orrico (481) 285
Gallo, J.-M. see R. Butler (470) 198
Gallois, P. see A. Barakat (471) 161
Gallon, J.R., J. Cheng, L.J. Dougherty, V.A. Gallon, H. Hilz, D.M. Pederson, H.M. Richards, S. Rüggeberg and C.J. Smith, A novel covalent modification of nitrogenase in a cyanobacterium (468) 231
Gallon, V.A. see J.R. Gallon (468) 231
Galván, A. see J.-J. Zhou (466) 225
Galván, A. see J.-J. Zhou (481) 88
Gamez, A. see J. Boada (480) 261
Gan, L., R. Doroudi, U. Hägg, A.-M. Johansson, L. Selin-Sjögren and S. Jern, Differential immediate-early gene responses to shear stress and intraluminal pressure in intact human conduit vessels (477) 89
Gannon, F. see M. Kos (477) 15
Gannon, F., Does Europe exist? (486) 1
Gansauge, F. see H. Braumüller (476) 240
Gansauge, S. see H. Braumüller (476) 240
Gantt, E. see Y. Ershov (473) 337
Gantt, R. see Y. Ershov (473) 337
Gao, B. see X. Shen (480) 132
Gaponenko, V. see M. Abbott (469) 168
Garber, M. see M. Dontsova (472) 213
Garcia, A. see E. Lecuona (481) 217
Garcia, A.G. see E. Garcia-Palomero (481) 235
Garcia, M.-I., M. Jouve, J.P. Nataro, P. Gounon and C. Le Bouguénec, Characterization of the AfaD-like family of invasins encoded by pathogenic *Escherichia coli* associated with intestinal and extra-intestinal infections (479) 111
Garcia, M.L. see D. Reimer (467) 65
Garcia Fernandez, M., L. Troiano, L. Moretti, J. Pedrazzi, S. Salvioli, I. Castilla-Cortazar and A. Cossarizza, Changes in intramitochondrial cardiolipin distribution in apoptosis-resistant HCW-2 cells, derived from the human promyelocytic leukemia HL-60 (478) 290
Garcia-Fernandez, J.-M. see A.R. Philp (468) 181
Garcia-Fernandez, J.-M. see A.R. Philp (473) 125
Garcia-Palomero, E., I. Cuchillo-Ibáñez, A.G. Garcia, J. Renart, A. Albillos and C. Montiel, Greater diversity than previously thought of chromaffin cell $Ca^{2+}$ channels, derived from mRNA identification studies (481) 235
Garcia-Rodriguez, L.J., J.A. Trilla, C. Castro, M.H. Valdivieso, A. Durán and C. Roncero, Characterization of the chitin biosynthesis process as a compensatory mechanism in the *fks1* mutant of *Saccharomyces cerevisiae* (478) 84
Garcia-Sierra, F. see E. González (482) 209
Gardella, S., C. Andrei, A. Poggi, M. Zocchi and A. Rubartelli, Control of interleukin-18 secretion by dendritic cells: role of calcium influxes (481) 245
Garrone, R. see F. Ruggiero (469) 132
Gatsios, P. see L. Terstegen (478) 100
Gavaghan, C.L., E. Holmes, E. Lenz, I.D. Wilson and J.K. Nicholson, An NMR-based metabonomic approach to investigate the biochemical consequences of genetic strain differences: application to the C57BL10J and Alpk:ApfCD mouse (484) 169
Gavini, N. see S. Lei (478) 192
Gavini, N. see S. Lei (482) 149
Gawler, D.J. see A. Chow (469) 88
Gaymard, F. see B. Lacombe (466) 351
Geerlings, A., B. López-Corcuera and C. Aragón, Characterization of the interactions between the glycine transporters GLYT1 and GLYT2 and the SNARE protein syntaxin 1A (470) 51
Geiger, H. see U.F. Mondorf (472) 129
Geijsen, N., P.F. Dijkers, J.-W.J. Lammers, L. Koenderman and P.J. Coffer, Cytokine-mediated cPLA$_2$ phosphorylation is regulated by multiple MAPK family members (471) 83
Geilen, C.C. see M. Raisova (473) 27
Gellini, C., B. Lüttenberg, J. Sydor, M. Engelhard and P. Hildebrandt, Resonance Raman spectroscopy of sensory rhodopsin II from *Natronobacterium pharaonis* (472) 263
Gelus, N. see P.B. Arimondo (485) 47
Geng, Y. see D. Choubey (474) 38
Gensch, T. see A. Haker (486) 52
Gensse, M., N. Vitale, S. Chasserot-Golaz and M.-F. Bader, Regulation of exocytosis in chromaffin cells by phosducin-like protein, a protein interacting with G protein βγ subunits (480) 184
Georges, B., E. Loing, R. Neveu, O. Melnyk, H. Gras-Masse and C. Auriault, Structural diversity of human class II histocompatibility molecules induced by peptide ligands (481) 249
Gerace, L. see G. Cingolani (484) 291
Gergely Jr., P. see S. Thorell (475) 205
Gergely, P. see A. Tóth (484) 113
Gerster, U. see B.E. Flucher (474) 93
Ghazi, A. see C. Berrier (476) 129
Ghelis, T., O. Dellis, E. Jeannette, F. Bardat, D. Cornel, E. Miginiac, J.-P. Rona and B. Sotta, Abscissic acid specific expression of *RAB18* involves activation of anion channels in *Arabidopsis thaliana* suspension cells (474) 43
Ghelis, T., O. Dellis, E. Jeannette, F. Bardat, D. Cornel, E. Miginiac, J.-P. Rona and B. Sotta, Corrigendum to: Abscisic acid specific expression of *RAB18* involves activation of anion channels in *Arabidopsis thaliana* suspension cells (FEBS 23703) (481) 89
Ghelis, T., O. Dellis, E. Jeannette, F. Bardat, E. Miginiac and B. Sotta, Abscisic acid plasmalemma perception triggers a calcium influx essential for *RAB18* gene expression in *Arabidopsis thaliana* suspension cells (483) 67
Ghosh, Y.K., S.S. Visweswariah and S. Bhattacharya, Nature of linkage between the cationic headgroup and cholesteryl skeleton controls gene transfection efficiency (473) 341
Giallongo, A. see S. Feo (473) 47
Giardiello, F.M. see D.T. Dang (476) 203

Giardina, B. see C. Losasso (484) 194
Giasson, B.I. see J.M. Souza (474) 116
Gibb, G.M., J. Pearce, J.C. Betts, S. Lovestone, M.M. Hoffmann, W. Maerz, W.P. Blackstock and B.H. Anderton, Differential effects of apolipoprotein E isoforms on phosphorylation at specific sites on tau by glycogen synthase kinase-3β identified by nano-electrospray mass spectrometry (485) 99
Gibson, J.S., G.W. Stewart and J.C. Ellory, Effect of dimethyl adipimidate on $K^+$ transport and shape change in red blood cells from sickle cell patients (480) 179
Gierman, J.L. see S.P. Kantrow (483) 119
Giesen, K., K. Radsak and E. Bogner, Targeting of the gene product encoded by ORF UL56 of human cytomegalovirus into viral replication centers (471) 215
Gil, C., I. Chaïb-Oukadour, P. Pelliccioni and J. Aguilera, Activation of signal transduction pathways involving trkA, PLCγ-1, PKC isoforms and ERK-1/2 by tetanus toxin (481) 177
Gil, C. see A. Najib (486) 136
Gil, J. see M. Piqué (480) 193
Gilbert, D.M. see J.-R. Wu (484) 108
Gilkerson, R.W., D.H. Margineantu, R.A. Capaldi and J.M.L. Selker, Mitochondrial DNA depletion causes morphological changes in the mitochondrial reticulum of cultured human cells (474) 1
Gilligan, P. see B. Venkatesh (476) 3
Gil-Mascarell, R. see L. Yenush (467) 321
Gilmour, R. see A.M. Martelli (486) 230
Gimpl, G. see Y.-J. Cao (469) 142
Ginalski, K., Č. Venclovas, B. Lesyng and K. Fidelis, Structure-based sequence alignment for the β-trefoil subdomain of the clostridial neurotoxin family provides residue level information about the putative ganglioside binding site (482) 119
Ginelli, E. see D. Barisani (469) 208
Gingras, D. see M. Demeule (466) 219
Girard, J. see C. Le May (475) 163
Girault, S. see I. Florenta (484) 246
Girdwood, K. and C. Berry, The disulphide bond arrangement in the major pepsin inhibitor PI-3 of *Ascaris suum* (474) 253
Givol, D. see K. Kannan (470) 77
Glab, N. see S. Planchais (476) 78
Glaser, W. and T. Skern, Extremely efficient cleavage of eIF4G by picornaviral proteinases L and 2A in vitro (480) 151
Glaubitz, C., A. Gröger, K. Gottschalk, P. Spooner, A. Watts, S. Schuldiner and H. Kessler, $^{31}$P-CP–MAS NMR studies on $TPP^+$ bound to the ion-coupled multidrug transport protein EmrE (480) 127
Glockshuber, R. see E. Mössner (477) 21
Glössl, J. see R. Strasser (472) 105
Gmeiner, B.M.K. see M. Exner (470) 47
Gmeiner, W.H., C.J. Hudalla, A.M. Soto and L. Marky, Binding of ethidium to DNA measured using a 2D diffusion-modulated gradient COSY NMR experiment (465) 148
Godber, B.L.J., J.J. Doel, J. Durgan, R. Eisenthal and R. Harrison, A new route to peroxynitrite: a role for xanthine oxidoreductase (475) 93
Godinho, M.J. see F. François (486) 281
Goedert, M. see M.J. Smith (484) 265
Gofer-Dadosh, N. see J. Lahav (475) 89
Goffeau, A., Four years of post-genomic life with 6000 yeast genes (480) 37
Goffeau, A. see J. DeRisi (470) 156
Goglia, F. see A. Lombardi (475) 84
Goi, G., C. Bairati, L. Massaccesi, A. Lovagnini, A. Lombardo and G. Tettamanti, Membrane anchoring and surface distribution of glycohydrolases of human erythrocyte membranes (473) 89
Gollnick, H. see P. Mayer (480) 156
Gomes, B.C. see G.M. Kasof (473) 285
Gómez, J. see M. Pla (472) 14
Gómez-Lagunas, F. see C.V.F. Batista (486) 117
Gomora, J.C. see L.L. Cribbs (466) 54
Gomora, J.C. see L.L. Cribbs (470) 378
Gonçalves, C.A. see S.S. Pinto (486) 203
Gonçalves, D. see S.S. Pinto (486) 203
Gong, C.-X. see M. Bennecib (485) 87
Gong, N., A. Armugam and K. Jeyaseelan, Molecular cloning, characterization and evolution of the gene encoding a new group of short-chain α-neurotoxins in an Australian elapid, *Pseudonaja textilis* (473) 303
Gong, Z. see X. Huang (478) 123
Goñi, F.M. see T. Suárez (477) 145
González, E., C. Montañez, P.N. Ray, P.L. Howard, F. García-Sierra, D. Mornet and B. Cisneros, Alternative splicing regulates the nuclear or cytoplasmic localization of dystrophin Dp71 (482) 209
González, M.V., J.M. González-Sancho, C. Caelles, A. Munoz and B. Jiménez, Erratum to: Hormone-activated nuclear receptors inhibit the stimulation of the JNK and ERK signalling pathways in endothelial cells (FEBS 22697) (466) 395
González Flecha, F. see V. Levi (483) 99
González-Duarte, P. see M. Valls (467) 189
González-Duarte, R. see M. Valls (467) 189
González-Ros, J.M. see R. Planells-Cases (481) 131
González-Sancho, J.M. see M.V. González (466) 395
Goodenough, L. see H.L. Foo (468) 243
Goody, R.S. see A. Iakovenko (468) 155
Goosen, N. see M. Sohi (465) 161
Gopalakrishnakone, P. see R. Balaji (474) 208
Gorenne, I. see J.A. MacDonald (479) 83
Gosset, P. see C. Faveeuw (486) 261
Goto, C. see T. Mizutani (466) 359
Gotte, G. see S. Sorrentino (466) 35
Gottfried, C. see S.S. Pinto (486) 203
Gottifredi, V. see Z. Palková (467) 359
Gottlieb, R.A. see M.C. Mutomba (478) 19
Gottlieb, R.A., Mitochondria: execution central (482) 6
Gottschalk, K. see C. Glaubitz (480) 127
Götz, J. see A. Ferrari (486) 121
Gould, G.W. see D.L. Cope (481) 261
Gounalaki, N., D. Tzamarias and M. Vlassi, Identification of residues in the TPR domain of Ssn6 responsible for interaction with the Tup1 protein (473) 37
Gounaris, K. see V.P. Smith (483) 104
Gounon, P. see M.-I. Garcia (479) 111
Gozes, I. see R. Granoth (475) 71
Gozes, I. see R. Granoth (475) 78
Grabner, M. see B.E. Flucher (474) 93
Graeve, L. see S. Thiel (470) 15
Graeve, L. see L. Terstegen (478) 100
Graham, L.J., K.E. DeBell, M.-C. Veri, B. Stoica, H. Mostowski, E. Bonvini and B. Rellahan, Differential effects of Cbl and 70Z/3 Cbl on T cell receptor-induced phospholipase Cγ-1 activity (470) 273
Graner, E., A.F. Mercadante, S.M. Zanata, V.R. Martins, D.G. Jay and R.R. Brentani, Laminin-induced PC-12 cell differentiation is inhibited following laser inactivation of cellular prion protein (482) 257
Granier, C. see G. Ferrières (479) 99
Granoth, R., M. Fridkin, S. Rubinraut and I. Gozes, VIP-derived sequences modified by N-terminal stearyl moiety induce cell death: the human keratinocyte as a model (475) 71
Granoth, R., M. Fridkin and I. Gozes, VIP and the potent analog, stearyl-$Nle^{17}$-VIP, induce proliferation of keratinocytes (475) 78
Gras-Masse, H. see B. Georges (481) 249
Grassmé, H. see C.R. Hauck (478) 260
Grasso, L. see J.-B. Demoulin (482) 200
Graßl, R., I. Robl, M. Opekarová and W. Tanner, The C-terminal tetrapeptide HWFW of the *Chlorella* HUP1 hexose/$H^+$-symporter is essential for full activity and an α-helical structure of the C-terminus (468) 225
Grechkin, A.N. and M. Hamberg, Formation of cyclopentenones from all-(*E*) hydroperoxides of linoleic acid via allene oxides. New insight into the mechanism of cyclization (466) 63
Greenberg, R.M. see M.C. Jeziorski (483) 125
Greene, T.W. see P.R. Salamone (482) 113
Greener, M.J. and R.G. Roberts, Conservation of components of the dystrophin complex in *Drosophila* (482) 13
Greger, R. see R. Schreiber (475) 291
Grellier, P. see I. Florenta (484) 246
Gremo, F. see G. Diaz (475) 218
Griffin, J.L., L.A. Walker, J. Troke, D. Osborn, R.F. Shore and J.K. Nicholson, The initial pathogenesis of cadmium induced renal toxicity (478) 147
Griffin, J.L., J. Troke, L.A. Walker, R.F. Shore, J.C. Lindon and J.K. Nicholson, The biochemical profile of rat testicular tissue as measured by magic angle spinning $^1$H NMR spectroscopy (486) 225

Griffiths, E.J., Use of ruthenium red as an inhibitor of mitochondrial $Ca^{2+}$ uptake in single rat cardiomyocytes (486) 257
Griffiths, W.J. see A.P. Jonsson (475) 131
Grimes, M.L. see F. François (486) 281
Grissmer, S. see H. Jäger (469) 196
Grivell, L.A. see Z.H. Shah (478) 267
Grivell, L.A. see M. Juhola (481) 91
Grivell, L.A. see L. de Jong (483) 62
Groenen, E.J.J. see M. van Gastel (474) 228
Gröger, A. see C. Glaubitz (480) 127
Gromöller, A. and N. Lehming, Srb7p is essential for the activation of a subset of genes (484) 48
Gromov, P. see J.E. Celis (480) 2
Gromova, I. see J.E. Celis (480) 2
Gronemeyer, H. see A.M. Jimenez-Lara (468) 203
Gröning, I. see R. Lukačin (467) 353
Grønning, L.M. see H.L. Foo (468) 243
Grooten, J. see G. Denecker (465) 47
Grosberg, A.Y. see I.N. Berezovsky (466) 283
Groschner, K. see K.J.F. Kepplinger (477) 161
Grosdemange-Billiard, C. see M. Rodríguez-Concepción (473) 328
Gross, M. see C.E. Higham (470) 55
Grosschedl, R. see G.C. Pérez-Alvarado (470) 125
Grossmann, J.G. see T. Whalley (482) 242
Große Berkhoff, E. see I. Yiallouros (484) 224
Grötzinger, J. see A. Timmermann (468) 120
Groysman, M., C.S.N. Russek and S. Katzav, Vav, a GDP/GTP nucleotide exchange factor, interacts with GDIs, proteins that inhibit GDP/GTP dissociation (467) 75
Grubeck-Loebenstein, B. see I. Blasko (470) 221
Gruber, V. see F. Ruggiero (469) 132
Gruda, I. see J. Barwicz (465) 83
Grundke-Iqbal, I. see I. Tsujio (469) 111
Grundke-Iqbal, I. see M. Bennecib (485) 87
Grunenberg, U. see D. Motzkus (486) 315
Grünewald, E. see S. Stier (467) 299
Gruppuso, P.A. and J.M. Boylan, Hepatic epidermal growth factor-regulated mitogen-activated protein kinase kinase kinase activity in the rat: lack of identity with known forms of Raf and MEKK (466) 200
Gruppuso, P.A. see M.M. Awad (483) 160
Gu, P.-L., K.L. Yu and S.-M. Chan, Molecular characterization of an additional shrimp hyperglycemic hormone: cDNA cloning, gene organization, expression and biological assay of recombinant proteins (472) 122
Gualerzi, C.O. see C. Krafft (471) 128
Gualtieri, P. see L. Barsanti (482) 247
Guan, J.-L. see H.R. Reiske (486) 275
Guennoun, S. and J.-D. Horisberger, Structure of the 5th transmembrane segment of the Na,K-ATPase α subunit: a cysteine-scanning mutagenesis study (482) 144
Gueride, M. see A. Pfeuty (468) 43
Guérineau, N.C. see E. Maury (466) 228
Guerlesquin, F. see C. Dominguez (482) 109
Guerrero, C. see L. Pesce (486) 310
Guerrini, R. see P. Amodeo (473) 157
Guiderdoni, E. see A. Barakat (471) 161
Guidoni, L., V. Torre and P. Carloni, Water and potassium dynamics inside the KcsA $K^+$ channel (477) 37
Guidoux, S. see N. Cartier (478) 205
Guidry, J. see C. Moczygemba (470) 203
Guihard, G., S. Proteau, M.D. Payet, D. Escande and E. Rousseau, Patch-clamp study of liver nuclear ionic channels reconstituted into giant proteoliposomes (476) 234
Gujer, R. see A. Aldecoa (471) 156
Gujer, R. see N. Bühlmann (486) 320
Gulbins, E. see C.R. Hauck (478) 260
Gulnik, S. see W. Shao (473) 363
Gum Jr., J.R., R.H. Erickson, J.W. Hicks, J.L. Rius and Y.S. Kim, Analysis of dipeptidyl peptidase IV gene regulation in transgenic mice: DNA elements sufficient for promoter activity in the kidney, but not the intestine, reside on the proximal portion of the gene 5′-flanking region (482) 49
Gumbiowski, K. see O. Pänke (472) 34
Gundelfinger, E.D. see K. Chamaon (482) 189
Gunji, Y. see M. Ikeda (485) 94
Guo, Y.L., U. Kurz, J.E. Schultz, C.C. Lim, B. Wiederanders and K. Schilling, The α1/2 helical backbone of the prodomains defines the intrinsic inhibitory specificity in the cathepsin L-like cysteine protease subfamily (469) 203
Gupta, S.S. and C.M. Canessa, Heterologous expression of a mammalian epithelial sodium channel in yeast (481) 77
Gurrola, G.B. see C. Bottiglieri (479) 156
Gurrola, G.B. see A. Scaloni (481) 308
Gustchina, E. see W. Shao (473) 363
Gutierrez, C. see E. Ramirez-Parra (486) 73
Gutiérrez, J. see J.V. Planas (481) 266
Gutkind, J. see S. Fukuhara (485) 183
Gutsche, I., O. Mihalache, R. Hegerl, D. Typke and W. Baumeister, ATPase cycle controls the conformation of an archaeal chaperonin as visualized by cryo-electron microscopy (477) 278

# H

Ha, R. see V. Cattori (474) 242
Haan, C. see S. Thiel (470) 15
Haas, H. see H. Oberegger (485) 113
Haase, H. see D. Reimer (467) 65
Haase, S. see D. Brett (474) 83
Habu, S. see W. Ise (465) 28
Hachimura, S. see W. Ise (465) 28
Hadhazy, M. see X. Zhu (474) 71
Haeberli, A. see M. Müller (468) 115
Haehnel, W. see H. Lilie (470) 173
Haenen, G.R.M.M. see F.A.A. van Acker (473) 145
Haga, T. see H. Ogawa (471) 99
Haga, T. see T. Okuda (484) 92
Hagenbuch, B. see V. Cattori (474) 242
Hagenbuch, N. see V. Cattori (474) 242
Hägg, U. see L. Gan (477) 89
Hagishita, T. see M. Nishikawa (476) 150
Hahlbrock, K. see H.-P. Stuible (467) 117
Hahn, M.-J., S.S. Yoon, H.W. Sohn, H.G. Song, S.H. Park and T.J. Kim, Differential activation of MAP kinase family members triggered by CD99 engagement (470) 350
Hahn, Y. see Y.J. Lee (472) 230
Hahn, Y., Y.J. Lee, J.H. Yun, S.K. Yang, C.W. Park, K. Mita, T.-L. Huh, M. Rhee and J.H. Chung, Duplication of genes encoding non-clathrin coat protein γ-COP in vertebrate, insect and plant evolution (482) 31
Hajduch, E., R.R. Heyes, P.W. Watt and H.S. Hundal, Lactate transport in rat adipocytes: identification of monocarboxylate transporter 1 (MCT1) and its modulation during streptozotocin-induced diabetes (479) 89
Hakeda, Y. see M. Nakagawa (473) 161
Haker, A., J. Hendriks, T. Gensch, K. Hellingwerf and W. Crielaard, Isolation, reconstitution and functional characterisation of the *Rhodobacter sphaeroides* photoactive yellow protein (486) 52
Hakkaart, G.A.J. see Z.H. Shah (478) 267
Hall, F.L. see Y. Wang (484) 17
Hall, M.A. see G.V. Novikova (474) 29
Hallikas, O. see J. Määttä (484) 202
Halliwell, B. see B. Qu (473) 85
Halliwell, B., M.V. Clement and L.H. Long, Hydrogen peroxide in the human body (486) 10
Hama, H., D.A. Young, J.A. Radding, D. Ma, J. Tang, S.D. Stock and J.Y. Takemoto, Requirement of sphingolipid α-hydroxylation for fungicidal action of syringomycin E (478) 26
Hamada, H. see G. Shiota (470) 325
Hamada, N. see T. Toyoda (481) 113
Hamada, T. see K.-Y. Wang (473) 345
Hamada, T., K. Ui-Tei and Y. Miyata, A novel gene derived from developing spinal cords, *SCDGF*, is a unique member of the PDGF/VEGF family (475) 97
Hamberg, M. see A.N. Grechkin (466) 63
Hamilton, S.L. see B.Y. Williams (470) 207

Hammarström, S. see S. Surapureddi (480) 239
Hammen, P.K. and H. Weiner, Structure of the cytosolic domain of TOM5, a mitochondrial import protein (468) 101
Hammet, A., B.L. Pike, K.I. Mitchelhill, T. Teh, B. Kobe, C.M. House, B.E. Kemp and J. Heierhorst, FHA domain boundaries of the Dun1p and Rad53p cell cycle checkpoint kinases (471) 141
Hamodrakas, S.J. see V.A. Iconomidou (479) 141
Hamy, F. see P.B. Arimondo (485) 47
Han, D.C. see H.R. Reiske (486) 275
Han, D.K. see M.E. Wright (481) 13
Han, J.-H., H.-Y. Zhang, G.-S. Min, D. Kemler and C. Hashimoto, A novel *Drosophila* serpin that inhibits serine proteases (468) 194
Han, K. see T.-Y. Choi (483) 71
Han, S. see Y.S. Kim (479) 25
Han, X. see D. Zhai (472) 293
Hanada, K. see M. Nakagawa (473) 161
Hanada, K., T. Hara and M. Nishijima, D-Serine inhibits serine palmitoyltransferase, the enzyme catalyzing the initial step of sphingolipid biosynthesis (474) 63
Hanai, H., D. Nakayama, H. Yang, Y. Matsubayashi, Y. Hirota and Y. Sakagami, Existence of a plant tyrosylprotein sulfotransferase: novel plant enzyme catalyzing tyrosine *O*-sulfation of preprophytosulfokine variants in vitro (470) 97
Hanasaki, K. see Y. Yokota (478) 187
Hanke, J. see D. Brett (474) 83
Hannan, J.P., J.L.H. Busch, R. James, A.J. Thomson, G.R. Moore and S.L. Davy, Slow formation of $[3Fe–4S]^{1+}$ clusters in mutant forms of *Desulfovibrio africanus* ferredoxin III (468) 161
Hanoch, T. see Z. Yao (468) 37
Hansen, K. see M. Thullberg (470) 161
Happe, R.P., W. Roseboom, G. Egert, C.G. Friedrich, C. Massanz, B. Friedrich and S.P.J. Albracht, Unusual FTIR and EPR properties of the $H_2$-activating site of the cytoplasmic NAD-reducing hydrogenase from *Ralstonia eutropha* (466) 259
Haque, M. see M.C. Marden (472) 221
Hara, H. see M. Yamamoto (486) 159
Hara, K. see T. Toyoda (481) 113
Hara, T. see K. Hanada (474) 63
Haraguchi, Y. see M.-X. Zou (473) 15
Hardesty, B. see V. Ramachandiran (482) 185
Hare, G.R. see A. Balendran (484) 217
Hargittai, B. see A.J. Benie (476) 287
Harrison, R. see B.L.J. Godber (475) 93
Hartman, K.L. see Y.-Y. Tang (470) 167
Hartshorne, D.J. see M. Koyama (475) 197
Hartshorne, D.J. see A. Tóth (484) 113
Hartung, K. see G.A. Sauer (469) 98
Haruki, M. see K. Hyun-Ju (483) 139
Hasebe, F. see A. Utama (465) 74
Hasegawa, H., H. Katoh, Y. Yamaguchi, K. Nakamura, S. Futakawa and M. Negishi, Different membrane targeting of prostaglandin EP3 receptor isoforms dependent on their carboxy-terminal tail structures (473) 76
Hasegawa, K. see E. Arakawa (481) 193
Hasegawa, P.M. see H. Koiwa (471) 67
Hasegawa, S. see M. Kita (469) 173
Hasegawa, T. see A. Kuno (482) 231
Hashimoto, C. see J.-H. Han (468) 194
Hashimoto, J. see S. Makino (467) 365
Hashimoto, K. see H. Shinoura (466) 255
Hashimoto, K. see H. Shinoura (474) 257
Hashimoto, M. see Y. Honda (476) 194
Hashimoto, M. see T. Kirikae (478) 221
Hasse, A. see S.M. Nilius (484) 211
Hatakeyama, K. see M. Watanabe (473) 139
Hatanaka, H. see T. Takai (484) 102
Hatanaka, T. see M. Nishikawa (476) 150
Hatano, M. see H. Shimizu (475) 170
Hatier, R. see F. Casas (478) 4
Hatsu, M. see A. Utama (465) 74
Hatsuzawa, K. see T. Yamaguchi (470) 25
Hattori, M. see H.-S. Park (475) 167
Hattori, T. see S. Kubota (474) 58
Hatzfeld, Y. and K. Saito, Evidence for the existence of rhodanese (thiosulfate:cyanide sulfurtransferase) in plants: preliminary characterization of two rhodanese cDNAs from *Arabidopsis thaliana* (470) 147
Hauck, C.R., H. Grassmé, J. Bock, V. Jendrossek, K. Ferlinz, T.F. Meyer and E. Gulbins, Acid sphingomyelinase is involved in CEACAM receptor-mediated phagocytosis of *Neisseria gonorrhoeae* (478) 260
Haude, M. see C. Naber (484) 199
Hauri, H.-P., C. Appenzeller, F. Kuhn and O. Nufer, Lectins and traffic in the secretory pathway (476) 32
Hause, B. see W.J. Peumans (477) 190
Hauska, G. see R. Dirmeier (467) 101
Häussinger, D. see M. Michalke (465) 64
Hay, T.J. and D.W. Meek, Multiple sites of in vivo phosphorylation in the MDM2 oncoprotein cluster within two important functional domains (478) 183
Hayakawa, T. see H. Mizuguchi (472) 173
Hayami-Noumi, K., T. Tsuchiya, Y. Moriyama and T. Noumi, Intra- and intermolecular interactions of the catalytic domains of human CD45 protein tyrosine phosphatase (468) 68
Hayashi, H. see K. Yamamoto (472) 267
Hayashi, H. see Y. Shirano (485) 178
Hayashi, K. see Y. Chimori (469) 67
Hayashi, K. see A. Kuno (482) 231
Hayashi, K. see S. Machida (486) 131
Hayashi, M. see Y. Nakayama (474) 165
Hayashi, N. see A. Nakashima (465) 59
Hayashi, T. see K. Yamamoto (472) 267
Hayashizaki, Y. see Y. Fukunishi (471) 261
Haye, B. see E. Petitfrère (485) 117
Hayek, G. see A. Orrico (481) 285
Haystead, T.A.J. see J.A. MacDonald (479) 83
He, S. see S. Numao (484) 175
Healer, J. see A.F. Cowman (476) 84
Hedderich, R. see S.P.J. Albracht (485) 1
Hedrich, R. see P. Ache (486) 93
Heesemann, J. see C. Barz (482) 139
Hegardt, F.G. see M. Morillas (466) 183
Hegerl, R. see I. Gutsche (477) 278
Heidkaemper, D., E. Winkler, V. Müller, K. Frischmuth, Q. Liu, T. Caskey and M. Klingenberg, The bulk of UCP3 expressed in yeast cells is incompetent for a nucleotide regulated $H^+$ transport (480) 265
Heierhorst, J. see A. Hammet (471) 141
Heikkinen, S. see D. Wade (479) 6
Heimovaara-Dijkstra, S. see C. Testerink (484) 55
Heine, M.J.S. see A.M. Jimenez-Lara (468) 203
Heinemann, U. see C. Krafft (471) 128
Heinrich, P.C. see A. Timmermann (468) 120
Heinrich, P.C. see S. Thiel (470) 15
Heinrich, P.C. see L. Terstegen (478) 100
Heinrikson, R.L. see K.-C. Chou (470) 249
Heinz, U. see M. Hernandez Valladares (467) 221
Heinz, U. see M.H. Valladares (477) 285
Held, I. see M. Exner (470) 47
Hell, S.W. see S. Jakobs (479) 131
Helland, D.E. see A.M. Szilvay (484) 43
Helland, D.E. see A.M. Szilvay (485) 209
Hellingwerf, K. see A. Haker (486) 52
Hellwig, P. see A. Kuglstatter (477) 284
Helminen, H.J. see K. Kaarniranta (475) 283
Hemmi, H. see K. Hirooka (481) 68
Hemmings Jr., H.C. see R. Lingameneni (473) 265
Hemmings, B.A. see E. Ingley (478) 253
Hendriks, J. see A. Haker (486) 52
Henklein, P., R. Kinder, U. Schubert and B. Bechinger, Membrane interactions and alignment of structures within the HIV-1 Vpu cytoplasmic domain: effect of phosphorylation of serines 52 and 56 (482) 220
Hennecke, H. see E. Arslan (470) 7
Hennig, B. see Y.W. Lee (485) 122
Hennuyer, N. see M.D. Leibowitz (473) 333
Henriksson, G. see L. Hildén (477) 79
Henry, A.T. see C.A. Holland (484) 87
Herberg, F.W. see A. Herzog (472) 73
Hermann, B.L. see C. Naber (484) 199
Hermann, M. see M. Exner (470) 47
Hermans, E. see P. Gailly (483) 109
Hermosilla, R. see R. Schülein (466) 101
Hermosilla, R. see R. Schülein (473) 124

Hernandez, J.-F. see M. Luckey (468) 23
Hernández, L.M. see I. Olivero (475) 111
Hernandez Valladares, M., M. Kiefer, U. Heinz, R. Paul Soto, W. Meyer-Klaucke, H.F. Nolting, M. Zeppezauer, M. Galleni, J.-M. Frère, G.M. Rossolini, G. Amicosante and H.-W. Adolph, Kinetic and spectroscopic characterization of native and metal-substituted β-lactamase from *Aeromonas hydrophila* AE036 (467) 221
Herpin, P. see A. Lombardi (475) 84
Herrera, C. see J. Blanco (477) 123
Herrero, M. see U.F. Mondorf (472) 129
Herrgård, S., P. Jambeck, S.S. Taylor and S. Subramaniam, Domain architecture of a *Caenorhabditis elegans* AKAP suggests a novel AKAP function (486) 107
Herrmann, J.L., R. Delahay, A. Gallagher, B. Robertson and D. Young, Analysis of post-translational modification of mycobacterial proteins using a cassette expression system (473) 358
Hersey, P. see X.D. Zhang (482) 193
Herz, S. see T. Radykewicz (465) 157
Herzog, A., C. Szegedi, I. Jona, F.W. Herberg and M. Varsanyi, Surface plasmon resonance studies prove the interaction of skeletal muscle sarcoplasmic reticular $Ca^{2+}$ release channel/ryanodine receptor with calsequestrin (472) 73
Herzog, C. see A. Pal (486) 163
Herzog, V. see C. Hitzel (485) 67
Hescheler, J. see H. Sauer (476) 218
Hess, O. see J. Lahav (475) 89
Heuser, T. see B. Miller (481) 221
Hewitson, K.S., J.E. Baldwin, N.M. Shaw and P.L. Roach, Mutagenesis of the proposed iron-sulfur cluster binding ligands in *Escherichia coli* biotin synthase (466) 372
Heyes, D.J., G.E.M. Martin, R. Reid, C. Hunter and H.M. Wilks, NADPH:protochlorophyllide oxidoreductase from *Synechocystis*: overexpression, purification and preliminary characterisation (483) 47
Heyes, R.R. see E. Hajduch (479) 89
Hiai, H. see Y. Ihara (473) 24
Hiatt, B. see K. Matsui (481) 183
Hicks, J.W. see J.R. Gum Jr. (482) 49
Hidaka, H. see S. Iino (479) 46
Higashi, Y. see K. Ikeda (472) 9
Higashino, K. see Y. Yokota (478) 187
Higashitani, A., H. Aoki, A. Mori, Y. Sasagawa, T. Takanami and H. Takahashi, *Caenorhabditis elegans* Chk2-like gene is essential for meiosis but dispensable for DNA repair (485) 35
High, S., F.J.L. Lecomte, S.J. Russell, B.M. Abell and J.D. Oliver, Glycoprotein folding in the endoplasmic reticulum: a tale of three chaperones? (476) 38
Higham, C.E., E.T.A.S. Jaikaran, P.E. Fraser, M. Gross and A. Clark, Preparation of synthetic human islet amyloid polypeptide (IAPP) in a stable conformation to enable study of conversion to amyloid-like fibrils (470) 55
Higuchi, I. see M. Yamakuchi (477) 135
Higuchi, S. see K.-Y. Wang (473) 345
Hildebrandt, P. see C. Gellini (472) 263
Hildebrandt, P. see C. Kneip (482) 252
Hildén, L., G. Johansson, G. Pettersson, J. Li, P. Ljungquist and G. Henriksson, Do the extracellular enzymes cellobiose dehydrogenase and manganese peroxidase form a pathway in lignin biodegradation? (477) 79
Hildén, P. see J. Määttä (484) 202
Hilderman, R.H. see H.M. Cooper (485) 57
Hill, T.J. see S. Tarabykina (475) 187
Hillebrand, A.M. see A. Iakovenko (468) 155
Hilz, H. see J.R. Gallon (468) 231
Himeno, H. see N. Nameki (470) 345
Hinata, K. see M. Watanabe (473) 139
Hinchliffe, K.A. see J.B. Morris (475) 57
Hirabayashi, K. see E. Kuranaga (466) 279
Hirabayashi, Y. see R.S. Bora (473) 169
Hirabayashi, Y. see H. Komori (475) 247
Hiraga, S., K. Yamamoto, H. Ito, K. Sasaki, H. Matsui, M. Honma, Y. Nagamura, T. Sasaki and Y. Ohashi, Diverse expression profiles of 21 rice peroxidase genes (471) 245
Hirai, A. see H. Tsuji (471) 201
Hiraki, Y. see C. Shukunami (469) 83
Hirano, K. see Y. Matsumoto (478) 67
Hirano, K., F. Matsuura, K. Tsukamoto, Z. Zhang, A. Matsuyama, K. Takaishi, R. Komuro, T. Suehiro, S. Yamashita, Y. Takai and Y. Matsuzawa, Decreased expression of a member of the Rho GTPase family, Cdc42Hs, in cells from Tangier disease – the small G protein may play a role in cholesterol efflux (484) 275
Hiraoka, M. see J. Akai (479) 29
Hiraoka, M. see T. Nakajima (481) 197
Hirasawa, A. see H. Shinoura (466) 255
Hirasawa, A. see H. Shinoura (474) 257
Hirata, D. see M. Suda (486) 305
Hirata, H. see S. Oka (472) 196
Hirata, Y. see M. Kita (469) 173
Hirooka, K., T. Kato, J. Matsu-ura, H. Hemmi and T. Nishino, The role of histidine-114 of *Sulfolobus acidocaldarius* geranylgeranyl diphosphate synthase in chain-length determination (481) 68
Hirota, Y. see H. Hanai (470) 97
Hitzel, C., H. Kanzler, A. König, M.P. Kummer, K. Brix, V. Herzog and N. Koch, Thyroglobulin type-I-like domains in invariant chain fusion proteins mediate resistance to cathepsin L digestion (485) 67
Ho, H. see M. Cheng (475) 257
Hobman, J.L. see J.R. Wilson (472) 78
Hochstrasser, M. see R. Swanson (477) 193
Hockenbery, D.M. see M.E. Wright (481) 13
Hoeffler, J.-F. see M. Rodriguez-Concepción (473) 328
Hofbauer, R. see M. Exner (470) 47
Höfer, S. see A. Tomschy (472) 169
Hoffmann, M.M. see G.M. Gibb (485) 99
Hoffmann, S. see J. Wastl (471) 191
Hofhaus, G. see J.-E. Lee (477) 62
Hofmann, F. see N. Klugbauer (470) 189
Hofmann, F. see L. Vaca (479) 35
Hofmann, F. see G. Bohn (481) 73
Hofmann, K.P. see F. Bartl (473) 259
Hofmeyr, J.-H.S. and A. Cornish-Bowden, Regulating the cellular economy of supply and demand (476) 47
Hoggett, J.G. see A.L. Ferguson (481) 281
Hogue, D.L. see F. Zhang (478) 89
Hohmann, S. see M.J. Tamás (472) 159
Hoidal, J.R. see E. Jacquinet (468) 93
Hokazono, Y. see N. Todoroki-Ikeda (482) 85
Hokazono, Y. see N. Todoroki-Ikeda (483) 186
Holien, T. see E. Munthe (466) 169
Holland, C.A., A.T. Henry, H.C. Whinna and F.C. Church, Effect of oligodeoxynucleotide thrombin aptamer on thrombin inhibition by heparin cofactor II and antithrombin (484) 87
Hollanderová, D. see Z. Palková (467) 359
Holler, N. see F. Martinon (468) 134
Hollomon, D. see T. Joseph-Horne (481) 141
Höllt, V. see P. Mayer (480) 156
Holmberg, C.I. see K. Kaarniranta (475) 283
Holmberg, D. see B. Eriksson (479) 106
Holmberg, S.K.S. see E. Salaneck (484) 229
Holmes, E. see C.L. Gavaghan (484) 169
Holmsen, H. see F. Selheim (485) 62
Holt, K.H., R.H. Crosbie, D.P. Venzke and K.P. Campbell, Biosynthesis of dystroglycan: processing of a precursor propeptide (468) 79
Holtman, W.L., M.R. Roberts, B.J. Oppedijk, C. Testerink, M.J. van Zeijl and M. Wang, 14-3-3 proteins interact with a 13-lipoxygenase, but not with a 9-lipoxygenase (474) 48
Holý, A. see A. Kovařík (467) 47
Holzapfel, H.-P. see C. Voigt (486) 208
Holzgreve, W. see H. Zhang (480) 311
Holzwarth, J.F. see H. Xu (482) 180
Honda, K. see I. Matsui (467) 195
Honda, Y., S. Tanimori, M. Kirihata, S. Kaneko, K. Tokuyasu, M. Hashimoto, T. Watanabe and T. Fukamizo, Kinetic analysis of the reaction catalyzed by chitinase A1 from *Bacillus circulans* WL-12 toward the novel substrates, partially *N*-deacetylated 4-methylumbelliferyl chitobiosides (476) 194
Hondermarck, H. see A.-S. Vercoutter-Edouart (478) 209
Hong, F. see X. Shen (480) 132
Hong, S.H. see H.J. Kong (483) 114
Honjo, T. see S.J. Ono (467) 268
Honma, M. see S. Hiraga (471) 245
Honoré, B. see H. Vorum (465) 129

Honoré, B. and H. Vorum, The CREC family, a novel family of multiple EF-hand, low-affinity $Ca^{2+}$-binding proteins localised to the secretory pathway of mammalian cells (466) 11
Honzatko, R.B. see R.J. Mallis (482) 237
Hoogenboom, H.R. see S.E. Hufton (475) 225
Hoogervorst, E. see T. van Laar (469) 123
Hooijberg, J.H., H.M. Pinedo, C. Vrasdonk, W. Priebe, J. Lankelma and H.J. Broxterman, The effect of glutathione on the ATPase activity of MRP1 in its natural membranes (469) 47
Hopkins, K.M. see K. Komatsu (481) 122
Hopper, A.K. see L.R. Williams (476) 301
Hörber, J.K.H. see P.-F. Lenne (476) 124
Horelli-Kuitunen, N. see T. Kuittinen (473) 233
Hori, Y., T. Tanaka and Y. Kikuchi, The catalytic RNA of RNase P from *Escherichia coli* cleaves *Drosophila* 2S ribosomal RNA in vitro: a new type of naturally occurring substrate for the ribozyme (472) 187
Horie, N. see H. Zhang (469) 39
Horiguchi, Y. see K. Fujita (476) 258
Horisberger, J.-D. see H. Abriel (466) 377
Horisberger, J.-D. see S. Guennoun (482) 144
Horiuchi, M., O. El Far and H. Betz, Ulip6, a novel unc-33 and dihydropyrimidinase related protein highly expressed in developing rat brain (480) 283
Horst, M. see C. Satyanarayana (470) 232
Horstkorte, R., S. Nöhring, K. Danker, K. Effertz, W. Reutter and L. Lucka, Protein kinase C phosphorylates and regulates UDP-*N*-acetylglucosamine-2-epimerase/*N*-acetylmannosamine kinase (470) 315
Horstkorte, R. see C. Schmidt (478) 276
Horton, P. see M. Wentworth (471) 71
Horváth, G.V. see C. Seregélyes (482) 125
Horváth, G.V. see C. Seregélyes (485) 207
Hoshino, H. see M.-X. Zou (473) 15
Hosoda, H. see K. Mori (486) 213
Hosoda, K. see K. Mori (486) 213
Hosoi, Y. see Y. Matsumoto (478) 67
Hosokawa, N. and K. Nagata, Procollagen binds to both prolyl 4-hydroxylase/protein disulfide isomerase and HSP47 within the endoplasmic reticulum in the absence of ascorbate (466) 19
Hosono, T. see H. Mizuguchi (472) 173
Hotamisligil, G.S. see J.K. Sethi (469) 77
Houben, E.N.G., P.A. Scotti, Q.A. Valent, J. Brunner, J.-W.L. de Gier, B. Oudega and J. Luirink, Nascent Lep inserts into the *Escherichia coli* inner membrane in the vicinity of YidC, SecY and SecA (476) 229
Houot, V. see P. Etienne (466) 213
House, C.M. see A. Hammet (471) 141
Houslay, M.D. see I. McPhee (477) 213
Hovanessian, A.G. see J. Blanco (477) 123
Hovatta, I. see B. Rohm (486) 68
Howard, M.J. see P.A. Reche (479) 93
Howard, P.L. see E. González (482) 209
Howard, S. see S. Numao (484) 175
Howell, L. see F.M. de Bree (475) 175
Howitt, S. see C. Sohlenkamp (467) 273
Howitt, S.M. see O.K. Khurana (477) 118
Hoyne, P.A., T.C. Elleman, T.E. Adams, K.M. Richards and C.W. Ward, Properties of an insulin receptor with an IGF-1 receptor loop exchange in the cysteine-rich region (469) 57
Hoyne, P.A., L.J. Cosgrove, N.M. McKern, J.D. Bentley, N. Ivancic, T.C. Elleman and C.W. Ward, High affinity insulin binding by soluble insulin receptor extracellular domain fused to a leucine zipper (479) 15
Hrastnik, C. see D. Zweytick (470) 83
Hsu, D.-W. see M.-J. Lin (469) 101
Hu, G. see G. Fan (467) 7
Hu, X. see A. Pal (486) 163
Huang, B.C.B. see E.S. Masuda (470) 61
Huang, J.-S. see Q.-B. She (469) 163
Huang, X. see Y.-Y. Tang (470) 167
Huang, X. see D. Zhai (472) 293
Huang, X., W. Xie and Z. Gong, Characteristics and antifungal activity of a chitin binding protein from *Ginkgo biloba* (478) 123
Huber, H. see G. Fritz (473) 63
Huber, I.G. see D. Reimer (467) 65
Hubert, A., A. Husson, A. Chédeville and A. Lavoinne, AMP-activated protein kinase counteracted the inhibitory effect of glucose on the phosphoenolpyruvate carboxykinase gene expression in rat hepatocytes (481) 209
Hud, N.V. see E.L. Altschuler (472) 166
Hudalla, C.J. see W.H. Gmeiner (465) 148
Huet, J.-C. see L. Briand (476) 179
Hufton, S.E., N. van Neer, T. van den Beuken, J. Desmet, E. Sablon and H.R. Hoogenboom, Development and application of cytotoxic T lymphocyte-associated antigen 4 as a protein scaffold for the generation of novel binding ligands (475) 225
Huggett, J., A. Vaughan-Thomas and D. Mason, The open reading frame of the $Na^+$-dependent glutamate transporter GLAST-1 is expressed in bone and a splice variant of this molecule is expressed in bone and brain (485) 13
Hughes, A.D. see A.L. Ferguson (481) 281
Hughes, G. see J.L. Scarlett (475) 267
Hughes, M. see J.R.A. Hutchins (466) 91
Hughes, R. see R.P. Menon (470) 227
Hugueney, P. see S. Al-Babili (485) 168
Huh, T.-L. see Y. Hahn (482) 31
Hui, D. see F. Zhang (478) 89
Hui, W.S. see W.M.W. Cheung (486) 291
Huijbregts, R. see I. Arechaga (482) 215
Hulanicka, D.M. see M. Juszczuk (484) 33
Humblot, N. see C. Burgun (484) 189
Humphries, M.J. see K. Clark (471) 182
Hundal, H.S. see E. Hajduch (479) 89
Huner, N.P.A. see A.G. Ivanov (485) 173
Hunter, C. see D.J. Heyes (483) 47
Hunziker, A. see B. Pause (471) 23
Hupp, T.R. see L.R. Burch (472) 93
Hussain, S. see C. Miralles (476) 253
Husson, A. see A. Hubert (481) 209
Huszagh, V.A. see J.P. Infante (468) 1
Hutchins, J.R.A., M. Hughes and P.R. Clarke, Substrate specificity determinants of the checkpoint protein kinase Chk1 (466) 91
Hynds, P. see T. Kieselbach (480) 271
Hynds, P.J., H. Plücken, P. Westhoff and C. Robinson, Different lumen-targeting pathways for nuclear-encoded versus cyanobacterial/plastid-encoded Hcf136 proteins (467) 97
Hyun, B. see Y.J. Lee (472) 230
Hyun-Ju, K., K. Amada, M. Haruki, M. Morikawa and S. Kanaya, Identification of the histidine and aspartic acid residues essential for enzymatic activity of a family I.3 lipase by site-directed mutagenesis (483) 139

# I

Iacobelli, S. see P. Matarrese (473) 311
Iakovenko, A., E. Rostkova, E. Merzlyak, A.M. Hillebrand, N.H. Thomä, R.S. Goody and K. Alexandrov, Semi-synthetic Rab proteins as tools for studying intermolecular interactions (468) 155
Ichikawa, S. see R.S. Bora (473) 169
Ichikawa, S. see H. Komori (475) 247
Ichikawa, S. see T. Takai (484) 102
Ichinose, M. see H. Shimizu (475) 170
Iconomidou, V.A., G. Vriend and S.J. Hamodrakas, Amyloids protect the silkmoth oocyte and embryo (479) 141
Idzko, M. see D. Ferrari (486) 217
Iezzi, M., R. Regazzi and C.B. Wollheim, The Rab3-interacting molecule RIM is expressed in pancreatic β-cells and is implicated in insulin exocytosis (474) 66
Igarashi, A. see A. Utama (465) 74
Igarashi, Y. see K. Motohashi (468) 189
Ignatova, L.K. see O.V. Moskvin (470) 375
Iguchi-Ariga, S.M.M. see N. Koike (467) 17
Iguchi-Ariga, S.M.M. see T. Niki (475) 209
Iguchi-Ariga, S.M.M. see M. Takayama (477) 43
Ihara, S. see T. Yokogawa (473) 222

Ihara, Y., Y. Yamada, S. Toyokuni, K. Miyawaki, N. Ban, T. Adachi, A. Kuroe, T. Iwakura, A. Kubota, H. Hiai and Y. Seino, Antioxidant α-tocopherol ameliorates glycemic control of GK rats, a model of type 2 diabetes (473) 24
Iino, S., T. Sudo, T. Niwa, T. Fukasawa, H. Hidaka and I. Niki, Annexin XI may be involved in $Ca^{2+}$- or GTP-γS-induced insulin secretion in the pancreatic β-cell (479) 46
Iitsuka, Y. see H. Shimizu (475) 170
Ikawa, S. see H. Kurumizaka (477) 129
Ikeda, K., A. Orimo, Y. Higashi, M. Muramatsu and S. Inoue, Efp as a primary estrogen-responsive gene in human breast cancer (472) 9
Ikeda, M., Y. Gunji, S. Yamasaki and Y. Takeda, Shiga toxin activates p38 MAP kinase through cellular $Ca^{2+}$ increase in Vero cells (485) 94
Ikeuchi, T. see T. Todo (465) 12
Ikota, N. see H. Nakagawa (471) 187
Ikura, M. see S. Bagby (468) 149
Imafuku, H. see H. Kikkawa (467) 211
Imagawa, M., R. Sakaue, A. Tanabe, S. Osada and T. Nishihara, Two nuclear localization signals are required for nuclear translocation of nuclear factor 1-A (484) 118
Imaizumi-Scherrer, T. see S. Barradeau (476) 272
Imamoto, N. see M. Matsubae (468) 171
Imamura, F. see M. Mukai (484) 69
Imamura, M. see A. Sharma (484) 7
Imamura, M. see A. Sharma (485) 208
Imamura, Y. see T. Toyoda (481) 113
Inaba, M. see S.J. Ono (467) 268
Inagaki, F. see T. Takai (484) 102
Inal, J.M. and R.B. Sim, A *Schistosoma* protein, Sh-TOR, is a novel inhibitor of complement which binds human C2 (470) 131
Inanami, O. see T. Yamamori (467) 253
Infante, J.P. and V.A. Huszagh, Secondary carnitine deficiency and impaired docosahexaenoic (22:6*n*-3) acid synthesis: a common denominator in the pathophysiology of diseases of oxidative phosphorylation and β-oxidation (468) 1
Ingley, E. and B.A. Hemmings, PKB/Akt interacts with inosine-5′ monophosphate dehydrogenase through its pleckstrin homology domain (478) 253
Inoue, K. see H. Shinoura (466) 255
Inoue, K. see Y. Fujinaga (467) 179
Inoue, K. see H. Shinoura (474) 257
Inoue, K. see K. Bandoh (478) 159
Inoue, K. see M. Kitagawa (479) 57
Inoue, M. see H. Mori (467) 61
Inoue, S. see K. Ikeda (472) 9
Inoue, T. see Y. Naito (466) 273
Inoue, T., K. Kibata, M. Suzuki, S. Nakamura, R. Motoda and K. Orita, Identification of a vascular endothelial growth factor (VEGF) antagonist, sFlt-1, from a human hematopoietic cell line NALM-16 (469) 14
Inouye, S., K. Watanabe, H. Nakamura and O. Shimomura, Secretional luciferase of the luminous shrimp *Oplophorus gracilirostris*: cDNA cloning of a novel imidazopyrazinone luciferase (481) 19
Inui, A. see K. Ohinata (473) 207
Inui, H. see M. Nakazawa (479) 155
Inui, K. see Y. Urakami (473) 173
Inzé, D. see S. Planchais (476) 78
Inzé, D. see E. Belles-Boix (482) 19
Inzé, D. see Z. Magyar (486) 79
Inzillo, S.M. see M. Lostao (481) 137
Ip, N.Y. see W.M.W. Cheung (486) 291
Ippoliti, R. see C. Savino (470) 239
Iqbal, K. see I. Tsujio (469) 111
Iqbal, K. see M. Bennecib (485) 87
Irie, M. see S. Joshi (468) 11
Irie, T., T. Muta and K. Takeshige, TAK1 mediates an activation signal from toll-like receptor(s) to nuclear factor-κB in lipopolysaccharide-stimulated macrophages (467) 160
Irimura, T. see J. Koike (477) 84
Irmler, M., V. Steiner, C. Ruegg, H. Wajant and J. Tschopp, Caspase-induced inactivation of the anti-apoptotic TRAF1 during Fas ligand-mediated apoptosis (468) 129
Irniger, S. see M. Bäumer (468) 142
Irrgang, K.-D. see T. Shutova (467) 137
Irrgang, K.-D. see T. Shutova (469) 214
Irvine, R.F. see J.B. Morris (475) 57
Isaacs, N.W. see K.E. McAuley (467) 285
Ischiropoulos, H. see J.M. Souza (474) 116
Ise, W., M. Totsuka, R. Takato, S. Hachimura, T. Sato, A. Ametani, Y. Kumagai, S. Habu and S. Kaminogawa, Primary response of naive $CD4^+$ T cells to amino acid-substituted analogs of an antigenic peptide can show distinct activation patterns: Th1- and Th2-type cytokine secretion, and helper activity for antibody production without apparent cytokine secretion (465) 28
Ishibashi, A. see S. Tajima (469) 1
Ishida, H. see Y. Ishikawa (477) 253
Ishii, K. see K. Takekoshi (477) 273
Ishii, N. see T. Yasukawa (467) 175
Ishikawa, D. see M. Takikawa (466) 381
Ishikawa, Y., M.T. Skowronski and H. Ishida, Persistent increase in the amount of aquaporin-5 in the apical plasma membrane of rat parotid acinar cells induced by a muscarinic agonist SNI-2011 (477) 253
Ishimoto, A. see T. Ono (466) 233
Ishimoto, A. see S. Yanagawa (474) 189
Ishimoto, Y. and T. Nakano, Release of a product of growth arrest-specific gene 6 from rat platelets (466) 197
Ishino, M., H. Aoto, H. Sasaski, R. Suzuki and T. Sasaki, Phosphorylation of Hic-5 at tyrosine 60 by CAKβ and Fyn (474) 179
Ishizaka, N. see M. Suzuki (470) 370
Isobe, K. see K. Takekoshi (477) 273
Isogai, A. see M. Watanabe (473) 139
Isola, R. see G. Diaz (475) 218
Isono, K. see K. Tsuchihara (478) 299
Isono, M. see G. Shiota (470) 325
Itakura, K., T. Oya-Ito, T. Osawa, S. Yamada, S. Toyokuni, N. Shibata, M. Kobayashi and K. Uchida, Detection of lipofuscin-like fluorophore in oxidized human low-density lipoprotein (473) 249
Itkes, A., C.J. Allegra and M. Zajac-Kaye, Multiprotein complexes present at the MIF motifs flanking the promoter of the human *c-myc* gene (474) 23
Ito, A. see M. Watanabe (473) 139
Ito, A., T. Uehara and Y. Nomura, Isolation of Ich-1S (caspase-2S)-binding protein that partially inhibits caspase activity (470) 360
Ito, H. see G. Shiota (470) 325
Ito, H. see S. Hiraga (471) 245
Ito, M. see M. Koyama (475) 197
Ito, M. see H. Komori (475) 247
Ito, M. see A. Yamashita (481) 147
Ito, S. see A. Kuno (482) 231
Itoh, H. see T. Yamaguchi (470) 25
Itoh, H. see M. Nagao (472) 297
Itoh, S. see H. Shinoura (474) 257
Itoh, T. see T. Nakajima (481) 197
Itoh, T. see S. Okada (485) 153
Itoh, T. see H. Furumoto (486) 195
Itoh, Y. see S. Kojima (480) 142
Ivancic, N. see P.A. Hoyne (479) 15
Ivanina, T., C. Neusch, Y.-X. Li, Y. Tong, C. Labarca, D.F. Mosher and H.A. Lester, Expression of GIRK (Kir3.1/Kir3.4) channels in mouse fibroblast cells with and without β1 integrins (466) 327
Ivanov, A.G., Y.-I. Park, E. Miskiewicz, J.A. Raven, N.P.A. Huner and G. Öquist, Iron stress restricts photosynthetic intersystem electron transport in *Synechococcus* sp. PCC 7942 (485) 173
Ivanov, B.N. see O.V. Moskvin (470) 375
Ivanovska, I. see F.J. Kaye (467) 348
Ivashikina, N. see P. Ache (486) 93
Iwahashi, J. see T. Toyoda (481) 113
Iwahori, A., N. Takahashi, M. Nakamoto, M. Iwama and T. Fukui, cDNA-derived amino acid sequence of acetoacetyl-CoA synthetase from rat liver (466) 239
Iwai, H. see E. Mössner (477) 21
Iwai, S., E. Suyama, H. Adachi and K. Sutoh, Characterization of a C-terminal-type kinesin-related protein from *Dictyostelium discoideum* (475) 47
Iwakura, T. see Y. Ihara (473) 24
Iwama, M. see A. Iwahori (466) 239
Iwama, M. see S. Joshi (468) 11
Iwamatsu, A. see T. Yamada (466) 287
Iwamatsu, A. see Y. Kumagai (478) 295
Iwanaga, Y. see N. Yamamoto (484) 153
Iwasaki, T. see M. Mukai (484) 69
Iwase, K. see S. Oyadomari (478) 141

Iwasiow, R.M. see A. Jackson (470) 183
Iwata, A. see Y. Nishikawa (466) 179
Iwata, T. see K. Yamamoto (472) 267
Iwatani, Y. see T. Ono (466) 233
Iyengar, A. see A. Molina (474) 5
Izumi, H., C. Takahashi, J. Oh and M. Noda, Tissue factor pathway inhibitor-2 suppresses the production of active matrix metalloproteinase-2 and is down-regulated in cells harboring activated *ras* oncogenes (481) 31

# J

Jäckel, M. see J.W. Bartsch (467) 123
Jackson, A., R.M. Iwasiow and M. Tiberi, Distinct function of the cytoplasmic tail in human D1-like receptor ligand binding and coupling (470) 183
Jackson, S.M. and L.L. Demer, Peroxisome proliferator-activated receptor activators modulate the osteoblastic maturation of MC3T3-E1 preosteoblasts (471) 119
Jacob, G., G. Neckelman, M. Jimenez, C.C. Allende and J.E. Allende, Involvement of asparagine 118 in the nucleotide specificity of the catalytic subunit of protein kinase CK2 (466) 363
Jacobi, C. see H.D. Becker (476) 140
Jacobs, H.T. see Z.H. Shah (478) 267
Jacobs, H.T. see M. Juhola (481) 91
Jacobs, M. see K.M. Naseem (473) 119
Jacobs, T. see R. Nickel (486) 112
Jacobsen, C. see H. Vorum (465) 129
Jacobsen, J. see A.A. Johnsingh (465) 53
Jaconi, M. see N. Meyer (478) 151
Jacq, C. see J. DeRisi (470) 156
Jacquinet, E., N.V. Rao, G.V. Rao and J.R. Hoidal, Cloning, geomic oganization, chromosomal assignment and expression of a novel mosaic serine proteinase: epitheliasin (468) 93
Jäger, H., J.P. Adelman and S. Grissmer, SK2 encodes the apamin-sensitive $Ca^{2+}$-activated $K^+$ channels in the human leukemic T cell line, Jurkat (469) 196
Jaikaran, E.T.A.S. see C.E. Higham (470) 55
Jain, S. and S. Nath, Kinetic model of ATP synthase: pH dependence of the rate of ATP synthesis (476) 113
Jakob, C. see A.R. Weig (481) 293
Jakobs, K.H. see U. Rümenapp (467) 134
Jakobs, S., V. Subramaniam, A. Schönle, T.M. Jovin and S.W. Hell, EGFP and DsRed expressing cultures of *Escherichia coli* imaged by confocal, two-photon and fluorescence lifetime microscopy (479) 131
Jakobsson, P.-J. see L. Forsberg (471) 78
Jaligam, V.R. see S.P. Kantrow (483) 119
Jambeck, P. see S. Herrgård (486) 107
James, P. see A.M. Brunati (471) 151
James, R. see J.P. Hannan (468) 161
Janes, R.W. see A.J. Benie (476) 287
Jang, H.H. see K.O. Lee (486) 103
Jang, H.W. see H.Y. Kwon (485) 163
Jang, J.-S. see B.-Y. Kim (472) 45
Jans, D.A. see M. Johnson-Saliba (467) 169
Jansen, M. see A. Kaptein (485) 135
Jansen-Dürr, P. see I. Blasko (470) 221
Janssens, R. see D. Communi (475) 39
Jantschko, W. see P.G. Furtmüller (484) 139
Jarmuszkiewicz, W., G. Milani, F. Fortes, A.Z. Schreiber, F.E. Sluse and A.E. Vercesi, First evidence and characterization of an uncoupling protein in fungi kingdom: CpUCP of *Candida parapsilosis* (467) 145
Järv, J. see M. Loog (480) 244
Jaspers, M. see L. Wei (473) 149
Jay, D.G. see E. Graner (482) 257
Jayaraman, G., C.W. Wu, Y.J. Liu, K.Y. Chien, J.C. Fang and P.C. Lyu, Binding of a de novo designed peptide to specific glycosaminoglycans (482) 154
Jayaraman, V., S. Thiran and D.R. Madden, Fourier transform infrared spectroscopic characterization of a photolabile precursor of glutamate (475) 278
Jayasinghe, M. see P. Mayer (480) 156
Jeannette, E. see T. Ghelis (474) 43
Jeannette, E. see T. Ghelis (481) 89
Jeannette, E. see T. Ghelis (483) 67
Jeffrey, I. see S.J. Morley (477) 229
Jendrossek, V. see C.R. Hauck (478) 260
Jenkins, A. see R. Smith (484) 285
Jenkins, T.D. see J. Okano (473) 95
Jensen, L.H., I. Wessel, M. Møller, J.L. Nitiss, M. Sehested and P.B. Jensen, N-terminal and core-domain random mutations in human topoisomerase II α conferring bisdioxopiperazine resistance (480) 201
Jensen, P.B. see L.H. Jensen (480) 201
Jensen, U.B. see A.L. Corbi (474) 201
Jern, S. see L. Gan (477) 89
Jernigan, K.M., R. Blumenthal and A. Puri, Varying effects of temperature, $Ca^{2+}$ and cytochalasin on fusion activity mediated by human immunodeficiency virus type 1 and type 2 glycoproteins (474) 246
Jette, C. and A. Thorburn, A Raf-induced, MEK-independent signaling pathway regulates atrial natriuretic factor gene expression in cardiac muscle cells (467) 1
Jeyaseelan, K. see N. Gong (473) 303
Jeziorski, M.C., R.M. Greenberg and P.A.V. Anderson, Calcium channel β subunits differentially modulate recovery of the channel from inactivation (483) 125
Ji, Y.-H. see J.-G. Ye (479) 136
Jiang, S.S., S.J. Yang, S.Y. Kuo and R.L. Pan, Radiation inactivation analysis of $H^+$-pyrophosphatase from submitochondrial particles of etiolated mung bean seedlings (468) 211
Jiménez, B. see M.V. González (466) 395
Jimenez, M. see G. Jacob (466) 363
Jimenez-Lara, A.M., M.J.S. Heine and H. Gronemeyer, Cloning of a mouse glucocorticoid modulatory element binding protein, a new member of the KDWK family (468) 203
Jin, D. see S. Takai (467) 141
Jin, L.H. see H.Y. Kwon (485) 163
Jockusch, H. see J.W. Bartsch (467) 123
Jockusch, H. see N. Wedemeyer (477) 49
Jockusch, H. see S. Rathke-Hartlieb (481) 227
Jodoin, J. see M. Demeule (466) 219
Jofré, A. see M. Pla (472) 14
Johansson, A.-M. see L. Gan (477) 89
Johansson, G. see L. Hildén (477) 79
Johansson, I. see A.P. Jonsson (475) 131
Johansson, K. see I. Schepens (471) 240
Johansson, M. see C. Zhu (474) 129
Johnsingh, A.A., J.M. Johnston, G. Merz, J. Xu, L. Kotula, J. Jacobsen and N. Tezapsidis, Altered binding of mutated presenilin with cytoskeleton-interacting proteins (465) 53
Johnson, D.A. see R. Smith (484) 285
Johnson, G.N. see A. Krieger-Liszkay (486) 191
Johnson, M.E. see S. Park (485) 81
Johnson-Saliba, M., N.A. Siddon, M.J. Clarkson, D.J. Tremethick and D.A. Jans, Distinct importin recognition properties of histones and chromatin assembly factors (467) 169
Johnston, J.M. see A.A. Johnsingh (465) 53
Jona, I. see A. Herzog (472) 73
Jones, D.R., M.A. Sanjuan and I. Mérida, Type Iα phosphatidylinositol 4-phosphate 5-kinase is a putative target for increased intracellular phosphatidic acid (476) 160
Jones, M.R. see K.E. McAuley (467) 285
Jones, R. see R. Smith (484) 285
Jones, T. see I. Dekel (472) 99
Jongsma, M.A. see M. Volpicella (468) 137
Jonsson, A.P., W. J. Griffiths, P. Bratt, I. Johansson, N. Strömberg, H. Jörnvall and T. Bergman, A novel Ser *O*-glucuronidation in acidic proline-rich proteins identified by tandem mass spectrometry (475) 131
Joo, D.M. see T. Tatsuta (478) 271
Jörnvall, H. see A.P. Jonsson (475) 131
Joseph, J. see H. Zhang (473) 58

Joseph-Horne, T., J. Babij, P.M. Wood, D. Hollomon and R.B. Sessions, New sequence data enable modelling of the fungal alternative oxidase and explain an absence of regulation by pyruvate (481) 141
Joshi, S., Y. Tsuda, N. Shintomi, H. Kondo, Y. Nishiyama, M. Iwama, K. Ohgi, M. Irie and Y. Okada, Amino acids and peptides. LVII. Synthetic peptide with a sequence of ribonuclease from *Sulfolobus solfataricus*, SSR(1–62), does not function as an RNase (468) 11
Jouve, M. see M.-I. Garcia (479) 111
Jouvenot, M. see J.-L. Schlick (472) 241
Jovin, T.M. see S. Jakobs (479) 131
Jovine, L. see F. Acquati (468) 59
Juhola, M., Z.H. Shah, L.A. Grivell and H.T. Jacobs, The mitochondrial inner membrane AAA metalloprotease family in metazoans (481) 91
Jullien, M. see E. Dé (469) 93
Jung, B.G. see K.O. Lee (486) 103
Jung, C. see V. Schünemann (479) 149
Jung, D. see K. Song (481) 81
Jung, G. see E.J. Yavin (472) 259
Jung, Y. see K. Song (481) 81
Junge, W. see O. Pänke (472) 34
Jungermann, K. see T. Kucera (474) 223
Junicho, A. see T. Yamamoto (486) 143
Just, W.W. see B. Pause (471) 23
Juszczuk, M., E. Paczkowska, E. Sadowy, W. Zagórski and D.M. Hulanicka, Effect of genomic and subgenomic leader sequences of potato leafroll virus on gene expression (484) 33
Jyothi, M. see S. Bhaumik (483) 78

# K

Kaarniranta, K., C.I. Holmberg, H.J. Helminen, J.E. Eriksson, L. Sistonen and M.J. Lammi, Protein synthesis is required for stabilization of hsp70 mRNA upon exposure to both hydrostatic pressurization and elevated temperature (475) 283
Kabayama, H. see M. Fukuda (482) 269
Kabayama, H. see M. Fukuda (484) 299
Kachra, Z. see Md.R. Abid (486) 252
Kadenbach, B. see E. Bender (466) 130
Kaderbhai, M.A. see Y.-Y. Liu (469) 61
Kaderbhai, N. see Y.-Y. Liu (469) 61
Kadri, Z. see E. Petitfrère (485) 117
Kagan, V.E., J.P. Fabisiak, A.A. Shvedova, Y.Y. Tyurina, V.A. Tyurin, N.F. Schor and K. Kawai, Oxidative signaling pathway for externalization of plasma membrane phosphatidylserine during apoptosis (477) 1
Kähne, T. see S. Wrenger (466) 155
Kahr, H. see K.J.F. Kepplinger (477) 161
Kaiser, W.M. see H. Weiner (480) 217
Kajava, A.V., α-Helical solenoid model for the human involucrin (473) 127
Kajikawa, E. see I. Dan (469) 19
Kajiura-Kobayashi, H. see T. Todo (465) 12
Kajiwara, T. see K. Matsui (481) 183
Kakehi, Y. see Y. Nishii (465) 153
Kakizaki, T. see M. Watanabe (473) 139
Kakuta, Y. see M. Sugishima (471) 61
Kaler, E.W. see T. Yoshida (478) 113
Kalkum, M. see A.G. Evstafieva (467) 150
Kalyanaraman, B. see H. Zhang (473) 58
Kalyanaraman, B. see J. Vásquez-Vivar (481) 305
Kalyanaraman, V.S. see D. Lai (469) 191
Kamata, H. see S. Oka (472) 196
Kamata, K. see S. Oka (472) 196
Kambayashi, J. see T. Nakahashi (470) 113
Kameda, H. see H. Kamitani (467) 341
Kamikawa, M. see K. Suzuki (481) 53
Kamikubo, H. see R. Kato (482) 159
Kaminogawa, S. see W. Ise (465) 28
Kamitani, H., H. Kameda, U.P. Kelavkar and T.E. Eling, A GATA binding site is involved in the regulation of 15-lipoxygenase-1 expression in human colorectal carcinoma cell line, Caco-2 (467) 341
Kamynina, E. see H. Abriel (466) 377
Kanamaru, K. see M. Fujiwara (481) 47
Kanamaru, K. see Y. Shirano (485) 178
Kanamori, A. see R.S. Bora (473) 169
Kanaya, S. see K. Hyun-Ju (483) 139
Kanazawa, K. see H. Ashida (476) 213
Kane, P.M., Regulation of V-ATPases by reversible disassembly (469) 137
Kaneda, T. see M. Nakagawa (473) 161
Kanehira, K. see H. Kitamura (485) 53
Kaneko, S. see Y. Honda (476) 194
Kaneko, S. see A. Kuno (482) 231
Kaneko, Y. see T. Nakajima (481) 197
Kaneko, Y.S. see A. Nakashima (465) 59
Kang, D.-O. see B.-Y. Kim (472) 45
Kang, J.H. see H.Y. Kwon (485) 163
Kang, M. see H. Shimizu (475) 170
Kang, S.-O. see H. Youn (472) 57
Kangawa, K. see K. Mori (486) 213
Kani, S. see A. Takano (477) 106
Kannan, K., N. Amariglio, G. Rechavi and D. Givol, Profile of gene expression regulated by induced p53: connection to the TGF-β family (470) 77
Kannt, A. see E. Arslan (470) 7
Kantrow, S.P., J.L. Gierman, V.R. Jaligam, P. Zhang, C.A. Piantadosi, W.R. Summer and J.R. Lancaster Jr., Regulation of tumor necrosis factor cytotoxicity by calcineurin (483) 119
Kanuka, H. see E. Kuranaga (466) 279
Kanuka, H. see E. Kuranaga (472) 137
Kanzler, H. see C. Hitzel (485) 67
Kao, R. and J. Davies, Single amino acid substitutions affecting the specificity of the fungal ribotoxin mitogillin (466) 87
Kapetanaki, S. and C. Varotsis, Ferryl–oxo heme intermediate in the antimalarial mode of action of artemisinin (474) 238
Kapiotis, S. see M. Exner (470) 47
Kaptein, A., M. Jansen, G. Dilaver, J. Kitson, L. Dash, E. Wang, M.J. Owen, J.-L. Bodmer, J. Tschopp and S.N. Farrow, Studies on the interaction between TWEAK and the death receptor WSL-1/TRAMP (DR3) (485) 135
Karanth, N.G. see A.K. Dubey (471) 251
Karasuyama, H. see J. Endo (468) 234
Karibian, D. see L. Aussel (465) 87
Karibian, D. see M. Caroff (477) 8
Karl, J. see S.S. Pinto (486) 203
Karlsson, A. see C. Zhu (474) 129
Karlsson, K.-A. see T. Larsson (469) 155
Karlsson, M. see P.E.G. Thorén (482) 265
Karlsson, R. see H. Schüler (476) 155
Karnik, S.S. see S. Miura (470) 331
Karnik, S.S. see Y.-H. Feng (484) 133
Karoui, H. see H. Zhang (473) 58
Karrasch, S. see I. Arechaga (482) 215
Karschin, A. see E. Wischmeyer (466) 115
Karschin, A. see F. Döring (483) 93
Karst, F. see I. Soustre (470) 102
Kasahara, M. see T. Kasahara (471) 103
Kasahara, T. and M. Kasahara, Interaction between the critical aromatic amino acid residues $Tyr^{352}$ and $Phe^{504}$ in the yeast Gal2 transporter (471) 103
Kasai, H. see K. Endo (477) 55
Kasanov, J. see B.K. Kay (480) 55
Kashiwagi, K. see I. Abe (483) 131
Kashiwagi, T. see T. Toyoda (481) 113
Kasielke, N. see B.E. Flucher (474) 93
Kasof, G.M., J.C. Prosser, D. Liu, M.V. Lorenzi and B.C. Gomes, The RIP-like kinase, RIP3, induces apoptosis and NF-κB nuclear translocation and localizes to mitochondria (473) 285
Kass, S.U. see I. Van den Wyngaert (478) 77
Kast, P. see N. Sharma (467) 37
Katahira, J. see K. Fujita (476) 258
Kataoka, K. see A. Funakoshi (466) 264
Kataoka, M. see R. Kato (482) 159
Katayose, Y. see S. Takemura (476) 266

Kato, H. see T. Toyoda (481) 113
Kato, K. see K. Masuda (473) 349
Kato, N. see M. Nishikawa (476) 150
Kato, R., M. Kataoka, T. Mikawa, R. Masui, N. Nakagawa, H. Kamikubo and S. Kuramitsu, Observation of RecA protein monomer by small angle X-ray scattering with synchrotron radiation (482) 159
Kato, S. see K. Suzuki (481) 53
Kato, T. see K. Hirooka (481) 68
Kato, Y. see M. Yamakuchi (477) 135
Kato, Y. see T. Tsuda (484) 207
Katoh, H. see H. Hasegawa (473) 76
Katzav, S. see M. Groysman (467) 75
Katzav, S. see I. Dekel (472) 99
Kaul, S.C., R.R. Reddel, T. Sugihara, Y. Mitsui and R. Wadhwa, Inactivation of p53 and life span extension of human diploid fibroblasts by mot-2 (474) 159
Kavakli, I.H. see P.R. Salamone (482) 113
Kavitha, R. see A.K. Dubey (471) 251
Kawada, A. see S. Tajima (469) 1
Kawahara, G. see K. Yamamoto (472) 267
Kawai, K. see V.E. Kagan (477) 1
Kawai, Y. see K. Yamamoto (472) 267
Kawakami, Y. see K. Takekoshi (477) 273
Kawamoto, S., H. Niwa, F. Tashiro, S. Sano, G. Kondoh, J. Takeda, K. Tabayashi and J. Miyazaki, A novel reporter mouse strain that expresses enhanced green fluorescent protein upon Cre-mediated recombination (470) 263
Kawamoto, T. see K. Kitagawa (476) 306
Kawano, M. and T. Kuwabara, pH-dependent reversible inhibition of violaxanthin de-epoxidase by pepstatin related to protonation-induced structural change of the enzyme (481) 101
Kawarabayasi, Y. see I. Matsui (467) 195
Kawasaki, H. see G. Shiota (470) 325
Kawashima, H. see K. Kuno (478) 241
Kay, B.K., J. Kasanov, S. Knight and A. Kurakin, Convergent evolution with combinatorial peptides (480) 55
Kaye, F.J., S. Modi, I. Ivanovska, E.V. Koonin, K. Thress, A. Kubo, S. Kornbluth and M.D. Rose, A family of ubiquitin-like proteins binds the ATPase domain of Hsp70-like Stch (467) 348
Kazaks, A. see P. Preikschat (478) 127
Kazala, E. see R.J. Weselake (481) 189
Kazanietz, M.G. see P. Aroca (483) 27
Kazim, L. see X.-Y. Wang (465) 98
Kaziro, Y. see M. Nagao (472) 297
Keith, G. see B.H. Rihn (480) 95
Kelavkar, U.P. see H. Kamitani (467) 341
Keller, J.-M. see F. Casas (478) 4
Kelley III, J.J. see Y.-Y. Tang (470) 167
Kelly, J. see L. Aussel (485) 40
Kelly, S.M. see M.D. Kirkitadze (467) 133
Kemler, D. see J.-H. Han (468) 194
Kemme, M. see A. Raab (467) 165
Kemp, B.E. see A. Hammet (471) 141
Kempná, P. see I. Kiššová (471) 113
Kendrick-Jones, J. see J.E. Molloy (480) 293
Keogh, S.A., H. Walczak, L. Bouchier-Hayes and S.J. Martin, Failure of Bcl-2 to block cytochrome *c* redistribution during TRAIL-induced apoptosis (471) 93
Kepplinger, K.J.F., H. Kahr, G. Förstner, M. Sonnleitner, H. Schindler, T. Schmidt, K. Groschner, N.M. Soldatov and C. Romanin, A sequence in the carboxy-terminus of the $\alpha_{1C}$ subunit important for targeting, conductance and open probability of L-type $Ca^{2+}$ channels (477) 161
Kerfelec, B. see C. Dominguez (482) 109
Kern, D. see H.D. Becker (476) 140
Kessler, H. see C. Glaubitz (480) 127
Kester, H.C.M. see L. Pařenicová (467) 333
Kettenmann, H. see C. Schmidt (478) 276
Keyse, S.M. see A. Sommer (474) 146
Khan, J. see K.M. Naseem (473) 119
Khan, S. see M. Thullberg (470) 161
Khar, A. see A.S. Sreedhar (472) 271
Khar, A. see S. Bhaumik (483) 78
Kharrat, R. see Z. Fajloun (469) 179
Khurana, O.K., L.A. Coupland, M.C. Shelden and S.M. Howitt, Homologous mutations in two diverse sulphate transporters have similar effects (477) 118
Kibata, K. see T. Inoue (469) 14
Kido, H. see H. Mori (467) 61
Kiefer, M. see M. Hernandez Valladares (467) 221
Kiefer, M. see J. Nord (472) 312
Kiefer, M. see M.H. Valladares (477) 285
Kieloch, A. see A. Balendran (484) 217
Kienzler, K. see A. Krieger-Liszkay (486) 191
Kieselbach, T., M. Bystedt, P. Hynds, C. Robinson and W.P. Schröder, A peroxidase homologue and novel plastocyanin located by proteomics to the *Arabidopsis* chloroplast thylakoid lumen (480) 271
Kiger, L. see M.C. Marden (472) 221
Kihara, H. see A.A. Timchenko (471) 211
Kijne, J.W. see M.J. van Zeijl (473) 292
Kijne, J.W. see C. Testerink (484) 55
Kikkawa, H. see M. Takikawa (466) 381
Kikkawa, H., H. Imafuku, H. Tsukada and N. Oku, Possible role of immune surveillance at the initial phase of metastasis produced by B16BL6 melanoma cells (467) 211
Kikuchi, H. see I. Matsui (467) 195
Kikuchi, K. see K. Endo (477) 55
Kikuchi, Y. see Y. Hori (472) 187
Kikuyama, S. see K. Yamamoto (472) 267
Kilkus, J. see G. Dawson (478) 233
Kilpeläinen, I. see D. Wade (479) 6
Kim, B.-M. see P.A. Leland (477) 203
Kim, B.-Y., D.-O. Kang, W.-K. Oh, J.-H. Kim, Y.-K. Choi, J.-S. Jang, P.-G. Suh, S.-H. Ryu, T.-I. Mheen and J.-S. Ahn, Involvement of SH2-SH2-SH3 domain of phospholipase Cγ1 in NF-κB signaling (472) 45
Kim, C.Y. see J.-H. Yoon (474) 175
Kim, D.H. see D.W. Shin (486) 178
Kim, H. see O.-Y. Kwon (475) 27
Kim, H.D. see H.J. Kong (483) 114
Kim, J., J.M. Lee, P.E. Branton and J. Pelletier, Modulation of EWS/WT1 activity by the v-Src protein tyrosine kinase (474) 121
Kim, J.-H. see B.-Y. Kim (472) 45
Kim, J.H. see J. Oh (477) 244
Kim, J.I. see K. Sato (469) 147
Kim, S.B. see J. Oh (477) 244
Kim, S.C. see S.W. Shin (467) 70
Kim, S.-W. see J. Oh (477) 244
Kim, S.-Y. see C.H. Lee (477) 268
Kim, T.H. see J.-H. Yoon (474) 175
Kim, T.J. see M.-J. Hahn (470) 350
Kim, Y.-J. see S.H. Lee (465) 165
Kim, Y.S. and S. Han, Nitric oxide protects Cu,Zn-superoxide dismutase from hydrogen peroxide-induced inactivation (479) 25
Kim, Y.S. see J.R. Gum Jr. (482) 49
Kim-Ha, J. see S.H. Lee (465) 165
Kimoto, M. see F. Shu (477) 208
Kimura, A. see J. Akai (479) 29
Kimura, F. see J. Ota (466) 96
Kimura, K. see Y. Chimori (469) 67
Kimura, K. see A.A. Timchenko (471) 211
Kimura, T., E. Kinoshita, K. Yamaoka, T. Yuki, M. Yakehiro and I. Seyama, On site of action of grayanotoxin in domain 4 segment 6 of rat skeletal muscle sodium channel (465) 18
Kimura, T. see S. Oyadomari (478) 141
Kimura, W.K. see I. Dan (469) 19
Kinder, R. see P. Henklein (482) 220
King, G.F. see T.H. Szeto (470) 293
Kini, R. see R. Balaji (474) 208
Kinoshita, E. see T. Kimura (465) 18
Kinoshita, K. see S.J. Ono (467) 268
Kinosita Jr., K. see S.P. Tsunoda (470) 244
Kioka, N. see Y. Nishii (465) 153
Kirihata, M. see Y. Honda (476) 194
Kirikae, F. see T. Kirikae (478) 221
Kirikae, T., I. Ojima, C. Fuero-Oderda, S. Lin, F. Kirikae, M. Hashimoto and M. Nakano, Structural significance of the acyl group at the C-10 position and the A ring of the taxane core of paclitaxel for inducing nitric oxide and tumor necrosis factor production by murine macrophages (478) 221
Kirkitadze, M.D., D.T.F. Dryden, S.M. Kelly, N.C. Price, X. Wang, M. Krych, J.P. Atkinson and P.N. Barlow, Corrigendum to: Co-operativity between modules within a C3b-binding site of complement receptor type 1 (467) 133

Kirsch, T., J. Nickel and W. Sebald, Isolation of recombinant BMP receptor IA ectodomain and its 2:1 complex with BMP-2 (468) 215
Kis, K. see T. Radykewicz (465) 157
Kishi, H. see T. Matsuda (472) 235
Kishi, H. see T. Yamamoto (486) 143
Kishi, K. see T. Yasuda (467) 231
Kishida, A. see Y. Wang (470) 151
Kishimoto, C. see K. Shioji (472) 109
Kishimoto, T. see H. Sugiyama (467) 259
Kispal, G. see W. Pelzer (476) 134
Kiss, E. see A. Tóth (484) 113
Kiss, G.B. see C. Seregélyes (482) 125
Kiss, G.B. see C. Seregélyes (485) 207
Kiss, Z. see Q.-B. She (469) 163
Kiss, Z. see Q.-B. She (473) 33
Kisselev, L. see M. Dontsova (472) 213
Kiššová, I., P. Polčic, P. Kempná, I. Zeman, L. Šabová and J. Kolarov, The cytotoxic action of Bax on yeast cells does not require mitochondrial ADP/ATP carrier but may be related to its import to the mitochondria (471) 113
Kister, J. see M.C. Marden (472) 221
Kita, M., Y. Hirata, T. Moriguchi, T. Endo-Inagaki, R. Matsumoto, S. Hasegawa, C.G. Suhayda and M. Omura, Molecular cloning and characterization of a novel gene encoding limonoid UDP-glucosyltransferase in *Citrus* (469) 173
Kitabatake, A. see J. Akai (479) 29
Kitagawa, K., T. Kawamoto, N. Kunugita, T. Tsukiyama, K. Okamoto, A. Yoshida, K. Nakayama and K. Nakayama, Aldehyde dehydrogenase (ALDH) 2 associates with oxidation of methoxyacetaldehyde: in vitro analysis with liver subcellular fraction derived from human and *Aldh2* gene targeting mouse (476) 306
Kitagawa, M. see S. Makino (467) 365
Kitagawa, M., M. Umezu, J. Aoki, H. Koizumi, H. Arai and K. Inoue, Direct association of LIS1, the lissencephaly gene product, with a mammalian homologue of a fungal nuclear distribution protein, rNUDE (479) 57
Kitajima, I. see Y. Wang (470) 151
Kitajima, I. see K.P. Sarker (472) 39
Kitajima, I. see M. Yamakuchi (477) 135
Kitajima, K. see M. Oubihi (473) 165
Kitamura, H., K. Kanehira, K. Okita, M. Morimatsu and M. Saito, MAIL, a novel nuclear IκB protein that potentiates LPS-induced IL-6 production (485) 53
Kito, M. see H. Okudo (465) 145
Kitson, J. see A. Kaptein (485) 135
Kittilson, J.D. see G.T. Melroe (465) 115
Kittler, L. see H. Simon (471) 173
Kizaka-Kondoh, S., N. Akiyama and H. Okayama, Role of TGF-β in EGF-induced transformation of NRK cells is sustaining high-level EGF-signaling (466) 160
Klaholz, B.P. see P.F. Egea (476) 62
Klanner, C., W. Neupert and T. Langer, The chaperonin-related protein Tcm62p ensures mitochondrial gene expresssion under heat stress (470) 365
Klebl, F., M. Zillig and N. Sauer, Transcription of the yeast *TNA1* gene is not only regulated by nicotinate but also by *p*-aminobenzoate (481) 86
Kleiber, B. see B. Rohm (486) 68
Kleijn, M. and C.G. Proud, The activation of eukaryotic initiation factor (eIF)2B by growth factors in PC12 cells requires MEK/ERK signalling (476) 262
Klein, H.W. see N. Tennagels (479) 67
Klein, M.L. see Q. Zhong (473) 195
Klein, M.L. see L.A. Davies (478) 61
Klein, S. see H.D. Becker (476) 140
Kleinjung, J., P. Bayley and F. Fraternali, Leap-dynamics: efficient sampling of conformational space of proteins and peptides in solution (470) 257
Klement, H., U. Oster and W. Rüdiger, The influence of glycerol and chloroplast lipids on the spectral shifts of pigments associated with NADPH:protochlorophyllide oxidoreductase from *Avena sativa* L. (480) 306
Klimov, V.V. see T. Shutova (467) 137
Klimov, V.V. see T. Shutova (469) 214
Klingenberg, M. see D. Heidkaemper (480) 265
Klinkspoor, J. see T. Yoshida (478) 113
Klugbauer, N., S. Dai, V. Specht, L. Lacinová, E. Marais, G. Bohn and F. Hofmann, A family of γ-like calcium channel subunits (470) 189
Klugbauer, N. see G. Bohn (481) 73
Knappe, B. see S. Kristl (467) 87
Knappe, J. see W. Plaga (466) 45
Knauf, V. see K. Matsui (481) 183
Knäuper, V. see A. Amour (473) 275
Knäuper, V. see J.O. Stracke (478) 52
Knecht, W. and M. Löffler, Redoxal as a new leadstructure for dihydroorotate dehydrogenase inhibitors: a kinetic study of the inhibition mechanism (467) 27
Kneip, C., W. Schlamann, S.E. Braslavsky, P. Hildebrandt and K. Schaffner, Resonance Raman spectroscopic study of the tryptic 39-kDa fragment of phytochrome (482) 252
Knies, U.E. see H.A. Behrensdorf (466) 143
Knight, C. see A. Amour (473) 275
Knight, D. see F.M. de Bree (475) 175
Knight, S. see B.K. Kay (480) 55
Knoop, F.C. see B. Matutte (483) 135
Ko, Y. see S. Stier (467) 299
Ko, Y. see A. Sachinidis (471) 51
Kobayashi, H. see F. Shu (477) 208
Kobayashi, K. see T. Sasaki (466) 125
Kobayashi, M. see M. Suzuki (465) 23
Kobayashi, M. see K. Itakura (473) 249
Kobayashi, S. see K. Mogami (466) 395
Kobayashi, S. see N. Todoroki-Ikeda (482) 85
Kobayashi, S. see N. Todoroki-Ikeda (483) 186
Kobayashi, T. see T. Todo (465) 12
Kobayashi, T. see I. Dan (469) 19
Kobe, B. see A. Hammet (471) 141
Koch, A., A. Mancini, M. Stefan, R. Niedenthal, H. Niemann and T. Tamura, Direct interaction of nerve growth factor receptor, TrkA, with non-receptor tyrosine kinase, c-Abl, through the activation loop (469) 72
Koch, A. see A. Mancini (482) 54
Koch, N. see C. Hitzel (485) 67
Kodama, H. see S. Takemura (476) 266
Koehler, C.M. see A. Renold (465) 135
Koehler, C.M., Protein translocation pathways of the mitochondrion (476) 27
Koenderman, L. see N. Geijsen (471) 83
Koepsell, H. see G.A. Sauer (469) 98
Kogo, H. and T. Fujimoto, Caveolin-1 isoforms are encoded by distinct mRNAs (465) 119
Kohama, T. see V.E. Nava (473) 81
Kohl, C. see C. Le May (475) 163
Köhler, C. and G. Neuhaus, Characterisation of calmodulin binding to cyclic nucleotide-gated ion channels from *Arabidopsis thaliana* (471) 133
Köhler, D., M.-N. Kruse, W. Stöcker and E.E. Sterchi, Heterologously overexpressed, affinity-purified human meprin α is functionally active and cleaves components of the basement membrane in vitro (465) 2
Kohlwein, S.D. see D. Zweytick (470) 83
Kohlwein, S.D. see B. Prein (485) 29
Kohno, M., N. Fukushima, A. Yoshida and H. Ueda, $G_{i1}$ and $G_{oA}$ differentially determine kinetic efficacies of agonists for κ-opioid receptor (473) 101
Kohno, T. see T. Sasaki (466) 125
Koike, J., K. Nagata, S. Kudo, T. Tsuji and T. Irimura, Density-dependent induction of TNF-α release from human monocytes by immobilized P-selectin (477) 84
Koike, N., H. Maita, T. Taira, H. Ariga and S.M.M. Iguchi-Ariga, Identification of heterochromatin protein 1 (HP1) as a phosphorylation target by Pim-1 kinase and the effect of phosphorylation on the transcriptional repression function of HP1 (467) 17
Koiwa, H., R.E. Shade, K. Zhu-Salzman, M.P. D'Urzo, L.L. Murdock, R.A. Bressan and P.M. Hasegawa, A plant defensive cystatin (soyacystatin) targets cathepsin L-like digestive cysteine proteinases (DvCALs) in the larval midgut of western corn rootworm (*Diabrotica virgifera virgifera*) (471) 67
Koizumi, H. see M. Kitagawa (479) 57
Kojima, K. see A. Satoh (477) 249
Kojima, M. see K. Mori (486) 213

Kojima, S., Y. Itoh, S. Matsumoto, Y. Masuho and M. Seiki, Membrane-type 6 matrix metalloproteinase (MT6-MMP, MMP-25) is the second glycosyl-phosphatidyl inositol (GPI)-anchored MMP (480) 142
Kok, J.W. see C.M. Filipeanu (474) 107
Kok, K.H. see Y. Peng (482) 37
Kolarov, J. see I. Kiššová (471) 113
Kolb, J. see W. Andlauer (475) 127
Koller, C. see S.-J. Wu (473) 227
Koller, E. see T. Moeslinger (478) 95
Koller, E. see I. Volf (483) 155
Kollmeier, M.A. see O.V. Moskvin (470) 375
Kolmodin, K. and J. Aqvist, Prediction of a ligand-induced conformational change in the catalytic core of Cdc25A (465) 8
Komatsu, K., K.M. Hopkins, H.B. Lieberman and H.-G. Wang, *Schizosaccharomyces pombe* Rad9 contains a BH3-like region and interacts with the anti-apoptotic protein Bcl-2 (481) 122
Kombrink, E. see H.-P. Stuible (467) 117
Kominami, E. see D. Muno (478) 178
Komori, H., S. Ichikawa, Y. Hirabayashi and M. Ito, Regulation of UDP-glucose:ceramide glucosyltransferase-1 by ceramide (475) 247
Komoriya, K. see H. Sugiyama (467) 259
Komuro, R. see K. Hirano (484) 275
Kondo, H. see S. Joshi (468) 11
Kondo, Y. see S. Murakami (468) 15
Kondoh, G. see S. Kawamoto (470) 263
Kong, H.J., S.H. Hong, M.Y. Lee, H.D. Kim, J.W. Lee and J. Cheong, Direct binding of hepatitis B virus X protein and retinoid X receptor contributes to phosphoenolpyruvate carboxykinase gene transactivation (483) 114
König, A. see C. Hitzel (485) 67
Konno, H. see Y. Fukunishi (471) 261
Kono, A. see A. Funakoshi (466) 264
Kono, K. see V.E. Nava (473) 81
Konopa, G., S. Barańska, A. Wegrzyn and G. Wegrzyn, Bacteriophage and host mutants causing the rolling-circle λ DNA replication early after infection (472) 217
Konstantinov, Y.M. see A. Struglics (475) 213
Konyavko, M. see M.C. Mutomba (478) 19
Koonin, E.V. see F.J. Kaye (467) 348
Kopantzev, E.P. see A.N. Domansky (472) 191
Kopf, G.S. see F. Espinosa (475) 251
Koppensteiner, W.A. see F.S. Domingues (476) 98
Kopylov, A.M. see M.M. Beliakova (477) 263
Koraimann, G. see M. Bayer (466) 389
Korkina, L.G. see W. Malorni (468) 125
Kornbluth, S. see F.J. Kaye (467) 348
Korthout, H.A.A.J., G. Berecki, W. Bruin, B. van Duijn and M. Wang, The presence and subcellular localization of caspase 3-like proteinases in plant cells (475) 139
Kortylewski, M. see S. Thiel (470) 15
Kos, M., S. O'Brien, G. Flouriot and F. Gannon, Tissue-specific expression of multiple mRNA variants of the mouse estrogen receptor α gene (477) 15
Kostenko, E.V., R.Sh. Beabealashvilly, V.V. Vlassov and M.A. Zenkova, Secondary structure of the 5′-region of *PGY1/MDR1* mRNA (475) 181
Kostoulas, G., A. Lang, H. Nagase and A. Baici, Erratum to: Stimulation of angiogenesis through cathepsin B inactivation of the tissue inhibitors of matrix metalloproteinases (FEBS 22347) (466) 394
Kostrewa, D. see A. Tomschy (472) 169
Kotra, L.P. see C. Therrien (470) 285
Kotula, L. see A.A. Johnsingh (465) 53
Kovács, I. see C. Seregélyes (482) 125
Kovács, I. see C. Seregélyes (485) 207
Kovács, L. see C. Seregélyes (482) 125
Kovács, L. see C. Seregélyes (485) 207
Kovanen, P. see A. Santala (469) 213
Kovařík, A. see H. Van Houdt (467) 41
Kovařík, A., H. Van Houdt, A. Holý and A. Depicker, Drug-induced hypomethylation of a posttranscriptionally silenced transgene locus of tobacco leads to partial release of silencing (467) 47
Kowaltowski, A.J., A.E. Vercesi, S.G. Rhee and L.E.S. Netto, Catalases and thioredoxin peroxidase protect *Saccharomyces cerevisiae* against $Ca^{2+}$-induced mitochondrial membrane permeabilization and cell death (473) 177
Koyama, M., M. Ito, J. Feng, T. Seko, K. Shiraki, K. Takase, D.J. Hartshorne and T. Nakano, Phosphorylation of CPI-17, an inhibitory phosphoprotein of smooth muscle myosin phosphatase, by Rho-kinase (475) 197
Kozaki, S. see Y. Fujinaga (467) 179
Kozlovska, T. see I. Cielens (482) 261
Krafft, C., A. Diehl, S. Laettig, J. Behlke, U. Heinemann, C.L. Pon, C.O. Gualerzi and H. Welfle, Interaction of fMet-tRNA$^{fMet}$ with the C-terminal domain of translational initiation factor IF2 from *Bacillus stearothermophilus* (471) 128
Kraft, D. see S. Denépoux (465) 39
Kramer, G. see V. Ramachandiran (482) 185
Kramer, R., N. Dekker and M.R. Egmond, Identification of active site serine and histidine residues in *Escherichia coli* outer membrane protease OmpT (468) 220
Krasnikov, B.F. see L.D. Zorova (466) 305
Krause, A., S. Neitz, H.-J. Mägert, A. Schulz, W.-G. Forssmann, P. Schulz-Knappe and K. Adermann, LEAP-1, a novel highly disulfide-bonded human peptide, exhibits antimicrobial activity (480) 147
Krauth-Siegel, R. see T. Breidbach (473) 212
Kremarik-Bouillaud, P. see F. Casas (478) 4
Kremer, A. see I. Van den Wyngaert (478) 77
Kreuzer, O.J. see G.-F. Böl (477) 73
Kriajevska, M. see S. Tarabykina (475) 187
Krieger-Liszkay, A., K. Kienzler and G.N. Johnson, Inhibition of electron transport at the cytochrome $b_6f$ complex protects photosystem II from photoinhibition (486) 191
Kristl, S., S. Zhao, B. Knappe, R.L. Somerville and A.J. Kungl, The influence of ATP on the binding of aromatic amino acids to the ligand response domain of the tyrosine repressor of *Haemophilus influenzae* (467) 87
Kroemer, G. see E. Daugas (476) 118
Kroemer, G. see E. Yasugi (480) 197
Krokan, H.E., H. Nilsen, F. Skorpen, M. Otterlei and G. Slupphaug, Base excision repair of DNA in mammalian cells (476) 73
Kroneck, P.M.H. see G. Fritz (473) 63
Kronenberger, A. see A. Tomschy (472) 169
Kroon, P.A. see A.J. Day (468) 166
Kroon, P.A. see D. Clayton (479) 118
Krueger, S. see D. Brett (474) 83
Krüger, D.H. see P. Preikschat (478) 127
Kruhoffer, M. see J.E. Celis (480) 2
Kruse, M.-N. see D. Köhler (465) 2
Krych, M. see M.D. Kirkitadze (467) 133
Ku, H.-H. see J.L. Scarlett (475) 267
Kubo, T. see M. Yamakuchi (477) 135
Kubo, A. see F.J. Kaye (467) 348
Kuboki, Y. see M. Mizuno (479) 123
Kubota, A. see Y. Ihara (473) 24
Kubota, S., T. Hattori, T. Shimo, T. Nakanishi and M. Takigawa, Novel intracellular effects of human connective tissue growth factor expressed in Cos-7 cells (474) 58
Kucera, T., K. Jungermann and F. Stümpel, Impaired stimulation of intestinal glucose absorption by portal insulin via hepatoenteral nerves in chronically ethanol-intoxicated rats (474) 223
Kudo, I. see N. Ueno (475) 242
Kudo, S. see J. Koike (477) 84
Kudo, T. see S. Takemura (476) 266
Kudo, T. see I. Tsujio (469) 111
Kuger, P. see S.M. Nilius (484) 211
Kuglstatter, A., J. Miksovska, P. Sebban and G. Fritzsch, Structure of the photosynthetic reaction centre from *Rhodobacter sphaeroides* reconstituted with anthraquinone as primary quinone $Q_A$ (472) 114
Kuglstatter, A., P. Hellwig, G. Fritzsch, J. Wachtveitl, D. Oesterhelt, W. Mäntele and H. Michel, Corrigendum to: Identification of a hydrogen bond in the Phe-M197→Tyr mutant reaction center of the photosynthetic purple bacterium *Rhodobacter sphaeroides* by X-ray crystallography and FTIR spectroscopy (FEBS 23044) (477) 284
Kuhn, F. see H.-P. Hauri (476) 32
Kühn, H. see Y.W. Lee (485) 122
Kuida, K. see J. Endo (468) 234
Kuismanen, E. see J. Määttä (484) 202
Kuittinen, T., A. Eggert, P. Lindholm, N. Horelli-Kuitunen, A. Palotie, J.M. Maris and M. Saarma, A novel human processed gene, DAD-R, maps to 12p12 and is expressed in several organs (473) 233

Kulik, T. see A.T. Marttila (467) 31
Kuliopulos, A. see B.F. Santos (477) 199
Küllertz, G. see M. Weiwad (478) 39
Kullman, L. see S.M. Bezrukov (476) 224
Kulomaa, M.S. see A.T. Marttila (467) 31
Kumagai, I. see S. Takemura (476) 266
Kumagai, T. see E. Yasugi (480) 197
Kumagai, Y. see W. Ise (465) 28
Kumagai, Y., T. Wakayama, S. Li, A. Shinohara, A. Iwamatsu, G. Sun and N. Shimojo, ζ-Crystallin catalyzes the reductive activation of 2,4,6-trinitrotoluene to generate reactive oxygen species: a proposed mechanism for the induction of cataracts (478) 295
Kumegawa, M. see M. Nakagawa (473) 161
Kummer, M.P. see C. Hitzel (485) 67
Kung, H. see Y. Peng (482) 37
Kung, H.-F. see W. Shao (473) 363
Kungl, A.J. see S. Kristl (467) 87
Kunisada, T. see G. Shiota (470) 325
Kuno, A., S. Kaneko, H. Ohtsuki, S. Ito, Z. Fujimoto, H. Mizuno, T. Hasegawa, K. Taira, I. Kusakabe and K. Hayashi, Novel sugar-binding specificity of the type XIII xylan-binding domain of a family F/10 xylanase from *Streptomyces olivaceoviridis* E-86 (482) 231
Kuno, K., Y. Okada, H. Kawashima, H. Nakamura, M. Miyasaka, H. Ohno and K. Matsushima, ADAMTS-1 cleaves a cartilage proteoglycan, aggrecan (478) 241
Kunugita, N. see K. Kitagawa (476) 306
Kunz, B., E. Sandmeier and P. Christen, Reply by the authors (466) 207
Kunz, B. see M. Manunta (474) 255
Kunzelmann, K. see R. Schreiber (475) 291
Kuo, S.Y. see S.S. Jiang (468) 211
Kurabayashi, M. see T. Nakajima (481) 197
Kurakin, A. see B.K. Kay (480) 55
Kuramitsu, S. see R. Kato (482) 159
Kuramochi-Miyagawa, S. see J. Endo (468) 234
Kuranaga, E., H. Kanuka, K. Hirabayashi, M. Suzuki, M. Nishihara and M. Takahashi, Progesterone is a cell death suppressor that downregulates Fas expression in rat corpus luteum (466) 279
Kuranaga, E., H. Kanuka, Y. Furuhata, T. Yonezawa, M. Suzuki, M. Nishihara and M. Takahashi, Requirement of the Fas ligand-expressing luteal immune cells for regression of corpus luteum (472) 137
Kurihara, T. see M. Matsubae (468) 171
Kurimura, T. see K. Asamitsu (467) 366
Kuroe, A. see Y. Ihara (473) 24
Kuroki, Y. see T. Maeda (470) 336
Kurth, I. see A. Timmermann (468) 120
Kurumizaka, H., H. Aihara, S. Ikawa and T. Shibata, Specific defects in double-stranded DNA unwinding and homologous pairing of a mutant RecA protein (477) 129
Kurz, U. see Y.L. Guo (469) 203
Kusaba, M. see T. Suzuki (482) 102
Kusakabe, I. see A. Kuno (482) 231
Kusakabe, T. and N. Suzuki, Photoreceptors and olfactory cells express the same retinal guanylyl cyclase isoform in medaka: visualization by promoter transgenics (483) 143
Kuschel, M. see A. Lode (485) 19
Kushnir, S. see E. Belles-Boix (482) 19
Küster, A. see A. Timmermann (468) 120
Kusuda, T. see N. Todoroki-Ikeda (482) 85
Kusuda, T. see N. Todoroki-Ikeda (483) 186
Kusumi, A. see I. Dan (469) 19
Kuusela, P. see A. Santala (469) 213
Kuusela, P. see D. Wade (479) 6
Kuver, R. see T. Yoshida (478) 113
Kuwabara, M. see T. Yamamori (467) 253
Kuwabara, T. see K. Suzumura (473) 106
Kuwabara, T. see M. Kawano (481) 101
Kuzminova, A.E. see L.D. Zorova (466) 305
Kwok, K.H.H. see Y. Peng (482) 37
Kwon, H.Y., W.S. Eum, H.W. Jang, J.H. Kang, J. Ryu, B. Ryong Lee, L.H. Jin, J. Park and S.Y. Choi, Transduction of Cu,Zn-superoxide dismutase mediated by an HIV-1 Tat protein basic domain into mammalian cells (485) 163
Kwon, O.-Y., S. Park, W. Lee, K.-H. You, H. Kim and M. Shong, TSH regulates a gene expression encoding ERp29, an endoplasmic reticulum stress protein, in the thyrocytes of FRTL-5 cells (475) 27

# L

Labarca, C. see T. Ivanina (466) 327
Labesse, G. see E. Dé (469) 93
Lacana', E. see V.E. Nava (473) 81
Lacinová, L. see N. Klugbauer (470) 189
Lacombe, B., G. Pilot, F. Gaymard, H. Sentenac and J.-B. Thibaud, pH control of the plant outwardly-rectifying potassium channel SKOR (466) 351
Laettig, S. see C. Krafft (471) 128
Lafitte, D. see S. Tarabykina (475) 187
Lafont, V., E. Astoul, A. Laurence, J. Liautard and D. Cantrell, The T cell antigen receptor activates phosphatidylinositol 3-kinase-regulated serine kinases protein kinase B and ribosomal S6 kinase 1 (486) 38
Lafontan, M. see C. Serradeil-Le Gal (475) 150
Laguna, J.C. see À. Cabrero (484) 37
Lahav, J., N. Gofer-Dadosh, J. Luboshitz, O. Hess and M. Shaklai, Protein disulfide isomerase mediates integrin-dependent adhesion (475) 89
Lahmy, S., F. Barnèche, J. Derancourt, W. Filipowicz, M. Delseny and M. Echeverria, A chloroplastic RNA-binding protein is a new member of the PPR family (480) 255
Lai, D., S.P. Singh, M. Cartas, R. Murali, V.S. Kalyanaraman and A. Srinivasan, Extent of incorporation of HIV-1 Vpr into the virus particles is flexible and can be modulated by expression level in cells (469) 191
Laï-Kuen, R. see F. Noble (467) 81
Laine, B., J. Eeckhoute, L. Suaud, I. Briche, H. Furuta, G.I. Bell and P. Formstecher, Functional properties of the R154X HNF-4α protein generated by a mutation associated with maturity-onset diabetes of the young, type 1 (479) 41
Laitinen, O.H. see A.T. Marttila (467) 31
Lam, C.-W. see A. Orrico (481) 285
Lam, T.L. see T.K. Au (471) 169
Lammers, J.-W.J. see N. Geijsen (471) 83
Lammi, M.J. see K. Kaarniranta (475) 283
Lancaster Jr., J.R. see S.P. Kantrow (483) 119
Lancelin, J.-M. see L. Volpon (478) 137
Lancelin, J.-M. see L. Volpon (485) 76
Land, E.J. see R. Edge (471) 125
Landa, C.A. see I.D. Bianco (466) 292
Lando, Z. see Z. Yao (468) 37
Landopoulou, A. see N. Meyer (478) 151
Lane, D.P. see L.R. Burch (472) 93
Lanéelle, M.-A. see I. Saves (480) 221
Lang, A. see G. Kostoulas (466) 394
Langer, T. see C. Klanner (470) 365
Lange-zu Dohna, C., M. Brandeis, F. Berr, J. Mössner and K. Engeland, A CDE/CHR tandem element regulates cell cycle-dependent repression of *cyclin B2* transcription (484) 77
Lania, A. see M.C. Bonaccorsi di Patti (472) 283
Lankelma, J. see J.H. Hooijberg (469) 47
Lankinen, H. see D. Wade (479) 6
Lanz, R. see S. Werbajh (485) 195
Lapatto, R. see E. Martelin (480) 84
Laprade, M. see G. Ferrières (479) 99
Larhammar, D. see E. Salaneck (484) 229
Laroche, A. see R.J. Weselake (481) 189
Larrayoz, I.M. see M. Lostao (481) 137
Larsen, J.E. see L.K. Vogel (473) 297
Larsson, K. see N. Akhtar (483) 87
Larsson, T., J. Bergström, C. Nilsson and K.-A. Karlsson, Use of an affinity proteomics approach for the identification of low-abundant bacterial adhesins as applied on the Lewis$^b$-binding adhesin of *Helicobacter pylori* (469) 155
Lashuel, H.A. see G. Cingolani (484) 291
Last, K. see J.O. Stracke (478) 52
Laßleben, Th. see N. Schaschke (482) 91
Lau, K.S. see A. Abdelmoity (482) 65
Laue, T.M. see Y.-Y. Tang (470) 167
Laule, O. see S. Al-Babili (485) 168
Launay, J.M. see V. Faivre (471) 56
Laurence, A. see V. Lafont (486) 38

Laurière, C. see M.-J. Droillard (474) 217
Lauritzen, I. see N. Tinel (480) 137
Lavie, Y. see M. Czarny (467) 326
Lavoinne, A. see A. Hubert (481) 209
Law, S.K. see Sh.M. Nolan (486) 89
Lazdunski, M. see F. Lesage (471) 137
Lazdunski, M. see L. Schaefer (471) 205
Lazdunski, M. see N. Tinel (480) 137
Le, H. see C.M. Szabo (482) 25
Le Blay, K. see L. Aussel (485) 40
Le Bouguénec, C. see M.-I. Garcia (479) 111
Le Cam, L. see L. Fajas (471) 29
Le Fur, G. see C. Serradeil-Le Gal (475) 150
Le May, C., T. Pineau, K. Bigot, C. Kohl, J. Girard and J.-P. Pégorier, Reduced hepatic fatty acid oxidation in fasting PPARα null mice is due to impaired mitochondrial hydroxymethylglutaryl-CoA synthase gene expression (475) 163
Leal, F. see J.A. Calera (475) 117
Leang, C. see J.R. Wilson (472) 78
Lear, J.D. see Q. Zhong (473) 195
Leaver, C.J. see A. Millar (481) 117
Lebecque, S. see S. Denèpoux (465) 39
Lebedev, Y.B. see A.N. Domansky (472) 191
Lecomte, C. see Z. Fajloun (469) 179
Lecomte, F.J.L. see S. High (476) 38
Lecuona, E., A. Garcia and J.I. Sznajder, A novel role for protein phosphatase 2A in the dopaminergic regulation of Na,K-ATPase (481) 217
Ledesma, A., M. Villalba and R. Rodriguez, Cloning, expression and characterization of a novel four EF-hand $Ca^{2+}$-binding protein from olive pollen with allergenic activity (466) 192
Ledgerwood, E.C. see J.L. Scarlett (475) 267
Lee, A.Y. see W. Shao (473) 363
Lee, B.-J. see M.-K. Yoon (484) 241
Lee, B.L. see B. Qu (473) 85
Lee, C.C. see D. Motzkus (486) 315
Lee, C.H., L.N. Marekov, S.-Y. Kim, J.S. Brahim, M.H. Park and P.M. Steinert, Small proline-rich protein 1 is the major component of the cell envelope of normal human oral keratinocytes (477) 268
Lee, H.M. see S. Rho (478) 246
Lee, H.-S. see J.-H. Yoon (474) 175
Lee, I. see K. Song (481) 81
Lee, J. see Y.J. Lee (472) 230
Lee, J.-E., G. Hofhaus and T. Lisowsky, *Erv1p* from *Saccharomyces cerevisiae* is a FAD-linked sulfhydryl oxidase (477) 62
Lee, J.-H. see L.L. Cribbs (466) 54
Lee, J.-H. see L.L. Cribbs (470) 378
Lee, J.M. see J. Kim (474) 121
Lee, J.R. see K.O. Lee (486) 103
Lee, J.-S. see S. Yanagawa (474) 189
Lee, J.W. see I.S. Seong (477) 224
Lee, J.W. see H.J. Kong (483) 114
Lee, J.Y. see K.O. Lee (486) 103
Lee, K. see S. Rho (478) 246
Lee, K.O., H.H. Jang, B.G. Jung, Y.H. Chi, J.Y. Lee, Y.O. Choi, J.R. Lee, C.O. Lim, M.J. Cho and S.Y. Lee, Rice 1Cys-peroxiredoxin over-expressed in transgenic tobacco does not maintain dormancy but enhances antioxidant activity (486) 103
Lee, M.Y. see H.J. Kong (483) 114
Lee, S.-G. see K. Song (481) 81
Lee, S.-H. see D.L. Cope (481) 261
Lee, S.H., Y.-J. Kim and J. Kim-Ha, Requirement of *Rbp9* in the maintenance of *Drosophila* germline sexual identity (465) 165
Lee, S.P. see T. Yoshida (478) 113
Lee, S.Y. see K.O. Lee (486) 103
Lee, T. see M.L. Balestrieri (479) 63
Lee, T.-L. see M.-J. Lin (469) 101
Lee, V.M.-Y. see J.M. Souza (474) 116
Lee, W. see O.-Y. Kwon (475) 27
Lee, Y.J., C.W. Park, Y. Hahn, J. Park, J. Lee, J.H. Yun, B. Hyun and J.H. Chung, *Mit1/Lb9* and *Copg2*, new members of mouse imprinted genes closely linked to *Peg1/Mest* (472) 230
Lee, Y.J. see Y. Hahn (482) 31
Lee, Y.W., H. Kühn, B. Hennig and M. Toborek, IL-4 induces apoptosis of endothelial cells through the caspase-3-dependent pathway (485) 122
Leeb, L. see L. Forsberg (471) 78
Leeman, S.E. see A.A. Bremer (486) 43
Lefkowitz, R.J. see J.L.R. Freeman (473) 280
LeGall, J. see C.V. Romão (480) 213
Legendre, F. see L. Massaad-Massade (466) 49
Léger, I. see M. Souchet (477) 99
Legrain, P. and L. Selig, Genome-wide protein interaction maps using two-hybrid systems (480) 32
Legrand, D. see S. Baveye (469) 5
Lehmann, G. see D. Brett (474) 83
Lehming, N. see A. Gromöller (484) 48
Lei, S., L. Pulakat, M.-H. Suh and N. Gavini, Identification of a second site compensatory mutation in the Fe-protein that allows diazotrophic growth of *Azotobacter vinelandii* UW97 (478) 192
Lei, S., L. Pulakat and N. Gavini, Activation of vanadium nitrogenase expression in *Azotobacter vinelandii* DJ54 revertant in the presence of molybdenum (482) 149
Leib-Mosch, C. see A.N. Domansky (472) 191
Leibovitch, M.-P. see K. Pelpel (474) 233
Leibovitch, S.A. see K. Pelpel (474) 233
Leibowitz, M.D., C. Fiévet, N. Hennuyer, J. Peinado-Onsurbe, H. Duez, J. Berger, C.A. Cullinan, C.P. Sparrow, J. Baffic, G.D. Berger, C. Santini, R.W. Marquis, R.L. Tolman, R.G. Smith, D.E. Moller and J. Auwerx, Activation of PPARδ alters lipid metabolism in db/db mice (473) 333
Leikauf, G.D. see B.H. Rihn (480) 95
Leippe, M. see R. Nickel (486) 112
Leland, P.A., K.E. Staniszewski, B.-M. Kim and R.T. Raines, A synapomorphic disulfide bond is critical for the conformational stability and cytotoxicity of an amphibian ribonuclease (477) 203
Lemeshko, V.V., $Mg^{2+}$ induces intermembrane electron transport by cytochrome *c* desorption in mitochondria with the ruptured outer membrane (472) 5
Lemmer, J. see H. Funke-Kaiser (466) 310
Lemoine, J. see A.-S. Vercoutter-Edouart (478) 209
Lendaro, E. see C. Savino (470) 239
Lenhard, T. see M. Ferreras (486) 247
Lenne, P.-F., A.J. Raae, S.M. Altmann, M. Saraste and J.K.H. Hörber, States and transitions during forced unfolding of a single spectrin repeat (476) 124
Lenoir, G. see L. Briand (476) 179
Lenz, E. see C.L. Gavaghan (484) 169
Leone, A. see M.C. Pascale (480) 226
Leroy, K., R. Menu, J.L. Conreur, R. Dayanandan, S. Lovestone, B.H. Anderton and J.P. Brion, The function of the microtubule-associated protein tau is variably modulated by graded changes in glycogen synthase kinase-3β activity (465) 34
Lesage, F., F. Maingret and M. Lazdunski, Cloning and expression of human TRAAK, a polyunsaturated fatty acids-activated and mechano-sensitive $K^+$ channel (471) 137
Lescure, B. see A. Manevski (483) 43
Lester, H.A. see T. Ivanina (466) 327
Lesyng, B. see K. Ginalski (482) 119
Letcher, A.J. see J.B. Morris (475) 57
Letellier, L. see C. Berrier (476) 129
Leupold, D., B. Voigt, W. Beenken and H. Stiel, Pigment–protein architecture in the light-harvesting antenna complexes of purple bacteria: does the crystal structure reflect the native pigment–protein arrangement? (480) 73
Leuthäuser, K. see N. Bühlmann (486) 320
Levartowsky, D. see E.J. Yavin (472) 259
Leverve, X.M. see M.A. Piquet (468) 239
Levesque, R.C. see C. Therrien (470) 285
Levi, V., J.P.F.C. Rossi, P.R. Castello and F. González Flecha, Oligomerization of the plasma membrane calcium pump involves two regions with different thermal stability (483) 99
Levine, A. see Y. Amor (477) 175
Levitt, R.C. see J.-B. Demoulin (482) 200
Levy, F.O. see E. Munthe (466) 169
Levy, R. see M.-H. Rhee (466) 300
Levy, R. see K. Eckhardt (470) 309
Levy, Z. see Y. Neuberger (469) 44
Li, C. see J.-G. Ye (479) 136
Li, H. see S. Sareth (470) 11
Li, J. see T. Nakahashi (470) 113
Li, J. see L. Hildén (477) 79
Li, L.-J. see H.-W. Wang (469) 105
Li, Q.-T. see B. Qu (473) 85
Li, S. see Y. Kumagai (478) 295

Li, W., X. Yuan, G. Nordgren, H. Dalen, G.M. Dubowchik, R.A. Firestone and U.T. Brunk, Induction of cell death by the lysosomotropic detergent MSDH (470) 35
Li, X. see J.L.R. Freeman (473) 280
Li, X. and X.M. Pan, Both native conformers of rabbit muscle adenylate kinase are active (480) 235
Li, Y. see N. Takao (472) 133
Li, Y.-J. see J.-G. Ye (479) 136
Li, Y.-X. see T. Ivanina (466) 327
Liang, C. see M. Cheng (475) 257
Liang, J.J.-N., Interaction between β-amyloid and lens αB-crystallin (484) 98
Liang, W. see S. Nock (466) 267
Liautard, J. see V. Lafont (486) 38
Libert, C. see W. Van Molle (467) 201
Libonati, M. see S. Sorrentino (466) 35
Liburdy, R.P., Corrigendum to: Calcium signaling in lymphocytes and ELF fields: evidence for an electric field metric and a site of interaction involving the calcium ion channel by R.P. Liburdy (478) 304
Lider, O. see E.J. Yavin (472) 259
Lieberman, H.B. see K. Komatsu (481) 122
Liebl, D. see Z. Palková (478) 281
Ligensa, T. see B. Vayssière (467) 91
Lilie, H., W. Haehnel, R. Rudolph and U. Baumann, Folding of a synthetic parallel β-roll protein (470) 173
Lill, R. see W. Pelzer (476) 134
Lim, C.C. see Y.L. Guo (469) 203
Lim, C.O. see K.O. Lee (486) 103
Limmer, S. see T. Zuleeg (472) 247
Lin, A. see C. Shu-Nu (484) 22
Lin, B. and J.R. Maddock, The N-terminal domain of the *Caulobacter crescentus* CgtA protein does not function as a guanine nucleotide exchange factor (484) 29
Lin, C.-H. see C. Shu-Nu (484) 22
Lin, M.C.M. see Y. Peng (482) 37
Lin, M.-J., T.-L. Lee, D.-W. Hsu and C.-K. Shen, One-codon alternative splicing of the CpG MTase Dnmt1 transcript in mouse somatic cells (469) 101
Lin, S. see A.N. Melkozernov (471) 89
Lin, S. see T. Kirikae (478) 221
Lin, Y.-L., C. Mettling and C.-K. Chou, Rap1-suppressed tumorigenesis is concomitant with the interference in Ras effector signaling (467) 184
Linares, J.-L., C. Wendling, C. Tomasetto and M.-C. Rio, C2PA, a new protein expressed during mouse spermatogenesis (480) 249
Lindberg, I. see A. Cameron (473) 135
Lindberg, U. see H. Schüler (476) 155
Lindholm, P. see T. Kuittinen (473) 233
Lindon, J.C. see J.L. Griffin (486) 225
Ling, V. see F. Zhang (478) 89
Lingameneni, R., T.N. Vysotskaya, D.S. Duch and H.C. Hemmings Jr., Inhibition of voltage-dependent sodium channels by Ro 31-8220, a 'specific' protein kinase C inhibitor (473) 265
Linguegliа, E. see L. Schaefer (471) 205
Liscovitch, M. see M. Czarny (467) 326
Lisowsky, T. see J.-E. Lee (477) 62
Lithgow, T., Targeting of proteins to mitochondria (476) 22
Liu, A. and G.C. Prendergast, Geranylgeranylated RhoB is sufficient to mediate tissue-specific suppression of Akt kinase activity by farnesyltransferase inhibitors (481) 205
Liu, D. see S. Bagby (468) 149
Liu, D. see G.M. Kasof (473) 285
Liu, H. see V.E. Nava (473) 81
Liu, H.-Y. see M.-X. Zou (473) 15
Liu, J., X. Tang, H. Wang and M. Balasubramanian, Bgs2p, a 1,3-β-glucan synthase subunit, is essential for maturation of ascospore wall in *Schizosaccharomyces pombe* (478) 105
Liu, L. see F. Zhang (478) 89
Liu, M.-Y. see C.V. Romão (480) 213
Liu, Q. see D. Heidkaemper (480) 265
Liu, S. see H.-W. Wang (469) 105
Liu, X. see K. Pahan (472) 203
Liu, X. see Y. Zhao (480) 208
Liu, X.L. see S. Basu (470) 1
Liu, Y. see Y. Wang (470) 151
Liu, Y.J. see G. Jayaraman (482) 154
Liu, Y.-L. see W. Shao (473) 363
Liu, Y.-Y., M. Akhtar, E.P. Ourmozdi, N. Kaderbhai and M.A. Kaderbhai, A chloroplast envelope-transfer sequence functions as an export signal in *Escherichia coli* (469) 61
Ljungquist, P. see L. Hildén (477) 79
Llano, E. see J.O. Stracke (478) 52
Llorente, B. and B. Dujon, Transcriptional regulation of the *Saccharomyces cerevisiae DAL5* gene family and identification of the high affinity nicotinic acid permease *TNA1* (*YGR260w*) (475) 237
Lluis, C. see J. Blanco (477) 123
Lode, A., M. Kuschel, C. Paret and G. Rödel, Mitochondrial copper metabolism in yeast: interaction between Sco1p and Cox2p (485) 19
Loeffler, M. see E. Daugas (476) 118
Löffler, M. see W. Knecht (467) 27
Logarinho, E. see V. Cambiazo (483) 37
Loh, Y. see N.X. Cawley (481) 37
Loing, E. see B. Georges (481) 249
Loison, G. see I. Soustre (470) 102
Lombardi, A., M. Damon, A. Vincent, F. Goglia and P. Herpin, Characterisation of oxidative phosphorylation in skeletal muscle mitochondria subpopulations in pig: a study using top-down elasticity analysis (475) 84
Lombardo, A. see G. Goi (473) 89
Long, L.H. see B. Halliwell (486) 10
Loog, M., A. Uri, J. Järv and P. Ek, Bi-substrate analogue ligands for affinity chromatography of protein kinases (480) 244
López Méndez, B. see P. Amodeo (473) 157
López-Corcuera, B. see A. Geerlings (470) 51
López-Coronado, J.M. see L. Yenush (467) 321
López-García, M. and S.M. Sanz-González, Peroxynitrite generated from constitutive nitric oxide synthase mediates the early biochemical injury in short-term cultured hepatocytes (466) 187
López-González, I. see F. Espinosa (475) 251
López-Medrano, R. see J.A. Calera (475) 117
Lopina, O.D. see A.M. Rubtsov (482) 1
Lorenzi, M.V. see G.M. Kasof (473) 285
Lorenzo, M. see A.M. Valverde (472) 153
Lory, P. see J. Chemin (478) 166
Losasso, C., F. Di Tommaso, A. Sgambato, R. Ardito, A. Cittadini, B. Giardina, T.C. Petrucci and A. Brancaccio, Anomalous dystroglycan in carcinoma cell lines (484) 194
Lostao, M., J.F. Mata, I.M. Larrayoz, S.M. Inzillo, F. Casado and M. Pastor-Anglada, Electrogenic uptake of nucleosides and nucleoside-derived drugs by the human nucleoside transporter 1 (hCNT1) expressed in *Xenopus laevis* oocytes (481) 137
Louahed, J. see J.-B. Demoulin (482) 200
Loubinoux, J. see B.H. Rihn (480) 95
Lourbakos, A. see R. Smith (484) 285
Louro, R. see C.V. Romão (480) 213
Lovagnini, A. see G. Goi (473) 89
Lovestone, S. see K. Leroy (465) 34
Lovestone, S. see G.M. Gibb (485) 99
Low, L.K., H.-C. Shin, M. Narayan, W.J. Wedemeyer and H.A. Scheraga, Acceleration of oxidative folding of bovine pancreatic ribonuclease A by anion-induced stabilization and formation of structured native-like intermediates (472) 67
Low, S.Y. see K.M. Naseem (473) 119
Lowndes, N.F. see M.-A. de la Torre-Ruiz (467) 311
Lowndes, N.F. see M.-A. de la Torre Ruiz (485) 205
Lu, D. see T.S. Zamolodchikova (466) 295
Lu, F. see M. Cheng (475) 257
Lu, Y.-J. see H.-W. Wang (469) 105
Lualdi, S. see R. Villa (473) 241
Lübben, M. see C.V. Romão (480) 213
Luboshitz, J. see J. Lahav (475) 89
Lucas, K.D. see C.R. Caffrey (466) 244
Lucas, S. see C.V.F. Batista (486) 117
Luciani, N. see F. Noble (467) 81
Lucka, L. see R. Horstkorte (470) 315
Luckey, M., J.-F. Hernandez, G. Arlaud, V. Forsyth, R.W.H. Ruigrok and A. Mitraki, A peptide from the adenovirus fiber shaft forms amyloid-type fibrils (468) 23
Ludewig, F. and U. Sonnewald, High $CO_2$-mediated down-regulation of photosynthetic gene transcripts is caused by accelerated leaf senescence rather than sugar accumulation (479) 19
Ludwig, A. see L. Vaca (479) 35
Ludwig, A. see G. Bohn (481) 73

Luirink, J. see E.N.G. Houben (476) 229
Lukačin, R., C. Urbanke, I. Gröning and U. Matern, The monomeric polypeptide comprises the functional flavanone 3β-hydroxylase from *Petunia hybrida* (467) 353
Lukács, N. see C. Seregélyes (482) 125
Lukács, N. see C. Seregélyes (485) 207
Lukanidin, E. see S. Tarabykina (475) 187
Lukas, J. see M. Thullberg (470) 161
Lukyanov, S.A. see A.F. Fradkov (479) 127
Lund, P.A. see S.J. Stafford (466) 317
Luo, Y. see E.S. Masuda (470) 61
Luoni, L., M.C. Bonza and M.I. De Michelis, $H^+/Ca^{2+}$ exchange driven by the plasma membrane $Ca^{2+}$-ATPase of *Arabidopsis thaliana* reconstituted in proteoliposomes after calmodulin-affinity purification (482) 225
Lüscher, B. see A. Sommer (474) 146
Lüttenberg, B. see C. Gellini (472) 263
Luttmann, W. see D. Ferrari (486) 217
Lutziger, I. and D.J. Oliver, Molecular evidence of a unique lipoamide dehydrogenase in plastids: analysis of plastidic lipoamide dehydrogenase from *Arabidopsis thaliana* (484) 12
Luu, C. see G. Valacchi (466) 165
Luyten, W.H.M.L. see I. Van den Wyngaert (478) 77
Lyu, P.C. see G. Jayaraman (482) 154

# M

Ma, D. see H. Hama (478) 26
Ma, J. see D.W. Shin (486) 178
Ma, X.-J. see Y. Matsumoto (478) 67
Maassen, B.G. see L. Terstegen (478) 100
Määttä, J., O. Hallikas, S. Welti, P. Hildén, J. Schröder and E. Kuismanen, Limited caspase cleavage of human BAP31 (484) 202
Maccarrone, M., L. Fiorucci, F. Erba, M. Bari, A. Finazzi-Agrò and F. Ascoli, Human mast cells take up and hydrolyze anandamide under the control of 5-lipoxygenase and do not express cannabinoid receptors (468) 176
Maccarrone, M. and A. Finazzi-Agrò, Platelet activation: a new vascular activity of anandamide (483) 85
MacDonald, J.A., L.A. Walker, R.K. Nakamoto, I. Gorenne, A.V. Somlyo, A.P. Somlyo and T.A.J. Haystead, Phosphorylation of telokin by cyclic nucleotide kinases and the identification of in vivo phosphorylation sites in smooth muscle (479) 83
Mach, L. see R. Strasser (472) 105
Machida, S., S. Ogawa, S. Xiaohua, T. Takaha, K. Fujii and K. Hayashi, Cycloamylose as an efficient artificial chaperone for protein refolding (486) 131
Machii, H. see A. Sharma (484) 7
Machii, H. see A. Sharma (485) 208
Machleidt, W. see N. Schaschke (482) 91
Maciver, S.K., D. Ternent and P.J. McLaughlin, Domain 2 of gelsolin binds directly to tropomyosin (473) 71
Mackie, E.J. see L.I. Murphy (480) 189
Mackie, E.J. see R. Smith (484) 285
Maclean, N. see A. Molina (474) 5
MacNee, W. see C. Miralles (476) 253
Macri, F. see V. Casolo (474) 53
Madden, D.R. see V. Jayaraman (475) 278
Maddock, J.R. see B. Lin (484) 29
Madeo, F. see K.-U. Fröhlich (473) 6
Maeda, T., H. Ohguro, H. Sohma, Y. Kuroki, H. Wada, S. Okisaka and A. Murakami, Purification and characterization of bovine cone arrestin (cArr) (470) 336
Maerz, W. see G.M. Gibb (485) 99
Maffrand, J.-P. see C. Serradeil-Le Gal (475) 150
Magalon, A. and A. Böck, Dissection of the maturation reactions of the [NiFe] hydrogenase 3 from *Escherichia coli* taking place after nickel incorporation (473) 254
Mägert, H.-J. see A. Krause (480) 147
Magnusson, K.-E. see S. Surapureddi (480) 239
Magnusson, N. see J.E. Celis (480) 2
Magyar, C. see A. Németh (468) 48
Magyar, Z., A. Atanassova, L. De Veylder, S. Rombauts and D. Inzé, Characterization of two distinct DP-related genes from *Arabidopsis thaliana* (486) 79
Mahatan, C.S. see D.T. Dang (476) 203
Mahé, Y. see B. Vayssière (467) 91
Mahurter, L. see Y.-X. Pan (466) 337
Maier, A.G., S. Schulreich, M. Bremser and C. Clayton, Binding of coatomer by the PEX11 C-terminus is not required for function (484) 82
Maier, U.-G. see J. Wastl (471) 191
Maingret, F. see F. Lesage (471) 137
Maisto, G. see C. Manna (470) 341
Maita, H. see N. Koike (467) 17
Maki, Y. see J. Urano (466) 107
Makino, S., T. Makino, K. Abe, J. Hashimoto, T. Tatsuta, M. Kitagawa, H. Mori, T. Ogura, T. Fujii, S. Fushinobu, T. Wakagi and H. Matsuzawa, Erratum to: Second transmembrane segment of FtsH plays a role in its proteolytic activity and homo-oligomerization (FEBS 22846) (467) 365
Makino, T. see S. Makino (467) 365
Makita, N. see J. Akai (479) 29
Mal, T.K. see S. Bagby (468) 149
Maldonado, C. see M. Rodríguez-Concepción (473) 328
Malergue, F. see G. Pitari (483) 149
Malik, A.B. see M. Ali (470) 70
Maliszewski, C. see C. Faveeuw (486) 261
Mallis, R.J., B.W. Poland, T.K. Chatterjee, R.A. Fisher, S. Darmawan, R.B. Honzatko and J.A. Thomas, Crystal structure of *S*-glutathiolated carbonic anhydrase III (482) 237
Malorni, W., E. Straface, G. Pagano, D. Monti, A. Zatterale, D. Del Principe, I.B. Deeva, C. Franceschi, R. Masella and L.G. Korkina, Cytoskeleton alterations of erythrocytes from patients with Fanconi's anemia (468) 125
Malorni, W. see P. Matarrese (473) 311
Malva, J.O. see R. A. Cunha (469) 159
Mañas, P. see I. Olivero (475) 111
Mancini, A. see A. Koch (469) 72
Mancini, A., A. Koch, M. Stefan, H. Niemann and T. Tamura, The direct association of the multiple PDZ domain containing proteins (MUPP-1) with the human c-Kit C-terminus is regulated by tyrosine kinase activity (482) 54
Mandon, D. see V. Schünemann (479) 149
Manevski, A., G. Bertoni, C. Bardet, D. Tremousaygue and B. Lescure, In synergy with various *cis*-acting elements, plant insterstitial telomere motifs regulate gene expression in *Arabidopsis* root meristems (483) 43
Mängs, H., G.-C. Sui and B. Wiman, PAI-1 stability: the role of histidine residues (475) 192
Mani, J.-C. see G. Ferrières (479) 99
Manivet, P. see V. Faivre (471) 56
Mann, K. see C. Naber (484) 199
Mann, M. see J.S. Andersen (480) 25
Mann, N.H., N. Novac, C.W. Mullineaux, J. Newman, S. Bailey and C. Robinson, Involvement of an FtsH homologue in the assembly of functional photosystem I in the cyanobacterium *Synechocystis* sp. PCC 6803 (479) 72
Manna, C., P. Galletti, G. Maisto, V. Cucciolla, S. D'Angelo and V. Zappia, Transport mechanism and metabolism of olive oil hydroxytyrosol in Caco-2 cells (470) 341
Manna, S.K. and B.B. Aggarwal, Wortmannin inhibits activation of nuclear transcription factors NF-κB and activated protein-1 induced by lipopolysaccharide and phorbol ester (473) 113
Mäntele, W. see A. Kuglstatter (477) 284
Manunta, M., D. Rossi, I. Simeoni, E. Butelli, C. Romanin, V. Sorrentino and H. Schindler, ATP-induced activation of expressed RyR3 at low free calcium (471) 256
Manunta, M., B. Kunz, E. Sandmeier, P. Christen and H. Schindler, Reported channel formation by prion protein fragment 106–126 in planar lipid bilayers cannot be reproduced (474) 255
Manzanera, M., S. Marqués and J.L. Ramos, Mutational analysis of the highly conserved C-terminal residues of the XylS protein, a member of the AraC family of transcriptional regulators (476) 312
Manzano, D. see N. Cunillera (477) 170
Manzoli, L. see A.M. Martelli (486) 230
Marais, E. see N. Klugbauer (470) 189
Marangoni, F. see F. Visioli (471) 75
Maras, B. see G. Pitari (483) 149

Marc, P. see J. DeRisi (470) 156
Marchand, J. see C. Serradeil-Le Gal (475) 150
Marchesini, S. see A. Piccinotti (472) 143
Marden, M.C., L. Kiger, C. Poyart, A.K. Rashid, J. Kister, F. Stetzkowski-Marden, G. Caron, M. Haque and L. Moens, Modulation of the oxygen affinity of cobalt-porphyrin by globin (472) 221
Marekov, L.N. see C.H. Lee (477) 268
Margineantu, D.H. see R.W. Gilkerson (474) 1
Margreth, A. see R. Sacchetto (481) 255
María Lois, L. see M. Rodríguez-Concepción (473) 328
Marin, O. see A.M. Brunati (471) 151
Marin, O., S. Sarno, M. Boschetti, M.A. Pagano, F. Meggio, V. Ciminale, D.M. D'Agostino and L.A. Pinna, Unique features of HIV-1 Rev protein phosphorylation by protein kinase CK2 ('casein kinase-2') (481) 63
Marino-Buslje, C. see L. Molina (467) 226
Maris, J.M. see T. Kuittinen (473) 233
Marker, P.H. see J. Wang (474) 213
Markham, A.F. see A.J. Mighell (468) 109
Marky, L. see W.H. Gmeiner (465) 148
Maronde, E. see D. Motzkus (486) 315
Marqués, S. see M. Manzanera (476) 312
Marquis, R.W. see M.D. Leibowitz (473) 333
Marson, C.M. see A. Rioja (467) 291
Martásek, P. see H. Zhang (473) 58
Martelin, E., J.J. Palvimo, R. Lapatto and K.O. Raivio, Nuclear factor Y activates the human xanthine oxidoreductase gene promoter (480) 84
Martell, M. see M. Pla (472) 14
Martelli, A.M. see P. Borgatti (477) 27
Martelli, A.M., A.M. Billi, L. Manzoli, I. Faenza, M. Aluigi, M. Falconi, A. De Pol, R. Gilmour and L. Cocco, Insulin selectively stimulates nuclear phosphoinositide-specific phospholipase C (PI-PLC) β1 activity through a mitogen-activated protein (MAP) kinase-dependent serine phosphorylation (486) 230
Martial, J.A. see A. Molina (474) 5
Martin, A. see M. Caroff (477) 8
Martin, A.L., M.C. Davies, B.J. Rackstraw, C.J. Roberts, S. Stolnik, S.J.B. Tendler and P.M. Williams, Observation of DNA–polymer condensate formation in real time at a molecular level (480) 106
Martin, F. see G. Pitari (483) 149
Martin, G.E.M. see D.J. Heyes (483) 47
Martín, L., M.L. Fanarraga, K. Aloria and J.C. Zabala, Tubulin folding cofactor D is a microtubule destabilizing protein (470) 93
Martin, N.C. see L.R. Williams (476) 301
Martin, S.J. see S.A. Keogh (471) 93
Martínez de la Mata, J. see J.A. Recio (469) 118
Martin-Figueroa, E., F. Navarro and F.J. Florencio, The GS-GOGAT pathway is not operative in the heterocysts. Cloning and expression of *glsF* gene from the cyanobacterium *Anabaena* sp. PCC 7120 (476) 282
Martin-Moutot, N. see K. Sato (469) 147
Martín-Nieto, J. see J.A. Recio (469) 118
Martinon, F., N. Holler, C. Richard and J. Tschopp, Activation of a pro-apoptotic amplification loop through inhibition of NF-κB-dependent survival signals by caspase-mediated inactivation of RIP (468) 134
Martins, V.R. see E. Graner (482) 257
Martinsson, P., V. Sundström and E. Åkesson, An ultrafast time-resolved anisotropy study of bacteriochlorophyll *a* in pyridine (465) 107
Martinucci, S., I. Szabò, F. Tombola and M. Zoratti, $Ca^{2+}$-reversible inhibition of the mitochondrial megachannel by ubiquinone analogues (480) 89
Marttila, A.T., O.H. Laitinen, K.J. Airenne, T. Kulik, E.A. Bayer, M. Wilchek and M.S. Kulomaa, Recombinant NeutraLite Avidin: a non-glycosylated, acidic mutant of chicken avidin that exhibits high affinity for biotin and low non-specific binding properties (467) 31
Maruoka, N.D., D.F. Steele, B.P.-Y. Au, P. Dan, X. Zhang, E.D.W. Moore and D. Fedida, α-Actinin-2 couples to cardiac Kv1.5 channels, regulating current density and channel localization in HEK cells (473) 188
Maruyama, I. see Y. Wang (470) 151
Maruyama, I. see K.P. Sarker (472) 39
Maruyama, I. see M. Yamakuchi (477) 135
Maruyama, M. see M. Matsumoto (486) 23
Maruyama, T. see H. Tatsuzawa (484) 280
Marvaud, J.C. see Y. Fujinaga (467) 179
Marzinotto, S. see M.E. Ruaro (481) 159
Masaki, T. see T. Aoyama (467) 217
Masella, R. see W. Malorni (468) 125
Mason, D. see J. Huggett (485) 13
Massaad, C. see L. Massaad-Massade (466) 49
Massaad-Massade, L., C. Massaad, F. Legendre, V. Bas, J.-C. Chottard, P. Beaune and R. Barouki, A single d(GpG) cisplatin adduct on the estrogen response element decreases the binding of the estrogen receptor (466) 49
Massaccesi, L. see G. Goi (473) 89
Massanz, C. see R.P. Happe (466) 259
Massari, L. see P. Borgatti (477) 27
Masson, J.-M. see I. Saves (480) 221
Massucci, M.T. see G. Pitari (483) 149
Masuda, E.S., Y. Luo, C. Young, M. Shen, A.B. Rossi, B.C.B. Huang, S. Yu, M.K. Bennett, D.G. Payan and R.H. Scheller, Rab37 is a novel mast cell specific GTPase localized to secretory granules (470) 61
Masuda, H. see M.F. Oliveira (477) 95
Masuda, K., Y. Yamaguchi, K. Kato, N. Takahashi, I. Shimada and Y. Arata, Pairing of oligosaccharides in the Fc region of immunoglobulin G (473) 349
Masuda, S. see M. Yamakuchi (477) 135
Masuda, T. see N. Oosawa (474) 133
Masuho, Y. see S. Kojima (480) 142
Masui, R. see R. Kato (482) 159
Masumura, T. see J. Urano (466) 107
Mata, J.F. see M. Lostao (481) 137
Matarrese, P., N. Tinari, M.L. Semeraro, C. Natoli, S. Iacobelli and W. Malorni, Galectin-3 overexpression protects from cell damage and death by influencing mitochondrial homeostasis (473) 311
Matern, U. see R. Lukačin (467) 353
Mathew, E.C. see Sh.M. Nolan (486) 89
Mathieu, M.A. see C.R. Caffrey (466) 244
Matsubae, M., T. Kurihara, T. Tachibana, N. Imamoto and Y. Yoneda, Characterization of the nuclear transport of a novel leucine-rich acidic nuclear protein-like protein (468) 171
Matsubara, M. and T. Mizuno, The SixA phospho-histidine phosphatase modulates the ArcB phosphorelay signal transduction in *Escherichia coli* (470) 118
Matsubayashi, Y. see H. Hanai (470) 97
Matsuda, M. see K. Mogami (466) 395
Matsuda, T., T. Yamamoto, H. Kishi, A. Yoshimura and A. Muraguchi, SOCS-1 can suppress CD3ζ- and Syk-mediated NF-AT activation in a non-lymphoid cell line (472) 235
Matsuda, T. see M. Oubihi (473) 165
Matsuda, T. see T. Yamamoto (486) 143
Matsuda, Y. see T. Sugiyama (466) 29
Matsuda, Y. see S. Yanagawa (474) 189
Matsuda, Y. see E. Arakawa (481) 193
Matsui, E. see I. Matsui (467) 195
Matsui, H. see S. Hiraga (471) 245
Matsui, I., Y. Sakai, E. Matsui, H. Kikuchi, Y. Kawarabayasi and K. Honda, Novel substrate specificity of a membrane-bound β-glycosidase from the hyperthermophilic archaeon *Pyrococcus horikoshii* (467) 195
Matsui, K., C. Ujita, S. Fujimoto, J. Wilkinson, B. Hiatt, V. Knauf, T. Kajiwara and I. Feussner, Fatty acid 9- and 13-hydroperoxide lyases from cucumber (481) 183
Matsui, N. see M. Suzuki (465) 23
Matsukage, A. see T.-Y. Choi (483) 71
Matsuki, Y. see M. Sato (478) 34
Matsumoto, H. see A. Funakoshi (466) 264
Matsumoto, I. see A. Satoh (477) 249
Matsumoto, K. see I. Dan (469) 19
Matsumoto, M., T. Sudo, M. Maruyama, H. Osada and M. Tsujimoto, Activation of p38 mitogen-activated protein kinase is crucial in osteoclastogenesis induced by tumor necrosis factor (486) 23
Matsumoto, R. see M. Kita (469) 173
Matsumoto, S. see S. Kojima (480) 142
Matsumoto, Y., N. Suzuki, N. Namba, N. Umeda, X.-J. Ma, A. Morita, M. Tomita, A. Enomoto, S. Serizawa, K. Hirano, K. Sakai, H. Yasuda and Y. Hosoi, Cleavage and phosphorylation of XRCC4 protein induced by X-irradiation (478) 67
Matsuno, F. see S. Oyadomari (478) 141

Matsuno, S. see S. Takemura (476) 266
Matsushima, K. see K. Kuno (478) 241
Matsushita, M. see T. Suzuki (482) 102
Matsusue, K. see A. Funakoshi (466) 264
Matsuura, F. see K. Hirano (484) 275
Matsuura, H. see X.-L. Yang (470) 29
Matsu-ura, J. see K. Hirooka (481) 68
Matsuyama, A. see K. Hirano (484) 275
Matsuzaki, M. see K. Mogami (466) 395
Matsuzawa, H. see S. Makino (467) 365
Matsuzawa, Y. see Y. Chimori (469) 67
Matsuzawa, Y. see K. Hirano (484) 275
Mattei, A. see F. Visioli (468) 159
Mattei, B. see D. Verzili (471) 197
Mattei, M.-G. see L. Schaefer (471) 205
Matutte, B., K.B. Storey, F.C. Knoop and J. Conlon, Induction of synthesis of an antimicrobial peptide in the skin of the freeze-tolerant frog, *Rana sylvatica*, in response to environmental stimuli (483) 135
Matz, M.V. see A.F. Fradkov (479) 127
Mauco, G. see M. Torti (466) 355
Maulik, N., H. Sasaki, S. Addya and D.K. Das, Regulation of cardiomyocyte apoptosis by redox-sensitive transcription factors (485) 7
Maury, E., N.C. Guérineau, C. Comminges, P. Mollard, M.-C. Prévost and H. Chap, Potential role for triglycerides in signal transduction (466) 228
Mayer, B., Nitric oxide synthases catalyze superoxide formation (481) 304
Mayer, C., D.L. Zechel, S.P. Reid, R.J. Warren and S.G. Withers, The E358S mutant of *Agrobacterium* sp. β-glucosidase is a greatly improved glycosynthase (466) 40
Mayer, P., H. Tischmeyer, M. Jayasinghe, B. Bonnekoh, H. Gollnick, H. Teschemacher and V. Höllt, A δ opioid receptor lacking the third cytoplasmic loop is generated by atypical mRNA processing in human malignomas (480) 156
Mayeux, P. see E. Petitfrère (485) 117
Mayinger, P. see T. Nicolson (476) 277
Mazrimas, J.A. see E.L. Altschuler (472) 166
Mazumdar, S. see S. Prasad (477) 157
Mazurier, J. see S. Baveye (469) 5
McAuley, K.E., P.K. Fyfe, R.J. Cogdell, N.W. Isaacs and M.R. Jones, X-ray crystal structure of the YM210W mutant reaction centre from *Rhodobacter sphaeroides* (467) 285
McCammon, M.T. see L. de Jong (483) 62
McDowell, S.A. see B.H. Rihn (480) 95
McFadden, G. see P. Nash (475) 1
McGarry, J. see M.C. Mutomba (478) 19
McGarvey, D.J. see R. Edge (471) 125
McGivan, J. see M. Pollard (484) 74
McIntyre, T.M. see Y. Cao (467) 263
McKern, N.M. see P.A. Hoyne (479) 15
McKerrow, J.H. see C.R. Caffrey (466) 244
McKerrow, J.H. see V. Stoka (469) 29
Mclauchlan, R. see A.J. Day (468) 166
McLaughlin, P.J. see S.K. Maciver (473) 71
McLellan, L.I. see R.D.C. Saunders (467) 337
McNally, E.M. see X. Zhu (474) 71
McPhee, I., M.D. Houslay and S.J. Yarwood, Use of an activation-specific probe to show that Rap1A and Rap1B display different sensitivities to activation by forskolin in Rat1 cells (477) 213
Meacci, E., C. Donati, F. Cencetti, E. Romiti, M. Farnararo and P. Bruni, Receptor-activated phospholipase D is present in caveolin-3-enriched light membranes of C2C12 myotubes (473) 10
Meacci, E., C. Donati, F. Cencetti, E. Romiti and P. Bruni, Permissive role of protein kinase Cα but not protein kinase Cδ in sphingosine 1-phosphate-induced RhoA activation in C2C12 myoblasts (482) 97
Meazza, G. see J.G. Romagni (480) 301
Medcalf, R.L. see M. Costa (482) 75
Meek, D.W. see T.J. Hay (478) 183
Meewes, C. see R. Blaudschun (474) 195
Meggio, F. see O. Marin (481) 63
Meier, P.J. see V. Cattori (474) 242
Meisel, H. see H. Bernard (467) 239
Meisel, H. see P. Preikschat (478) 127
Meljon, A. see A. Dygas (482) 205
Melkozernov, A.N., S. Lin, V.H.R. Schmid, H. Paulsen, G.W. Schmidt and R.E. Blankenship, Ultrafast excitation dynamics of low energy pigments in reconstituted peripheral light-harvesting complexes of photosystem I (471) 89
Melloni, E. see R. De Tullio (475) 17
Melnik, B.S. see A.A. Timchenko (471) 211
Melnyk, O. see B. Georges (481) 249
Melroe, G.T., M.M. Ehrman, J.D. Kittilson and M.A. Sheridan, Glucose regulates pancreatic preprosomatostatin I expression (465) 115
Melvin, D.R. see D.L. Cope (481) 261
Mendez, A. see S.S. Pinto (486) 203
Meneveri, R. see D. Barisani (469) 208
Menhart, N. see L. Cherry (466) 341
Menon, K.M.J. see A.K. Nair (471) 39
Menon, R.P., M. Strom and R. Hughes, Interaction of a novel cysteine and histidine-rich cytoplasmic protein with galectin-3 in a carbohydrate-independent manner (470) 227
Menu, R. see K. Leroy (465) 34
Mercadante, A.F. see E. Graner (482) 257
Mercuri, F.A. see J.O. Stracke (478) 52
Mérida, I. see D.R. Jones (476) 160
Merino, J.M. see R. Planells-Cases (481) 131
Merkle, T. see P. Obrdlik (476) 208
Merz, G. see A.A. Johnsingh (465) 53
Merzlyak, E. see A. Iakovenko (468) 155
Messenguy, F. see E. Dubois (486) 300
Mestre-Ortega, D. see A. Barakat (471) 161
Mettling, C. see Y.-L. Lin (467) 184
Meuser, D. see H. Splitt (472) 83
Meyer, B.I. see F. Cecconi (480) 63
Meyer, J.W. and M.E. Schmitt, A central role for the endothelial NADPH oxidase in atherosclerosis (472) 1
Meyer, M. see K.-H. Zhao (469) 9
Meyer, N., M. Jaconi, A. Landopoulou, P. Fort and M. Pucéat, A fluorescent reporter gene as a marker for ventricular specification in ES-derived cardiac cells (478) 151
Meyer, T.F. see S.C. Beck (472) 287
Meyer, T.F. see C.R. Hauck (478) 260
Meyer-Kirchrath, J. see S.M. Nilius (484) 211
Meyer-Klaucke, W. see M. Hernandez Valladares (467) 221
Meyer-Klaucke, W. see M.H. Valladares (477) 285
Mheen, T.-I. see B.-Y. Kim (472) 45
Michalke, M., A. Cariers, F. Schliess and D. Häussinger, Hypoosmolarity influences the activity of transcription factor NF-κB in rat H4IIE hepatoma cells (465) 64
Michel, G. see E. Minet (468) 53
Michel, H. see A. Kuglstatter (477) 284
Michibata, H. see K. Yuasa (466) 175
Michiels, C. see E. Minet (468) 53
Middendorp, S. see I. Durussel (472) 208
Middleton, C.K. see R.J. Weselake (481) 189
Midgley, C.A. see L.R. Burch (472) 93
Mighell, A.J., N.R. Smith, P.A. Robinson and A.F. Markham, Vertebrate pseudogenes (468) 109
Miginiac, E. see T. Ghelis (474) 43
Miginiac, E. see T. Ghelis (481) 89
Miginiac, E. see T. Ghelis (483) 67
Miginiac-Maslow, M. see I. Schepens (471) 240
Miguel-Aliaga, I., Y.B. Chan, K.E. Davies and M. van den Heuvel, Disruption of SMN function by ectopic expression of the human *SMN* gene in *Drosophila* (486) 99
Mihalache, O. see I. Gutsche (477) 278
Mikami, T. see Y. Nishikawa (466) 179
Mikawa, N. see H. Zhang (469) 39
Mikawa, T. see R. Kato (482) 159
Mikhailov, M.V., E.A. Mikhailova and S.J.H. Ashcroft, Investigation of the molecular assembly of β-cell $K_{ATP}$ channels (482) 59
Mikhailov, V.S. see N.P. Sharova (486) 14
Mikhailova, A.A. see L.A. Strelkov (470) 281
Mikhailova, E.A. see M.V. Mikhailov (482) 59
Mikoshiba, K. see T. Sugiyama (466) 29
Mikoshiba, K. see M. Fukuda (482) 269
Mikoshiba, K. see M. Fukuda (484) 299
Miksovska, J. see A. Kuglstatter (472) 114
Mikus, G. see K. Eckhardt (470) 309

Milani, G. see W. Jarmuszkiewicz (467) 145
Miles, C.S. see T.W.B. Ost (486) 173
Milkowski, C., A. Baumert and D. Strack, Identification of four *Arabidopsis* genes encoding hydroxycinnamate glucosyltransferases (486) 183
Millar, A. and C.J. Leaver, The cytotoxic lipid peroxidation product, 4-hydroxy-2-nonenal, specifically inhibits decarboxylating dehydrogenases in the matrix of plant mitochondria (481) 117
Miller, A.D. see M. Preuss (466) 75
Miller, A.J. see J.-J. Zhou (466) 225
Miller, A.J. see J.-J. Zhou (481) 88
Miller, B., T. Heuser and W. Zimmer, Functional involvement of a deoxy-D-xylulose 5-phosphate reductoisomerase gene harboring locus of *Synechococcus leopoliensis* in isoprenoid biosynthesis (481) 221
Miller, C.R., P.J. Clapp and D.F. O'Brien, Visible light-induced destabilization of endocytosed liposomes (467) 52
Miller, D.L. see S.-J. Wu (473) 227
Miller, G., M. Colegrave and M. Peckham, N232S, G741R and D778G β-cardiac myosin mutants, implicated in familial hypertrophic cardiomyopathy, do not disrupt myofibrillar organisation in cultured myotubes (486) 325
Mills, K.E. see A.F. Cowman (476) 84
Milstien, S. see V.E. Nava (473) 81
Milstien, S. see S. Spiegel (476) 55
Min, B. see H.D. Becker (476) 140
Min, G.-S. see J.-H. Han (468) 194
Min, K.-L. see T. Mourad-Terzian (475) 22
Minami, K. see K. Sato (469) 147
Minami, K. see M. Suzuki (470) 370
Minet, E., T. Arnould, G. Michel, I. Roland, D. Mottet, M. Raes, J. Remacle and C. Michiels, ERK activation upon hypoxia: involvement in HIF-1 activation (468) 53
Miralles, C., X. Busquets, C. Santos, B. Togores, S. Hussain, I. Rahman, W. MacNee and A.G.N. Agusti, Regulation of iNOS expression and glutathione levels in rat liver by oxygen tension (476) 253
Mirande, M. see E. Berthonneau (470) 300
Mirey, G. see B. Vayssière (467) 91
Miroux, B. see I. Arechaga (482) 215
Misawa, N. see H. Tatsuzawa (484) 280
Miskiewicz, E. see A.G. Ivanov (485) 173
Miskin, J.E. see W.D. Bulimo (471) 17
Mita, K. see Y. Hahn (482) 31
Mitchelhill, K.I. see A. Hammet (471) 141
Mitra, K., D. Zhou and J.E. Galán, Biophysical characterization of SipA, an actin-binding protein from *Salmonella enterica* (482) 81
Mitra, N. see S. Chakravarty (476) 296
Mitra, S. see S. Prasad (477) 157
Mitraki, A. see M. Luckey (468) 23
Mitsui, Y. see S.C. Kaul (474) 159
Mitta, G., F. Vandenbulcke and P. Roch, Original involvement of antimicrobial peptides in mussel innate immunity (486) 185
Miura, N. see X.-L. Yang (470) 29
Miura, N. and A. Naganuma, Metallothionein mediates gene expression of 3.1 mRNA (PTZ17) related to epileptic seizure (479) 146
Miura, S., J. Zhang and S.S. Karnik, Angiotensin II type 1 receptor-function affected by mutations in cytoplasmic loop CD (470) 331
Miwa, S. see K. Mogami (466) 395
Miyakawa, T. see M. Suda (486) 305
Miyake, C. see Y. Shirano (485) 178
Miyake, T. see N. Todoroki-Ikeda (482) 85
Miyake, T. see N. Todoroki-Ikeda (483) 186
Miyamura, T. see A. Utama (465) 74
Miyasaka, K. see A. Funakoshi (466) 264
Miyasaka, M. see K. Kuno (478) 241
Miyasaka, N. see J. Endo (468) 234
Miyata, S. see Y. Chimori (469) 67
Miyata, S. see T. Urao (478) 227
Miyata, Y. see T. Hamada (475) 97
Miyata, Y. see K. Ui-Tei (479) 79
Miyatake, K. see M. Nakazawa (479) 155
Miyawaki, K. see Y. Ihara (473) 24
Miyazaki, J. see S. Kawamoto (470) 263
Miyazaki, M. see S. Takai (467) 141
Miyazawa, T. see J.-H. Oak (481) 0
Miyoshi, H. see H. Sakurai (474) 141
Mizuguchi, H., T. Hosono and T. Hayakawa, Long-term replication of Epstein-Barr virus-derived episomal vectors in the rodent cells (472) 173
Mizukami, J. see H. Sakurai (474) 141
Mizukami, Y. see K. Mogami (466) 395
Mizukami, Y. see N. Todoroki-Ikeda (482) 85
Mizukami, Y. see N. Todoroki-Ikeda (483) 186
Mizuno, H. see A. Kuno (482) 231
Mizuno, M., R. Fujisawa and Y. Kuboki, Carboxyl-terminal propeptide of type I collagen (c-propeptide) modulates the action of TGF-β on MC3T3-E1 osteoblastic cells (479) 123
Mizuno, T. see M. Matsubara (470) 118
Mizuochi, T. see D. Muno (478) 178
Mizutani, T. and C. Goto, Eukaryotic selenocysteine tRNA has the 9/4 secondary structure (466) 359
Mobashery, S. see C. Therrien (470) 285
Moczygemba, C., J. Guidry and P. Wittung-Stafshede, Heme orientation affects holo-myoglobin folding and unfolding kinetics (470) 203
Modi, S. see F.J. Kaye (467) 348
Moens, L. see M.C. Marden (472) 221
Moeslinger, T., R. Friedl, I. Volf, M. Brunner, E. Koller and P.G. Spieckermann, Inhibition of inducible nitric oxide synthesis by oxidized lipoprotein(a) in a murine macrophage cell line (478) 95
Moeslinger, T. see I. Volf (483) 155
Moffett, P. and J. Pelletier, Different transcriptional properties of mSim-1 and mSim-2 (466) 80
Mogami, K., Y. Mizukami, N. Todoroki-Ikeda, M. Ohmura, K. Yoshida, S. Miwa, M. Matsuzaki, M. Matsuda and S. Kobayashi, Erratum to: Sphingosylphosphorylcholine induces cytosolic $Ca^{2+}$ elevation in endothelial cells in situ and causes endothelium-dependent relaxation through nitric oxide production in bovine coronary artery (FEBS 22521) (466) 395
Mogami, K. see N. Todoroki-Ikeda (482) 85
Mogami, K. see N. Todoroki-Ikeda (483) 186
Mogi, K. see T. Yasuda (467) 231
Mohr, S. see B.H. Rihn (480) 95
Moi, D. see F. Visioli (471) 75
Molina, A., F. Biemar, F. Müller, A. Iyengar, P. Prunet, N. Maclean, J.A. Martial and M. Muller, Cloning and expression analysis of an inducible *HSP70* gene from tilapia fish (474) 5
Molina, L., C. Marino-Buslje, D.R. Quinn and K. Siddle, Structural domains of the insulin receptor and IGF receptor required for dimerisation and ligand binding (467) 226
Molinas, M. see M. Pla (472) 14
Mollard, P. see E. Maury (466) 228
Molle, G. see E. Dé (469) 93
Moller, D.E. see M.D. Leibowitz (473) 333
Moller, I.M. see A. Struglics (475) 213
Moller, M. see L.H. Jensen (480) 201
Molloy, J.E., J. Kendrick-Jones, C. Veigel and R.T. Tregear, An unexpectedly large working stroke from chymotryptic fragments of myosin II (480) 293
Mondola, P., M. Bifulco, R. Serù, T. Annella, M.R. Ciriolo and M. Santillo, Presence of CuZn superoxide dismutase in human serum lipoproteins (467) 57
Mondorf, U.F., H. Geiger, M. Herrero, S. Zeuzem and A. Piiper, Involvement of the platelet-derived growth factor receptor in angiotensin II-induced activation of extracellular regulated kinases 1 and 2 in human mesangial cells (472) 129
Monsan, P. see G. Potocki de Montalk (471) 219
Monsan, P. see P. Sarçabal (474) 33
Montañez, C. see E. González (482) 209
Monte, M. see L. Collavin (481) 57
Monteil, A. see J. Chemin (478) 166
Monti, D. see W. Malorni (468) 125
Montiel, C. see E. Garcia-Palomero (481) 235
Montoya, J. see J. Asín (480) 161
Montuori, N., S. Salzano, G. Rossi and P. Ragno, Urokinase-type plasminogen activator up-regulates the expression of its cellular receptor (476) 166
Moody, T.N., J. Ochieng and F. Villalta, Novel mechanism that *Trypanosoma cruzi* uses to adhere to the extracellular matrix mediated by human galectin-3 (470) 305
Moolenaar, G. see M. Sohi (465) 161
Moore, E.D.W. see N.D. Maruoka (473) 188
Moore, G.R. see J.P. Hannan (468) 161
Moosmang, S. see G. Bohn (481) 73

Moran, O., M. Nizzari and F. Conti, Endogenous expression of the β1A sodium channel subunit in HEK-293 cells (473) 132
Moras, D. see P.F. Egea (476) 62
Morby, A.P. see J.R. Wilson (472) 78
Morcock, D.R., R.C. Sowder II and J.R. Casas-Finet, Role of the histidine residues of visna virus nucleocapsid protein in metal ion and DNA binding (476) 190
Moretti, L. see S. Salvioli (469) 186
Moretti, L. see M. Garcia Fernandez (478) 290
Morgan, M.R.A. see A.J. Day (468) 166
Morgenstern, R. see L. Forsberg (471) 78
Mori, A. see A. Higashitani (485) 35
Mori, H., M. Inoue, M. Yano, H. Wakabayashi and H. Kido, 14-3-3τ associates with a translational control factor FKBP12-rapamycin-associated protein in T-cells after stimulation by pervanadate (467) 61
Mori, H. see S. Makino (467) 365
Mori, K. see A. Nakashima (465) 59
Mori, K., A. Yoshimoto, K. Takaya, K. Hosoda, H. Ariyasu, K. Yahata, M. Mukoyama, A. Sugawara, H. Hosoda, M. Kojima, K. Kangawa and K. Nakao, Kidney produces a novel acylated peptide, ghrelin (486) 213
Mori, M. see S. Oyadomari (478) 141
Mori, O. see K. Suzuki (481) 53
Mori, S. see T. Yasuda (467) 231
Mori, T., H. Okamoto, N. Takahashi, R. Ueda and T. Okamoto, Aberrant overexpression of 53BP2 mRNA in lung cancer cell lines (465) 124
Moriguchi, T. see M. Kita (469) 173
Morikawa, M. see K. Hyun-Ju (483) 139
Morikawa, S. see A. Utama (465) 74
Morillas, M., J. Clotet, B. Rubi, D. Serra, G. Asins, J. Ariño and F.G. Hegardt, Identification of the two histidine residues responsible for the inhibition by malonyl-CoA in peroxisomal carnitine octanoyltransferase from rat liver (466) 183
Morimatsu, M. see H. Kitamura (485) 53
Morimoto, H. see V. Faivre (471) 56
Morinaga, T. see S. Okada (485) 153
Morinaga, T. see H. Furumoto (486) 195
Morishima, M. see Y. Nishii (465) 153
Morishima, T. see K. Asamitsu (467) 366
Morita, A. see Y. Matsumoto (478) 67
Morita, K. see A. Utama (465) 74
Morita, K. see T. Yokogawa (473) 222
Morita, S. see M. Nakagawa (473) 161
Moritake, T. see H. Nakagawa (471) 187
Moritz, T. see J. Duranton (473) 154
Moriya, R., T. Uehara and Y. Nomura, Mechanism of nitric oxide-induced apoptosis in human neuroblastoma SH-SY5Y cells (484) 253
Moriyama, T. see H. Okudo (465) 145
Moriyama, Y. see K. Hayami-Noumi (468) 68
Morkuniene, R. see V. Borutaite (467) 155
Morley, S.J., I. Jeffrey, M. Bushell, V.M. Pain and M.J. Clemens, Differential requirements for caspase-8 activity in the mechanism of phosphorylation of eIF2α, cleavage of eIF4GI and signaling events associated with the inhibition of protein synthesis in apoptotic Jurkat T cells (477) 229
Mornet, D. see E. González (482) 209
Mornon, J.-P. see M. Souchet (477) 99
Moroder, L. see N. Schaschke (482) 91
Morris, J.B., K.A. Hinchliffe, A. Ciruela, A.J. Letcher and R.F. Irvine, Thrombin stimulation of platelets causes an increase in phosphatidylinositol 5-phosphate revealed by mass assay (475) 57
Mortin, M.A. see I. Dekel (472) 99
Moser, M. see C. Faveeuw (486) 261
Mosher, D.F. see T. Ivanina (466) 327
Moshkov, I.E. see G.V. Novikova (474) 29
Moskvin, O.V., B.N. Ivanov, L.K. Ignatova and M.A. Kollmeier, Light-induced stimulation of carbonic anhydrase activity in pea thylakoids (470) 375
Moskvitina, T.A. see I.P. Ashmarin (486) 49
Mössner, E., H. Iwai and R. Glockshuber, Influence of the p$K_a$ value of the buried, active-site cysteine on the redox properties of thioredoxin-like oxidoreductases (477) 21
Mössner, J. see C. Lange-zu Dohna (484) 77
Mostowski, H. see L.J. Graham (470) 273
Motoda, R. see T. Inoue (469) 14
Motohashi, K., S. Shibata, Y. Ozaki, Y. Yatomi and Y. Igarashi, Identification of lysophospholipid receptors in human platelets: the relation of two agonists, lysophosphatidic acid and sphingosine 1-phosphate (468) 189
Motoji, T. see K. Watari (466) 367
Motoyoshi, K. see J. Ota (466) 96
Mottet, D. see E. Minet (468) 53
Motzkus, D., E. Maronde, U. Grunenberg, C.C. Lee, W.-G. Forssmann and U. Albrecht, The human *PER1* gene is transcriptionally regulated by multiple signaling pathways (486) 315
Mouchiroud, G. see C. Bourgin (480) 113
Moulding, D.A. see C. Akgul (478) 72
Mounier, C. see S. Braud (471) 12
Mourad-Terzian, T., J.-P. Steghens, K.-L. Min, C. Collombel and D. Bozon, Creatine kinase isoenzymes specificities: histidine 65 in human CK-BB, a role in protein stability, not in catalysis (475) 22
Mouray, E. see I. Florenta (484) 246
Moutsaki, P., J. Bellingham, B.G. Soni, Z.K. David-Gray and R.G. Foster, Sequence, genomic structure and tissue expression of carp (*Cyprinus carpio* L.) vertebrate ancient (VA) opsin (473) 316
Mucha, J. see R. Strasser (472) 105
Mueller-Lantzsch, N. see A. Boese (468) 65
Muenchbach, M. see A.M. Brunati (471) 151
Muff, R. see N. Bühlmann (486) 320
Mühlenhoff, U. see W. Pelzer (476) 134
Mukai, M., H. Nakamura, M. Tatsuta, T. Iwasaki, A. Togawa, F. Imamura and H. Akedo, Hepatoma cell migration through a mesothelial cell monolayer is inhibited by cyclic AMP-elevating agents via a Rho-dependent pathway (484) 69
Mukherjee, J.J. see Q.-B. She (469) 163
Mukherjee, J.J. see Q.-B. She (473) 33
Mukoyama, M. see K. Mori (486) 213
Müller, C.W. see G. Cingolani (484) 291
Müller, F. see A. Molina (474) 5
Müller, G. see M. Angermayr (481) 8
Müller, M., L. Büchi, K. Woodtli, A. Haeberli and J.H. Beer, Preparation and characterization of 'heparinocytes': erythrocytes with covalently bound low molecular weight heparin (468) 115
Muller, M. see A. Molina (474) 5
Müller, V. see D. Heidkaemper (480) 265
Müller-Newen, G. see A. Timmermann (468) 120
Mullineaux, C.W. see N.H. Mann (479) 72
Munnerlyn, A. see G.C. Pérez-Alvarado (470) 125
Muno, D., E. Kominami and T. Mizuochi, Generation of both MHC class I- and class II-restricted antigenic peptides from exogenously added ovalbumin in murine phagosomes (478) 178
Munoz, A. see M.V. González (466) 395
Muñoz-Chapuli, R. see C. Avila Sáez (477) 237
Muñoz-Garay, C. see F. Espinosa (475) 251
Munro, A.W. see T.W.B. Ost (486) 173
Munthe, E., E. Rian, T. Holien, A.-M. Rasmussen, F.O. Levy and H.-C. Aasheim, Ephrin-B2 is a candidate ligand for the Eph receptor, EphB6 (466) 169
Mur, C. see A.M. Valverde (472) 153
Muraguchi, A. see T. Matsuda (472) 235
Muraguchi, A. see T. Yamamoto (486) 143
Murakami, A. see T. Maeda (470) 336
Murakami, M. see N. Ueno (475) 242
Murakami, S., Y. Kondo, T. Nakano and F. Sato, Protease activity of CND41, a chloroplast nucleoid DNA-binding protein, isolated from cultured tobacco cells (468) 15
Murali, R. see D. Lai (469) 191
Muramatsu, M. see K. Ikeda (472) 9
Muranyi, A., J. Evenäs, Y. Stenberg, J. Stenflo and T. Drakenberg, $^{1}H$, $^{15}N$ and $^{13}C$ assignments and secondary structure of the EGF-like module pair 3–4 from vitamin K-dependent protein S (475) 135
Murata, N. see J. Urano (466) 107
Murata, Y. see K.-Y. Wang (473) 345
Murdoch, J. see T.W.B. Ost (486) 173
Murdock, L.L. see H. Koiwa (471) 67
Murofushi, H. see T. Yamada (466) 287
Murphy, D. see F.M. de Bree (475) 175
Murphy, G. see A. Amour (473) 275
Murphy, G. see J.O. Stracke (478) 52
Murphy, K.J. see Y. Cao (467) 263

Murphy, L.I., D. Fischer, R. Chiquet-Ehrismann and E.J. Mackie, Tenascin-C induced stimulation of chondrogenesis is dependent on the presence of the C-terminal fibrinogen-like globular domain (480) 189
Murphy, M.P. see A. Renold (465) 135
Murphy, M.P. see J.L. Scarlett (475) 267
Murray, J. see R. Carrozzo (486) 297
Murrell, G.A.C. see X.L. Wang (471) 45
Musacchio, A. see A. Orrico (478) 216
Musci, G. see M.C. Bonaccorsi di Patti (472) 283
Mustárdy, L. see C. Seregélyes (482) 125
Mustárdy, L. see C. Seregélyes (485) 207
Mustjoki, S., N. Sidenius and A. Vaheri, Enhanced release of soluble urokinase receptor by endothelial cells in contact with peripheral blood cells (486) 237
Muta, T. see T. Irie (467) 160
Muto, A. see N. Nameki (470) 345
Mutomba, M.C., H. Yuan, M. Konyavko, S. Adachi, C.B. Yokoyama, V. Esser, J. McGarry, B.M. Babior and R.A. Gottlieb, Regulation of the activity of caspases by L-carnitine and palmitoylcarnitine (478) 19

# N

Na, D.S. see J. Oh (477) 244
Na, D.-S. see M.-K. Yoon (484) 241
Nabedryk, E. and J. Breton, Comments on Identification of a hydrogen bond in the Phe-M197→Tyr mutant reaction center of the photosynthetic purple bacterium *Rhodobacter sphaeroides* by X-ray crystallography and FTIR spectroscopy (FEBS 23044) (477) 283
Naber, C., B.L. Hermann, D. Vietzke, C. Altmann, M. Haude, K. Mann, D. Rosskopf and W. Siffert, Enhanced epinephrine-induced platelet aggregation in individuals carrying the G protein β3 subunit 825T allele (484) 199
Nadanaciva, S. see J. Weber (483) 1
Nagahama, M. see T. Yamaguchi (470) 25
Nagahama, Y. see T. Todo (465) 12
Nagahama, Y. see M. Tokumoto (472) 62
Nagahata, H. see T. Yamamori (467) 253
Nagai, K. see A. Takano (477) 106
Nagai, R. see T. Nakajima (481) 197
Nagai, R. see M. Suzuki (470) 370
Nagamura, F. see K. Watari (466) 367
Nagamura, Y. see S. Hiraga (471) 245
Nagamura-Inoue, T. see K. Watari (466) 367
Nagano, M., T. Shinohara, M.R. Avarbock and R.L. Brinster, Retrovirus-mediated gene delivery into male germ line stem cells (475) 7
Naganuma, A. see N. Miura (479) 146
Nagao, M., Y. Kaziro and H. Itoh, Thrombin-induced inhibition of myoblast differentiation is mediated by Gβγ (472) 297
Nagaraja, V. see T. Bhaduri (486) 126
Nagasawa, H. see Y. Nishikawa (466) 179
Nagase, H. see G. Kostoulas (466) 394
Nagase, T. see M. De Toledo (480) 287
Nagashima, A. see M. Fujiwara (481) 47
Nagata, K. see N. Hosokawa (466) 19
Nagata, K. see J. Endo (468) 234
Nagata, K. see J. Koike (477) 84
Nagata, N. see J. Ota (466) 96
Nagata, S. see T. Yokogawa (473) 222
Nagatsu, T. see A. Nakashima (465) 59
Nagel, G. see G.A. Sauer (469) 98
Nagl, S.B. see I. Stec (473) 1
Nagley, P. see X. Roucou (471) 235
Nair, A.K. and K.M.J. Menon, Regulatory role of the 3′ untranslated region of luteinizing hormone receptor: effect on mRNA stability (471) 39
Naito, Y., H. Shiraishi and T. Inoue, Requirements for alternative forms of the activator domain, P5abc, in the *Tetrahymena* ribozyme (466) 273
Najib, A., P. Pelliccioni, C. Gil and J. Aguilera, Serotonin transporter phosphorylation modulated by tetanus toxin (486) 136
Najimi, M. see P. Gailly (483) 109
Nakada, H. see E. Osinaga (469) 24
Nakagawa, H., T. Moritake, K. Tsuboi, N. Ikota and T. Ozawa, Induction of superoxide in glioma cell line U87 stimulated with lipopolysaccharide and interferon-γ: ESR using a new flow-type quartz cell (471) 187
Nakagawa, H. see J. Okano (473) 95
Nakagawa, K. see J.-H. Oak (481) 0
Nakagawa, M., T. Kaneda, T. Arakawa, S. Morita, T. Sato, T. Yomada, K. Hanada, M. Kumegawa and Y. Hakeda, Vascular endothelial growth factor (VEGF) directly enhances osteoclastic bone resorption and survival of mature osteoclasts (473) 161
Nakagawa, N. see R. Kato (482) 159
Nakagawa, T. see J. Urano (466) 107
Nakagomi, K., R. Yamada, H. Ebisu, Y. Sadakane, T. Akizawa and T. Tanimura, Isolation of Acein-2, a novel angiotensin-I-converting enzyme inhibitory peptide derived from a tryptic hydrolysate of human plasma (467) 235
Nakahashi, T., H. Fujimura, C. Altar, J. Li, J. Kambayashi, N.N. Tandon and B. Sun, Vascular endothelial cells synthesize and secrete brain-derived neurotrophic factor (470) 113
Nakahata, T. see H. Sugiyama (467) 259
Nakai, T. see K. Takekoshi (477) 273
Nakajima, T. see P. Escoubas (483) 175
Nakajima, T., M. Kurabayashi, Y. Ohyama, Y. Kaneko, T. Furukawa, T. Itoh, Y. Taniguchi, T. Tanaka, Y. Nakamura, M. Hiraoka and R. Nagai, Characterization of S818L mutation in *HERG* C-terminus in LQT2 (481) 197
Nakajima, T. see T. Yasuda (467) 231
Nakamoto, H., N. Suzuki and S.K. Roy, Constitutive expression of a small heat-shock protein confers cellular thermotolerance and thermal protection to the photosynthetic apparatus in cyanobacteria (483) 169
Nakamoto, M. see A. Iwahori (466) 239
Nakamoto, R.K. see J.A. MacDonald (479) 83
Nakamura, H. see K. Kuno (478) 241
Nakamura, H. see S. Inouye (481) 19
Nakamura, H. see M. Mukai (484) 69
Nakamura, H. see K. Shioji (472) 109
Nakamura, K. see H. Hasegawa (473) 76
Nakamura, M. see M. Takase (466) 249
Nakamura, S. see T. Inoue (469) 14
Nakamura, T. see C. Shukunami (469) 83
Nakamura, T. see G. Shiota (470) 325
Nakamura, Y. see J. Ota (466) 96
Nakamura, Y. see T. Nakajima (481) 197
Nakanishi, T. see S. Kubota (474) 58
Nakano, K. see Y. Yokota (478) 187
Nakano, M. see T. Kirikae (478) 221
Nakano, M. see H. Tatsuzawa (484) 280
Nakano, T. see M. Koyama (475) 197
Nakano, T. see Y. Ishimoto (466) 197
Nakano, T. see S. Murakami (468) 15
Nakano, Y. see M. Nakazawa (479) 155
Nakao, K. see K. Mori (486) 213
Nakashima, A., N. Hayashi, K. Mori, Y.S. Kaneko, T. Nagatsu and A. Ota, Positive charge intrinsic to $Arg^{37}$-$Arg^{38}$ is critical for dopamine inhibition of the catalytic activity of human tyrosine hydroxylase type 1 (465) 59
Nakashima, M. see Y. Wang (470) 151
Nakashima, T.M. see I. Dan (469) 19
Nakashima, Y. see T. Yasuda (467) 231
Nakata, M. see Y. Wang (470) 151
Nakata, M. see K.P. Sarker (472) 39
Nakatani, Y. see S. Bagby (468) 149
Nakayama, D. see H. Hanai (470) 97
Nakayama, H. see M. Nojiri (465) 173
Nakayama, K. see K. Kitagawa (476) 306
Nakayama, K. see K. Kitagawa (476) 306
Nakayama, Y. see K. Shioji (472) 109
Nakayama, Y., M. Yasui, K. Sugahara, M. Hayashi and T. Unemoto, Covalently bound flavin in the NqrB and NqrC subunits of $Na^+$-translocating NADH-quinone reductase from *Vibrio alginolyticus* (474) 165
Nakazato, E. see T. Yasuda (467) 231
Nakazawa, K. see J. Akai (479) 29

Nakazawa, M., H. Inui, R. Yamaji, T. Yamamoto, S. Takenaka, M. Ueda, Y. Nakano and K. Miyatake, The origin of pyruvate:NADP$^+$ oxidoreductase in mitochondria of *Euglena gracilis* (479) 155
Nakazono, M. see H. Tsuji (471) 201
Namba, N. see Y. Matsumoto (478) 67
Nameki, N., T. Tadaki, H. Himeno and A. Muto, Three of four pseudoknots in tmRNA are interchangeable and are substitutable with single-stranded RNAs (470) 345
Nanayakkara, N.P. see J.G. Romagni (480) 301
Naquet, P. see G. Pitari (483) 149
Narayan, M. see L.K. Low (472) 67
Nargeot, J. see J. Chemin (478) 166
Närlid, I. see L. Svensson (470) 178
Naseem, K.M., S.Y. Low, M. Sabetkar, N.J. Bradley, J. Khan, M. Jacobs and K. Bruckdorfer, The nitration of platelet cytosolic proteins during agonist-induced activation of platelets (473) 119
Nash, P., G. McFadden and A. Whitty, Application of linear free energy relationships to the serpin–proteinase inhibition mechanism (475) 1
Nashimoto, M., Anomalous RNA substrates for mammalian tRNA 3′ processing endoribonuclease (472) 179
Nassal, M. see G. Beterams (481) 169
Nataro, J.P. see M.-I. Garcia (479) 111
Nath, S. see S. Jain (476) 113
Natoli, C. see P. Matarrese (473) 311
Natter, K. see B. Prein (485) 29
Nava, V.E., E. Lacana', S. Poulton, H. Liu, M. Sugiura, K. Kono, S. Milstien, T. Kohama and S. Spiegel, Functional characterization of human sphingosine kinase-1 (473) 81
Navarro, F. see E. Martin-Figueroa (476) 282
Navarro, P. see A.M. Valverde (472) 153
Neckelman, G. see G. Jacob (466) 363
Neefs, J.-M. see I. Van den Wyngaert (478) 77
Negishi, M. see H. Hasegawa (473) 76
Negishi, M. see L.C. Pedersen (475) 61
Negri, A. see R. Bernardi (467) 296
Neitz, S. see A. Krause (480) 147
Nelemans, A. see C.M. Filipeanu (474) 107
Németh, A., A. Svingor, M. Pócsik, J. Dobó, C. Magyar, A. Szilágyi, P. Gál and P. Závodszky, Mirror image mutations reveal the significance of an intersubunit ion cluster in the stability of 3-isopropylmalate dehydrogenase (468) 48
Neri, L.M. see P. Borgatti (477) 27
Nespoulous, C. see L. Briand (476) 179
Netto, L.E.S. see A.J. Kowaltowski (473) 177
Neuberger, Y., H. Shogomori, Z. Levy, M. Fainzilber and A.H. Futerman, A lyso-platelet activating factor phospholipase C, originally suggested to be a neutral-sphingomyelinase, is located in the endoplasmic reticulum (469) 44
Neugebauer, E. see U. Schäfer (466) 148
Neuhaus, G. see C. Köhler (471) 133
Neuhaus, G. see P. Obrdlik (476) 208
Neuhaus, T. see S. Stier (467) 299
Neuhuber, B. see B.E. Flucher (474) 93
Neupert, W. see C. Klanner (470) 365
Neusch, C. see T. Ivanina (466) 327
Neusser, M. see M. Walter (479) 51
Neveu, R. see B. Georges (481) 249
Neville, R. see D. Xu (470) 20
Nevo, I. see M.-H. Rhee (466) 300
Nevo, I. see K. Eckhardt (470) 309
Newham, P. see K. Clark (471) 182
Newman, J. see N.H. Mann (479) 72
Newns, D.M. see Q. Zhong (473) 195
Ng, T.B. see T.K. Au (471) 169
Nguyen, T. see X.D. Zhang (482) 193
Nguyen, V.-A. see X. Shen (480) 132
Ni, F. see J. Song (475) 157
Nicholson, G.M. see T.H. Szeto (470) 293
Nicholson, J.K. see J.L. Griffin (478) 147
Nicholson, J.K. see C.L. Gavaghan (484) 169
Nicholson, J.K. see J.L. Griffin (486) 225
Nickel, J. see T. Kirsch (468) 215
Nickel, R., T. Jacobs, B. Urban, H. Scholze, H. Bruhn and M. Leippe, Two novel calcium-binding proteins from cytoplasmic granules of the protozoan parasite *Entamoeba histolytica* (486) 112
Nicolaides, N.C. see J.-B. Demoulin (482) 200
Nicolson, T. and P. Mayinger, Reconstitution of yeast microsomal lipid flip-flop using endogenous aminophospholipids (476) 277
Niedenthal, R. see A. Koch (469) 72
Niemann, H. see A. Koch (469) 72
Niemann, H. see A. Mancini (482) 54
Niemietz, C.M. and S.D. Tyerman, Channel-mediated permeation of ammonia gas through the peribacteroid membrane of soybean nodules (465) 110
Niessen, H. and K. Willecke, Strongly decreased gap junctional permeability to inositol 1,4,5-trisphosphate in connexin32 deficient hepatocytes (466) 112
Nieva, J.L. see T. Suárez (477) 145
Niewiarowski, S. see B.F. Santos (477) 199
Niggli, V., A membrane-permeant ester of phosphatidylinositol 3,4,5-trisphosphate ($PIP_3$) is an activator of human neutrophil migration (473) 217
Niki, E. see Y. Okimoto (474) 137
Niki, I. see S. Iino (479) 46
Niki, T., I. Galli, H. Ariga and S.M.M. Iguchi-Ariga, MSSP, a protein binding to an origin of replication in the *c-myc* gene, interacts with a catalytic subunit of DNA polymerase α and stimulates its polymerase activity (475) 209
Nilius, B., J. Prenen, M.P. Walsh, I. Carton, M. Bollen, G. Droogmans and J. Eggermont, Myosin light chain phosphorylation-dependent modulation of volume-regulated anion channels in macrovascular endothelium (466) 346
Nilius, B. see L. Wei (473) 149
Nilius, S.M., A. Hasse, P. Kuger, K. Schrör and J. Meyer-Kirchrath, Agonist-induced long-term desensitization of the human prostacyclin receptor (484) 211
Nilsen, H. see H.E. Krokan (476) 73
Nilsson, C. see T. Larsson (469) 155
Nilsson, J., B. Persson and G. von Heijne, Consensus predictions of membrane protein topology (486) 267
Nilsson, T. see M. Weiss (486) 2
Ninomiya, C. see M. Watanabe (473) 139
Ninomiya-Tsuji, J. see I. Dan (469) 19
Nir, S. see T. Suárez (477) 145
Nishida, R. see K. Tsuchihara (478) 299
Nishida, W. see Y. Chimori (469) 67
Nishihara, M. see E. Kuranaga (466) 279
Nishihara, M. see E. Kuranaga (472) 137
Nishihara, T. see M. Imagawa (484) 118
Nishii, Y., M. Morishima, Y. Kakehi, K. Umehara, N. Kioka, Y. Terano, T. Amachi and K. Ueda, CROP/Luc7A, a novel serine/arginine-rich nuclear protein, isolated from cisplatin-resistant cell line (465) 153
Nishijima, M. see K. Hanada (474) 63
Nishikawa, M., T. Hagishita, H. Yurimoto, N. Kato, Y. Sakai and T. Hatanaka, Primary structure and expression of peroxisomal acetylspermidine oxidase in the methylotrophic yeast *Candida boidinii* (476) 150
Nishikawa, T. see I. Tsujio (469) 111
Nishikawa, Y., A. Iwata, X. Xuan, H. Nagasawa, K. Fujisaki, H. Otsuka and T. Mikami, Expression of canine interferon-β by a recombinant vaccinia virus (466) 179
Nishikawa, Y. see E. Yasugi (480) 197
Nishimoto, M. see S. Takai (467) 141
Nishimura, A. see T. Ono (466) 233
Nishino, T. see K. Hirooka (481) 68
Nishio, T. see T. Suzuki (482) 102
Nishio, Y. see T. Yokogawa (473) 222
Nishiyama, Y. see S. Joshi (468) 11
Nisoli, E. see M.G. Cattaneo (481) 271
Nitiss, J.L. see L.H. Jensen (480) 201
Nitsch, R.M. see A. Ferrari (486) 121
Niwa, H. see S. Kawamoto (470) 263
Niwa, T. see S. Iino (479) 46
Nizzari, M. see O. Moran (473) 132
Nobile, M., M. Pusch, C. Rapisarda and S. Ferroni, Single-channel analysis of a ClC-2-like chloride conductance in cultured rat cortical astrocytes (479) 10
Noble, F., N. Luciani, S. Da Nascimento, R. Laï-Kuen, L. Bischoff, H. Chen, M.-C. Fournié-Zaluski and B.P. Roques, Binding properties of a highly potent and selective iodinated aminopeptidase N inhibitor appropriate for radioautography (467) 81
Nochy, D. see E. Daugas (476) 118

Nock, S., W. Liang, H.M. Warrick and J.A. Spudich, Mutational analysis of phosphorylation sites in the *Dictyostelium* myosin II tail: disruption of myosin function by a single charge change (466) 267
Noda, M. see H. Izumi (481) 31
Noda, Y. see J.-H. Cho (469) 151
Noegel, A.A. see D. Verzili (471) 197
Nofer, J.-R. see M. Walter (479) 51
Nogami, M. see H.-S. Park (475) 167
Noguchi, H. see I. Abe (483) 131
Noguchi, M. see M. Sugishima (471) 61
Noguchi, N. see Y. Okimoto (474) 137
Noguchi, S. see M. Takase (466) 249
Nogueira, V. see M.A. Piquet (468) 239
Nöhring, S. see R. Horstkorte (470) 315
Noiges, R. see M. Bayer (466) 389
Nojek, I. see S. Werbajh (485) 195
Noji, H. see S.P. Tsunoda (470) 244
Nojima, H. see Y. Tanaka (472) 254
Nojiri, M., H. Nakayama, M. Odaka, M. Yohda, K. Takio and I. Endo, Cobalt-substituted Fe-type nitrile hydratase of *Rhodococcus* sp. N-771 (465) 173
Nolan, Sh.M., E.C. Mathew, S.L. Scarth, A. Al-Shamkhani and S.K. Law, The effects of cysteine to alanine mutations of CD18 on the expression and adhesion of the CD11/CD18 integrins (486) 89
Nolting, A. see R. Behrens (474) 99
Nolting, H.F. see M. Hernandez Valladares (467) 221
Nolting, H.F. see M.H. Valladares (477) 285
Nomi, T. see G. Shiota (470) 325
Nomura, T. see Y. Fujinaga (467) 179
Nomura, Y. see A. Ito (470) 360
Nomura, Y. see R. Moriya (484) 253
Nonaka, T. see H. Sugiyama (467) 259
Nord, J., M. Kiefer, H.-W. Adolph, M.M. Zeppezauer and P.-O. Nyman, Transient kinetics of ligand binding and role of the C-terminus in the dUTPase from equine infectious anemia virus (472) 312
Nordén, B. see P.E.G. Thorén (482) 265
Nordgren, G. see W. Li (470) 35
Norgauer, J. see D. Ferrari (486) 217
Norman, J.C. and J.M. Allen, Endocytosis of FcγRI is regulated by two distinct signalling pathways (484) 179
Normant, E. see N.X. Cawley (481) 37
Noumi, T. see K. Hayami-Noumi (468) 68
Novac, N. see N.H. Mann (479) 72
Novikova, G.V., I.E. Moshkov, A.R. Smith and M.A. Hall, The effect of ethylene on MAPKinase-like activity in *Arabidopsis thaliana* (474) 29
Nozari, A. see S. Basu (470) 1
Nozawa, Y. see M. Czarny (467) 326
Nsanzumuhire, C. see H. Zhang (473) 58
Nucci, C. see F. Acquati (468) 59
Nufer, O. see H.-P. Hauri (476) 32
Nugent, J.H.A. see M.C.W. Evans (477) 113
Numao, S., S. He, G. Evjen, S. Howard, O.K. Tollersrud and S.G. Withers, Identification of Asp197 as the catalytic nucleophile in the family 38 α-mannosidase from bovine kidney lysosomes (484) 175
Nunan, J. and D.H. Small, Regulation of APP cleavage by α-, β- and γ-secretases (483) 6
Nurcombe, V. see A.-S. Vercoutter-Edouart (478) 209
Nyman, P.-O. see J. Nord (472) 312

# O

Oak, J.-H., K. Nakagawa and T. Miyazawa, Synthetically prepared Amadori-glycated phosphatidylethanolamine can trigger lipid peroxidation via free radical reactions (481) 0
Obara, S. see K.P. Sarker (472) 39
Oberegger, H., I. Zadra, M. Schoeser and H. Haas, Iron starvation leads to increased expression of Cu/Zn-superoxide dismutase in *Aspergillus* (485) 113
Obinata, M. see E. Arakawa (481) 193
Obinger, C. see P.G. Furtmüller (484) 139
Obrdlik, P., G. Neuhaus and T. Merkle, Plant heterotrimeric G protein β subunit is associated with membranes via protein interactions involving coiled-coil formation (476) 208
O'Brien, D.F. see C.R. Miller (467) 52
O'Brien, S. see M. Kos (477) 15
Obukhova, M.F. see I.P. Ashmarin (486) 49
Ochieng, J. see T.N. Moody (470) 305
Odaka, M. see M. Nojiri (465) 173
O'Donnell, R.A. see A.F. Cowman (476) 84
Oesterhelt, D. see A. Kuglstatter (477) 284
Offermanns, S. see E. Ponimaskin (478) 173
Ogawa, H., T. Haga and C. Toyoshima, Soluble P-type ATPase from an archaeon, *Methanococcus jannaschii* (471) 99
Ogawa, S. see S. Machida (486) 131
Ogino, K. see M. Takikawa (466) 381
Oguma, K. see Y. Fujinaga (467) 179
Oguma, T. see M. Sato (478) 34
Ogura, T. see S. Makino (467) 365
Ogura, T. see T. Tatsuta (478) 271
Oh, H.-J. see X.-Y. Wang (465) 98
Oh, J., H.J. Rhee, S.-W. Kim, S.B. Kim, H.-J. You, J.H. Kim and D.S. Na, Annexin-I inhibits PMA-induced c-*fos* SRE activation by suppressing cytosolic phospholipase A2 signal (477) 244
Oh, J. see H. Izumi (481) 31
Oh, J.Y. see I.S. Seong (477) 224
Oh, W.-K. see B.-Y. Kim (472) 45
Oh, Y. see T.-Y. Choi (483) 71
Ohara, O. see M. De Toledo (480) 287
Ohashi, Y. see S. Hiraga (471) 245
Ohe, Y. see K. Yamamoto (472) 267
Ohgi, K. see S. Joshi (468) 11
Ohguro, H. see T. Maeda (470) 336
Ohinata, K., A. Inui, A. Asakawa, K. Wada, E. Wada and M. Yoshikawa, Proadrenomedullin N-terminal 20 peptide (PAMP) elevates blood glucose levels via bombesin receptor in mice (473) 207
Ohira, Y. see M. Yamakuchi (477) 135
Ohlemeyer, C. see C. Schmidt (478) 276
Ohmura, M. see K. Mogami (466) 395
Ohno, H. see K. Kuno (478) 241
Ohno, M. see M. Suzuki (470) 370
Ohno, Y. see H. Shinoura (466) 255
Ohno, Y. see H. Shinoura (474) 257
Ohta, H. see N. Oosawa (474) 133
Ohta, K. see T. Yamada (466) 287
Ohta, S. see T. Yasukawa (467) 175
Ohtake, A. see K. Sato (469) 147
Ohtsu, Y. see T. Toyoda (481) 113
Ohtsuki, H. see A. Kuno (482) 231
Ohyama, Y. see T. Nakajima (481) 197
Oishi, N., H. Adachi and K. Sutoh, Novel *Dictyostelium* unconventional myosin, MyoM, has a putative RhoGEF domain (474) 16
Ojima, I. see T. Kirikae (478) 221
Oka, S., H. Kamata, K. Kamata, H. Yagisawa and H. Hirata, *N*-Acetylcysteine suppresses TNF-induced NF-κB activation through inhibition of IκB kinases (472) 196
Okada, M. see A. Takano (477) 106
Okada, S., T. Okada, T. Aimi, T. Morinaga and T. Itoh, HSP70 and ribosomal protein L2: novel 5S rRNA binding proteins in *Escherichia coli* (485) 153
Okada, T. see S. Okada (485) 153
Okada, Y. see S. Joshi (468) 11
Okada, Y. see K. Kuno (478) 241
Okamoto, H. see T. Mori (465) 124
Okamoto, K. see K. Kitagawa (476) 306
Okamoto, N. see H. Zhang (469) 39
Okamoto, T. see M. Suzuki (465) 23
Okamoto, T. see T. Mori (465) 124
Okamoto, T. see K. Asamitsu (467) 366
Okamura, A. see H. Zhang (469) 39
Okamura, H. see K. Yagita (465) 79
Okano, J., O.G. Opitz, H. Nakagawa, T.D. Jenkins, S.L. Friedman and A.K. Rustgi, The Krüppel-like transcriptional factors Zf9 and GKLF coactivate the human keratin 4 promoter and physically interact (473) 95
Okayama, H. see S. Kizaka-Kondoh (466) 160

Okazaki, K. see T. Suzuki (482) 102
Okimoto, Y., A. Watanabe, E. Niki, T. Yamashita and N. Noguchi, A novel fluorescent probe diphenyl-1-pyrenylphosphine to follow lipid peroxidation in cell membranes (474) 137
Okisaka, S. see T. Maeda (470) 336
Okita, K. see H. Kitamura (485) 53
Okita, T.W. see P.R. Salamone (482) 113
Oksche, A. see R. Schülein (466) 101
Oksche, A. see R. Schülein (473) 124
Oku, N. see M. Takikawa (466) 381
Oku, N. see H. Kikkawa (467) 211
Okuda, M. see Y. Urakami (473) 173
Okuda, T. and T. Haga, Functional characterization of the human high-affinity choline transporter (484) 92
Okudo, H., R. Urade, T. Moriyama and M. Kito, Catalytic cysteine residues of ER-60 protease (465) 145
Okuhara, K. see T. Yamada (466) 287
Okuma, E. see E. Yasugi (480) 197
Okumura, K. see H.-S. Park (475) 167
Okumura, Y. see T. Takai (484) 102
Okuzaki, D. see Y. Tanaka (472) 254
Olagnier, B. see F. Ruggiero (469) 132
Oldberg, Å. see L. Svensson (470) 178
Oldfield, E. see C.M. Szabo (482) 25
Oliveira, E.J. and D.G. Watson, In vitro glucuronidation of kaempferol and quercetin by human UGT-1A9 microsomes (471) 1
Oliveira, M.F., J.R. Silva, M. Dansa-Petretski, W. de Souza, C.M.S. Braga, H. Masuda and P.L. Oliveira, Haemozoin formation in the midgut of the blood-sucking insect *Rhodnius prolixus* (477) 95
Oliveira, P.L. see M.F. Oliveira (477) 95
Oliver, D.J. see I. Lutziger (484) 12
Oliver, J.D. see S. High (476) 38
Olivero, I., P. Mañas and L. M. Hernández, The *mnn2* mutant of *Saccharomyces cerevisiae* is affected in phosphorylation of *N*-linked oligosaccharides (475) 111
Olsen, B.R. see M. Ferreras (486) 247
Omata, Y. see M. Sugishima (471) 61
Omori, K. see K. Yuasa (466) 175
Omura, M. see M. Kita (469) 173
O'Neill, P. see M.E. Stroppolo (483) 17
Ong, C.N. see B. Qu (473) 85
Ongay-Larios, L., A.L. Saviñón-Tejeda, M.J. Williamson Jr., Ma.d.J. Durán-Avelar and R. Coria, The Leu-132 of the Ste4(Gβ) subunit is essential for proper coupling of the G protein with the Ste2 α factor receptor during the mating pheromone response in yeast (467) 22
Ono, S.J., G. Zhou, A.K.F. Tai, M. Inaba, K. Kinoshita and T. Honjo, Identification of a stimulus-dependent DNase I hypersensitive site between the Iα and Cα exons during immunoglobulin heavy chain class switch recombination (467) 268
Ono, T., Y. Iwatani, A. Nishimura, A. Ishimoto and H. Sakai, Functional association between the *nef* gene product and *gag-pol* region of HIV-1 (466) 233
Oosawa, N., T. Masuda, K. Awai, N. Fusada, H. Shimada, H. Ohta and K. Takamiya, Identification and light-induced expression of a novel gene of NADPH-protochlorophyllide oxidoreductase isoform in *Arabidopsis thaliana* (474) 133
Opekarová, M. see R. Graßl (468) 225
Opitz, O.G. see J. Okano (473) 95
Oppedijk, B.J. see W.L. Holtman (474) 48
Öquist, G. see A.G. Ivanov (485) 173
Orfanos, C.E. see M. Raisova (473) 27
Orimo, A. see K. Ikeda (472) 9
Orita, K. see T. Inoue (469) 14
Orita, M. see K. Suzumura (473) 106
Orntoft, T.F. see J.E. Celis (480) 2
Orrico, A., L. Galli, M. Falciani, M. Bracci, M.L. Cavaliere, M.M. Rinaldi, A. Musacchio and V. Sorrentino, A mutation in the pleckstrin homology (PH) domain of the FGD1 gene in an Italian family with faciogenital dysplasia (Aarskog–Scott syndrome) (478) 216
Orrico, A., C.-W. Lam, L. Galli, M.T. Dotti, G. Hayek, S.-F. Tong, P.M.K. Poon, M. Zappella, A. Federico and V. Sorrentino, *MECP2* mutation in male patients with non-specific X-linked mental retardation (481) 285
Orth, P. see M.M. Beliakova (477) 263
Orzechowski, H.-D. see H. Funke-Kaiser (466) 310
Osada, H. see M. Matsumoto (486) 23
Osada, S. see M. Imagawa (484) 118
Osawa, T. see K. Itakura (473) 249
Osawa, T. see T. Tsuda (484) 207
Osborn, D. see J.L. Griffin (478) 147
Ose, V. see I. Cielens (482) 261
O'Shaughnessy, R.F.L., J.P. Seery, J.E. Celis, A.-M. Frischauf and F.M. Watt, PA-FABP, a novel marker of human epidermal transit amplifying cells revealed by 2D protein gel electrophoresis and cDNA array hybridisation (486) 149
O'Shea, J.J. see K. Endo (477) 55
Oshima, M. see E. Yasugi (480) 197
Osinaga, E., S. Bay, D. Tello, A. Babino, O. Pritsch, K. Assemat, D. Cantacuzene, H. Nakada and P. Alzari, Analysis of the fine specificity of Tn-binding proteins using synthetic glycopeptide epitopes and a biosensor based on surface plasmon resonance spectroscopy (469) 24
Ost, T.W.B., C.S. Miles, J. Murdoch, Y.-F. Cheung, G.A. Reid, S.K. Chapman and A.W. Munro, Rational re-design of the substrate binding site of flavocytochrome P450 BM3 (486) 173
Oster, U. see H. Klement (480) 306
Østergaard, M. see J.E. Celis (480) 2
Ota, A. see A. Nakashima (465) 59
Ota, J., K. Sato, F. Kimura, N. Wakimoto, Y. Nakamura, N. Nagata, S. Suzu, M. Yamada, S. Shimamura and K. Motoyoshi, Association of Cbl with Fms and p85 in response to macrophage colony-stimulating factor (466) 96
Otsuka , H. see Y. Nishikawa (466) 179
Otterlei, M. see H.E. Krokan (476) 73
Ottolenghi, S. see F. Acquati (468) 59
Oubihi, M., K. Kitajima, N. Aoki and T. Matsuda, Spontaneous galactosylation of agalactoglycoproteins in colostrum (473) 165
Oudega, B. see E.N.G. Houben (476) 229
Ourmozdi, E.P. see Y.-Y. Liu (469) 61
Ouzounis, C.A. see S. Tsoka (480) 42
Ovchinnikova, T.V. see T.A. Balashova (466) 333
Owen, M.J. see A. Kaptein (485) 135
Oyadomari, S., F. Matsuno, S. Chowdhury, T. Kimura, K. Iwase, E. Araki, M. Shichiri, M. Mori and M. Takiguchi, The gene for hepatocyte nuclear factor (HNF)-4α is activated by glucocorticoids and glucagon, and repressed by insulin in rat liver (478) 141
Oya-Ito, T. see K. Itakura (473) 249
Oyama, K. see G. Shiota (470) 325
Ozaki, Y. see K. Motohashi (468) 189
Ozawa, T. see H. Nakagawa (471) 187

# P

Paci, M. see M. Sette (483) 21
Packer, L. see Y.C. Park (465) 93
Packer, L. see G. Valacchi (466) 165
Paczkowska, E. see M. Juszczuk (484) 33
Padfield, P.J., A tetanus toxin sensitive protein other than VAMP 2 is required for exocytosis in the pancreatic acinar cell (484) 129
Padre, R.C. and J.T. Stull, Conformational requirements for $Ca^{2+}$/calmodulin binding and activation of myosin light chain kinase (472) 148
Padre, R.C. see A. Abdelmoity (482) 65
Pagani, S., F. Forlani, A. Carpen, D. Bordo and R. Colnaghi, Mutagenic analysis of Thr-232 in rhodanese from *Azotobacter vinelandii* highlighted the differences of this prokaryotic enzyme from the known sulfurtransferases (472) 307
Pagano, G. see W. Malorni (468) 125
Pagano, M.A. see O. Marin (481) 63
Pagès, J.M. see E. Dé (469) 93
Paggliacia, C. see X.-M. Wang (481) 96
Pahan, K., X. Liu, C. Wood and J.R. Raymond, Expression of a constitutively active form of phosphatidylinositol 3-kinase inhibits the induction of nitric oxide synthase in human astrocytes (472) 203
Påhlman, A.-K. see N. Akhtar (483) 87
Pain, V.M. see S.J. Morley (477) 229

Pal, A., D.H. Desai, S. Amin, S.K. Srivastava, X. Hu, C. Herzog, P. Zimniak and S.V. Singh, Location of the epoxide function determines specificity of the allelic variants of human glutathione transferase Pi toward benzo[*c*]chrysene diol epoxide isomers (486) 163
Palfey, B.A. see L. Ridder (478) 197
Palková, Z., H. Španielová, V. Gottifredi, D. Hollanderová, J. Forstová and P. Amati, The polyomavirus major capsid protein VP1 interacts with the nuclear matrix regulatory protein YY1 (467) 359
Palková, Z., T. Adamec, D. Liebl, J. Štokrová and J. Forstová, Production of polyomavirus structural protein VP1 in yeast cells and its interaction with cell structures (478) 281
Pallanca, A. see R. Sacchetto (481) 255
Palma, D.A., E. Blumwald and W.C. Plaxton, Upregulation of vacuolar $H^+$-translocating pyrophosphatase by phosphate starvation of *Brassica napus* (rapeseed) suspension cell cultures (486) 155
Palmieri, S. see R. Bernardi (467) 296
Palotie, A. see T. Kuittinen (473) 233
Pálsdóttir, H. see J.E. Celis (480) 2
Palumbo, A., M. d'Ischia and F.A. Cioffi, 2-Thiouracil is a selective inhibitor of neuronal nitric oxide synthase antagonising tetrahydrobiopterin-dependent enzyme activation and dimerisation (485) 109
Palvimo, J.J. see E. Martelin (480) 84
Pan, R.L. see S.S. Jiang (468) 211
Pan, X.M. see X. Li (480) 235
Pan, Y.-X., J. Xu, E. Bolan, A. Chang, L. Mahurter, G. Rossi and G.W. Pasternak, Isolation and expression of a novel alternatively spliced mu opioid receptor isoform, MOR-1F (466) 337
Pänke, O., K. Gumbiowski, W. Junge and S. Engelbrecht, F-ATPase: specific observation of the rotating c subunit oligomer of $EF_oEF_1$ (472) 34
Panni, S. see A. Zucconi (480) 49
Paoluzi, S. see A. Zucconi (480) 49
Papa, F. see F. Zanotti (482) 163
Papa, S. see F. Zanotti (482) 163
Paradies, G., G. Petrosillo, M. Pistolese and F.M. Ruggiero, The effect of reactive oxygen species generated from the mitochondrial electron transport chain on the cytochrome *c* oxidase activity and on the cardiolipin content in bovine heart submitochondrial particles (466) 323
Parbel, A. see K.-H. Zhao (469) 9
Pardhasaradhi, B.V.V. see A.S. Sreedhar (472) 271
Pardo, J.M. see F.J. Quintero (471) 224
Pařenicová, L., H.C.M. Kester, J.A.E. Benen and J. Visser, Characterization of a novel endopolygalacturonase from *Aspergillus niger* with unique kinetic properties (467) 333
Paret, C. see A. Lode (485) 19
Park, C. and R.T. Raines, Origin of the 'inactivation' of ribonuclease A at low salt concentration (468) 199
Park, C.-S. see S. Rho (478) 246
Park, C.W. see Y.J. Lee (472) 230
Park, C.W. see Y. Hahn (482) 31
Park, D.-S. see S.W. Shin (467) 70
Park, H.-S., M. Nogami, K. Okumura, M. Hattori, Y. Sakaki and A. Fujiyama, Newly identified repeat sequences, derived from human chromosome 21qter, are also localized in the subtelomeric region of particular chromosomes and 2q13, and are conserved in the chimpanzee genome (475) 167
Park, H.-Y. see S.W. Shin (467) 70
Park, J. see Y.J. Lee (472) 230
Park, J. see H.Y. Kwon (485) 163
Park, J.-Y. and B. Ahn, Effect of DNA topology on plasmid DNA repair in vivo (476) 174
Park, M.H. see C.H. Lee (477) 268
Park, S. see O.-Y. Kwon (475) 27
Park, S., M.E. Johnson and L.W.-M. Fung, NMR analysis of secondary structure and dynamics of a recombinant peptide from the N-terminal region of human erythroid α-spectrin (485) 81
Park, S.H. see M.-J. Hahn (470) 350
Park, S.-H. see M.-K. Yoon (484) 241
Park, Y.C., G. Rimbach, C. Saliou, G. Valacchi and L. Packer, Activity of monomeric, dimeric, and trimeric flavonoids on NO production, TNF-α secretion, and NF-κB-dependent gene expression in RAW 264.7 macrophages (465) 93
Park, Y.-I. see A.G. Ivanov (485) 173
Parsons, S.J. see R.W. Roof (472) 117
Parton, R.G. see M. Stebel (481) 152
Pasamontes, L. see A. Tomschy (472) 169
Pascal, A.A. see A.V. Ruban (477) 181
Pascal, M. see C. Serradeil-Le Gal (475) 150
Pascale, M.C., P. Remondelli, A. Leone and S. Bonatti, Assembly of the CD8α/p56$^{lck}$ protein complex in stably expressing rat epithelial cells (480) 226
Paschke, R. see C. Voigt (486) 208
Pasha, S. see S.K. Brahmachari (472) 167
Passamonti, S., L. Battiston and G.L. Sottocasa, Gastric uptake of nicotinic acid by bilitranslocase (482) 167
Passantino, R. see S. Feo (473) 47
Passarella, S. see D. Pastore (470) 88
Passarelli, V. see L. Barsanti (482) 247
Pasternak, G.W. see Y.-X. Pan (466) 337
Pastor-Anglada, M. see M. Lostao (481) 137
Pastore, D., A. Fratianni, S. Di Pede and S. Passarella, Effects of fatty acids, nucleotides and reactive oxygen species on durum wheat mitochondria (470) 88
Patelli, R. see F. Visioli (468) 159
Pattnaik, P. see Q. Zhong (473) 195
Pau, B. see G. Ferrières (479) 99
Paul Soto, R. see M. Hernandez Valladares (467) 221
Paul, M. see H. Funke-Kaiser (466) 310
Paulo, N. see K. Eichenberg (470) 107
Paulsen, H. see D.-H. Yang (466) 385
Paulsen, H. see A.N. Melkozernov (471) 89
Pause, B., R. Saffrich, A. Hunziker, W. Ansorge and W.W. Just, Targeting of the 22 kDa integral peroxisomal membrane protein (471) 23
Pavenstädt, H. see R. Schreiber (475) 291
Payan, D.G. see E.S. Masuda (470) 61
Payet, D. see P.B. Arimondo (485) 47
Payet, M.D. see G. Guihard (476) 234
Payrastre, B. see M. Torti (466) 355
Payrastre, B. see C. Trumel (484) 184
Pazienza, T.L. see S. Salvioli (469) 186
Pearce, J. see G.M. Gibb (485) 99
Peckham, M. see G. Miller (486) 325
Pedersen, L.C., E.V. Petrotchenko and M. Negishi, Crystal structure of SULT2A3, human hydroxysteroid sulfotransferase (475) 61
Pederson, D.M. see J.R. Gallon (468) 231
Pedrazzi, J. see S. Salvioli (469) 186
Pedrazzi, J. see M. Garcia Fernandez (478) 290
Pégorier, J.-P. see C. Le May (475) 163
Pei, G. see P. Wang (475) 107
Peinado-Onsurbe, J. see M.D. Leibowitz (473) 333
Pelaschier, J. see H.D. Becker (476) 140
Pelhate, M. see P. Escoubas (483) 175
Pelletier, J. see P. Moffett (466) 80
Pelletier, J. see J. Kim (474) 121
Pelliccioni, P. see C. Gil (481) 177
Pelliccioni, P. see A. Najib (486) 136
Pelpel, K., M.-P. Leibovitch, A. Fernandez and S.A. Leibovitch, Mutation of MyoD-Ser237 abolishes its up-regulation by c-Mos (474) 233
Peltier, G. see M. Broin (467) 245
Pelzer, W., U. Mühlenhoff, K. Diekert, K. Siegmund, G. Kispal and R. Lill, Mitochondrial Isa2p plays a crucial role in the maturation of cellular iron–sulfur proteins (476) 134
Pendás, A.M. see J.O. Stracke (478) 52
Peng, Y., K.H. Kok, R.-H. Xu, K.H.H. Kwok, D. Tay, P.C.W. Fung, H. Kung and M.C.M. Lin, Maternal cold inducible RNA binding protein is required for embryonic kidney formation in *Xenopus laevis* (482) 37
Peppelenbosch, M.P. see H.H. Versteeg (465) 69
Pepys, M.B. see A.R. Coker (473) 199
Pérez, M., R. Cuadros, M.A. Smith, G. Perry and J. Avila, Phosphorylated, but not native, tau protein assembles following reaction with the lipid peroxidation product, 4-hydroxy-2-nonenal (486) 270
Perez, V. see L. Briand (476) 179
Perez, X. see J. Boada (480) 261
Pérez-Alvarado, G.C., A. Munnerlyn, H. Dyson, R. Grosschedl and P.E. Wright, Identification of the regions involved in DNA binding by the mouse PEBP2α protein (470) 125
Pérez-Martos, A. see J. Asín (480) 161

Pérez-Payá, E. see R. Planells-Cases (481) 131
Pérez-Pérez, M.-J. see J. Balzarini (483) 181
Perez-Reyes, E. see L.L. Cribbs (466) 54
Perez-Reyes, E. see L.L. Cribbs (470) 378
Perez-Reyes, E. see J. Chemin (478) 166
Perham, R.N. see P.A. Reche (479) 93
Perkins, S.J. see M.K. Boehm (475) 11
Perl, A. see S. Thorell (475) 205
Permyakov, E.A. and L.J. Berliner, α-Lactalbumin: structure and function (473) 269
Pernas, M., R. Sánchez-Monge and G. Salcedo, Biotic and abiotic stress can induce cystatin expression in chestnut (467) 206
Pernollet, J.-C. see L. Briand (476) 179
Perret, S. see F. Ruggiero (469) 132
Perris, R. see J.O. Stracke (478) 52
Perry, G. see M. Pérez (486) 270
Perry, M.B. see L. Aussel (465) 87
Perry, M.B. see L. Aussel (485) 40
Persson, B. see J. Nilsson (486) 267
Persson, D. see P.E.G. Thorén (482) 265
Pertwee, R.G. see L. De Petrocellis (483) 52
Perz, A. see J.W. Bartsch (467) 123
Pesce, A. see M.E. Stroppolo (483) 17
Pesce, L., C. Guerrero, A. Comellas, K.M. Ridge and J.I. Sznajder, β-Agonists regulate Na,K-ATPase via novel MAPK/ERK and rapamycin-sensitive pathways (486) 310
Pessah, I.N. see Z. Fajloun (469) 179
Peterson, C.L., ATP-dependent chromatin remodeling: going mobile (476) 68
Peterson, F.C. and C.L. Brooks, The species specificity of growth hormone requires the cooperative interaction of two motifs (472) 276
Petitfrère, E., Z. Kadri, C. Boudot, M.-L. Sowa, P. Mayeux, B. Haye and C. Billat, Involvement of the p38 mitogen-activated protein kinase pathway in tissue inhibitor of metalloproteinases-1-induced erythroid differentiation (485) 117
Petitot, A.-S. see P. Etienne (466) 213
Petrosillo, G. see G. Paradies (466) 323
Petrotchenko, E.V. see L.C. Pedersen (475) 61
Petrov, R.V. see L.A. Strelkov (470) 281
Petrovskis, I. see I. Cielens (482) 261
Petrucci, T.C. see C. Losasso (484) 194
Pettersson, G. see L. Hildén (477) 79
Peumans, W.J. see L.M. Wright (468) 19
Peumans, W.J., B. Hause and E.J.M. Van Damme, The galactose-binding and mannose-binding jacalin-related lectins are located in different sub-cellular compartments (477) 190
Peyrat, J.-P. see A.-S. Vercoutter-Edouart (478) 209
Peyton, D.H. see J.G. Bann (473) 237
Pfeuty, A. and M. Gueride, Peroxide accumulation without major mitochondrial alteration in replicative senescence (468) 43
Pflanz, S. see A. Timmermann (468) 120
Pfleger, C. see L. Collavin (481) 57
Philippe, J.M. see G. Pitari (483) 149
Philips, A. see L. Fajas (471) 29
Philp, A.R., J. Bellingham, J.-M. Garcia-Fernandez and R.G. Foster, A novel rod-like opsin isolated from the extra-retinal photoreceptors of teleost fish (468) 181
Philp, A.R., J. Bellingham, J.-M. Garcia-Fernandez and R.G. Foster, Corrigendum to: A novel rod-like opsin isolated from the extra-retinal photoreceptors of teleost fish (473) 125
Piantadosi, C.A. see S.P. Kantrow (483) 119
Picard, D. see T. Abbas-Terki (467) 111
Piccinotti, A., G. Benaglia, R. Bresciani, D. Zizioli, M. Presta, A. Preti and S. Marchesini, Nerve growth factor induces sphingomyelin accumulation in pheochromocytoma cells (472) 143
Pidard, D. see C. Trumel (484) 184
Piddini, E. see S. Feo (473) 47
Piendl, W. see M. Dontsova (472) 213
Piiper, A. see U.F. Mondorf (472) 129
Pike, B.L. see A. Hammet (471) 141
Pike, R.N. see R. Smith (484) 285
Pillay, T.S. see Z. Ahmed (475) 31
Pilot, G. see B. Lacombe (466) 351
Pineau, T. see C. Le May (475) 163
Pineau, T. see F. Casas (482) 71
Pinedo, H.M. see J.H. Hooijberg (469) 47
Pinna, L.A. see A.M. Brunati (471) 151
Pinna, L.A. see O. Marin (481) 63
Pinti, M. see S. Salvioli (469) 186
Pinto, S.S., C. Gottfried, A. Mendez, D. Gonçalves, J. Karl, C.A. Gonçalves, S. Wofchuk and R. Rodnight, Immunocontent and secretion of S100B in astrocyte cultures from different brain regions in relation to morphology (486) 203
Pintucci, G. see D. Das (472) 50
Piqué, M., M. Barragán, M. Dalmau, B. Bellosillo, G. Pons and J. Gil, Aspirin induces apoptosis through mitochondrial cytochrome *c* release (480) 193
Piquet, M.A., V. Nogueira, A. Devin, B. Sibille, C. Filippi, E. Fontaine, M. Roulet, M. Rigoulet and X.M. Leverve, Chronic ethanol ingestion increases efficiency of oxidative phosphorylation in rat liver mitochondria (468) 239
Piro, A. see A. Tagarelli (466) 139
Pistolese, M. see G. Paradies (466) 323
Pitard, V. see A. Timmermann (468) 120
Pitari, G., F. Malergue, F. Martin, J.M. Philippe, M.T. Massucci, C. Chabret, B. Maras, S. Duprè, P. Naquet and F. Galland, Pantetheinase activity of membrane-bound Vanin-1: lack of free cysteamine in tissues of Vanin-1 deficient mice (483) 149
Pitcher, J.A. see J.L.R. Freeman (473) 280
Pizzey, A.R. see A. Rioja (467) 291
Pla, M., A. Jofré, M. Martell, M. Molinas and J. Gómez, Large accumulation of mRNA and DNA point modifications in a plant senescent tissue (472) 14
Plaga, W., G. Vielhaber, J. Wallach and J. Knappe, Modification of Cys-418 of pyruvate formate-lyase by methacrylic acid, based on its radical mechanism (466) 45
Planas, J.V., E. Capilla and J. Gutiérrez, Molecular identification of a glucose transporter from fish muscle (481) 266
Planchais, S., N. Glab, D. Inzé and C. Bergounioux, Chemical inhibitors: a tool for plant cell cycle studies (476) 78
Planchot, V. see G. Potocki de Montalk (471) 219
Planells-Cases, R., A. Aracil, J.M. Merino, J. Gallar, E. Pérez-Payá, C. Belmonte, J.M. González-Ros and A.V. Ferrer-Montiel, Arginine-rich peptides are blockers of VR-1 channels with analgesic activity (481) 131
Plantavid, M. see M. Torti (466) 355
Plantavid, M. see C. Trumel (484) 184
Plaxton, W.C. see D.A. Palma (486) 155
Plomion, C. see C. Ávila Sáez (477) 237
Plücken, H. see P.J. Hynds (467) 97
Plumb, G.W. see A.J. Day (468) 166
Pócsik, M. see A. Németh (468) 48
Poggi, A. see S. Gardella (481) 245
Poland, B.W. see R.J. Mallis (482) 237
Polanowska, J. see L. Fajas (471) 29
Polčic, P. see I. Kiššová (471) 113
Polgár, L. see Z. Sárkány (481) 289
Pollard, M. and J. McGivan, The rat hepatoma cell line H4-II-E-C3 expresses high activities of the high-affinity glutamate transporter GLT-1A (484) 74
Polyakova, I.A. see L.D. Zorova (466) 305
Pon, C.L. see C. Krafft (471) 128
Pongs, O. see R. Behrens (474) 99
Ponimaskin, E., H. Behn, V. Adarichev, T.A. Voyno-Yasenetskaya, S. Offermanns and M.F.G. Schmidt, Acylation of $G\alpha_{13}$ is important for its interaction with thrombin receptor, transforming activity and actin stress fiber formation (478) 173
Pons, G. see M. Piqué (480) 193
Pontremoli, S. see R. De Tullio (475) 17
Poole, R.K. see M.R.B. Binet (473) 67
Poon, P.M.K. see A. Orrico (481) 285
Popoff, M.R. see Y. Fujinaga (467) 179
Possani, L.D. see R. Conde (471) 165
Possani, L.D. see C. Bottiglieri (479) 156
Possani, L.D. see A. Scaloni (481) 308
Possani, L.D. see C.V.F. Batista (486) 117
Potocki de Montalk, G., M. Remaud-Simeon, R.-M. Willemot, P. Sarçabal, V. Planchot and P. Monsan, Amylosucrase from *Neisseria polysaccharea*: novel catalytic properties (471) 219
Potocki de Montalk, G. see P. Sarçabal (474) 33
Pottstock, H. see V. Cambiazo (483) 37
Pouliot, V. see G. Baroudi (467) 12
Poulton, S. see V.E. Nava (473) 81
Poupon, A. see M. Souchet (477) 99
Pouzet, B. see C. Serradeil-Le Gal (475) 150

Poyart, C. see M.C. Marden (472) 221
Pozueta-Romero, J. see E. Baroja-Fernández (480) 277
Prasad, S., S. Mazumdar and S. Mitra, Binding of camphor to *Pseudomonas putida* cytochrome $P450_{cam}$: steady-state and picosecond time-resolved fluorescence studies (477) 157
Preciado-Patt, L. see E.J. Yavin (472) 259
Preikschat, P., A. Kazaks, A. Dishlers, P. Pumpens, D.H. Krüger and H. Meisel, Interaction of wild-type and naturally occurring deleted variants of hepatitis B virus core polypeptides leads to formation of mosaic particles (478) 127
Prein, B., K. Natter and S.D. Kohlwein, A novel strategy for constructing N-terminal chromosomal fusions to green fluorescent protein in the yeast *Saccharomyces cerevisiae* (485) 29
Prendergast, G.C. see A. Liu (481) 205
Prenen, J. see B. Nilius (466) 346
Prescott, M. see X. Roucou (471) 235
Prescott, S.M. see Y. Cao (467) 263
Presta, M. see A. Piccinotti (472) 143
Preti, A. see A. Piccinotti (472) 143
Preuss, M. and A.D. Miller, The affinity of the GroEL/GroES complex for peptides under conditions of protein folding (466) 75
Prévost, M.-C. see E. Maury (466) 228
Price, N.C. see M.D. Kirkitadze (467) 133
Priebe, W. see J.H. Hooijberg (469) 47
Pritsch, O. see E. Osinaga (469) 24
Prorok, M. see T. Blandl (470) 139
Prosorovsky, V.N. see I.P. Ashmarin (486) 49
Prosser, J.C. see G.M. Kasof (473) 285
Proteau, S. see G. Guihard (476) 234
Proud, C.G. see M. Kleijn (476) 262
Prunet, P. see A. Molina (474) 5
Przybylek, K. see A. Dygas (482) 205
Psoma, A. see U. Rümenapp (467) 134
Puca, A. see A. Andrè (468) 73
Pucéat, M. see N. Meyer (478) 151
Pucharcos, C., X. Estivill and S. de la Luna, Intersectin 2, a new multimodular protein involved in clathrin-mediated endocytosis (478) 43
Pugnière, M. see G. Ferrières (479) 99
Pulakat, L. see S. Lei (478) 192
Pulakat, L. see S. Lei (482) 149
Pumpens, P. see P. Preikschat (478) 127
Pumpens, P. see I. Cielens (482) 261
Punga, T. and G. Akusjärvi, The adenovirus-2 E1B-55K protein interacts with a mSin3A/histone deacetylase 1 complex (476) 248
Purdy, M.D. and M.C. Wiener, Expression, purification, and initial structural characterization of YadQ, a bacterial homolog of mammalian ClC chloride channel proteins (466) 26
Puri, A. see K.M. Jernigan (474) 246
Purlis, D. see D. Ferrari (486) 217
Purvis, A. see A.R. Coker (473) 199
Pusch, M. see M. Nobile (479) 10
Püschel, A.W. see B. Rohm (486) 68
Púta, F. see D. Rösel (473) 323

# Q

Qu, B., B. Halliwell, C.N. Ong, B.L. Lee and Q.-T. Li, Caloric restriction prevents oxidative damage induced by the carcinogen clofibrate in mouse liver (473) 85
Queitsch, I. see S. Chakravarty (476) 296
Querol, E. see J. Villanueva (472) 27
Quinn, D.R. see L. Molina (467) 226
Quintero, F.J., M.R. Blatt and J.M. Pardo, Functional conservation between yeast and plant endosomal $Na^+/H^+$ antiporters (471) 224
Quirós, L.M., R.J. Carbajo and J.A. Salas, Inversion of the anomeric configuration of the transferred sugar during inactivation of the macrolide antibiotic oleandomycin catalyzed by a macrolide glycosyltransferase (476) 186

# R

Raab, A. and M. Kemme, High-molecular-weight kininogen is a binding protein for tissue prokallikrein (467) 165
Raae, A.J. see P.-F. Lenne (476) 124
Raap, J. see T.A. Balashova (466) 333
Rackstraw, B.J. see A.L. Martin (480) 106
Raczniak, G. see H.D. Becker (476) 140
Radcliffe, P.A., L. Vardy and T. Toda, A conserved small GTP-binding protein Alp41 is essential for the cofactor-dependent biogenesis of microtubules in fission yeast (468) 84
Raddatz, E. see S. Bagby (468) 149
Radding, J.A. see H. Hama (478) 26
Radom, J. see J.-L. Schlick (472) 241
Radsak, K. see K. Giesen (471) 215
Radtke, S. see L. Terstegen (478) 100
Radykewicz, T., F. Rohdich, J. Wungsintaweekul, S. Herz, K. Kis, W. Eisenreich, A. Bacher, M.H. Zenk and D. Arigoni, Biosynthesis of terpenoids: 1-deoxy-D-xylulose-5-phosphate reductoisomerase from *Escherichia coli* is a class B dehydrogenase (465) 157
Raes, M. see E. Minet (468) 53
Ragno, P. see N. Montuori (476) 166
Rahim, B. see B. Rohm (486) 68
Rahimi, G. see H. Sauer (476) 218
Rahman, I. see C. Miralles (476) 253
Raho, G. see F. Zanotti (482) 163
Raines, R.T. see C. Park (468) 199
Raines, R.T. see P.A. Leland (477) 203
Raisova, M., M. Bektas, T. Wieder, P. Daniel, J. Eberle, C.E. Orfanos and C.C. Geilen, Resistance to CD95/Fas-induced and ceramide-mediated apoptosis of human melanoma cells is caused by a defective mitochondrial cytochrome *c* release (473) 27
Raivio, K.O. see E. Martelin (480) 84
Rajamohan, G. and K.L. Dikshit, Role of the N-terminal region of staphylokinase (SAK): evidence for the participation of the N-terminal region of SAK in the enzyme–substrate complex formation (474) 151
Ramachandiran, V., G. Kramer and B. Hardesty, Expression of different coding sequences in cell-free bacterial and eukaryotic systems indicates translational pausing on *Escherichia coli* ribosomes (482) 185
Ramadani, M. see H. Braumüller (476) 240
Ramakrishnan, V. see R. Smith (484) 285
Ramirez, E. see J.X. Feliu (473) 123
Ramirez-Parra, E. and C. Gutierrez, Characterization of wheat DP, a heterodimerization partner of the plant E2F transcription factor which stimulates E2F–DNA binding (486) 73
Ramos, B. see E. Sarri (486) 63
Ramos, C. and J. Teissié, Tension-voltage relationship in membrane fusion and its implication in exocytosis (465) 141
Ramos, J.L. see M. Manzanera (476) 312
Ramponi, G. see T. Fiaschi (473) 42
Rao, G.V. see E. Jacquinet (468) 93
Rao, N.V. see E. Jacquinet (468) 93
Rapisarda, C. see M. Nobile (479) 10
Rashid, A.K. see M.C. Marden (472) 221
Rasmussen, A.-M. see E. Munthe (466) 169
Rathke-Hartlieb, S., P. Budde, S. Ewert, U. Schlomann, M.S. Staege, H. Jockusch, J.W. Bartsch and J. Frey, Elevated expression of membrane type 1 metalloproteinase (MT1-MMP) in reactive astrocytes following neurodegeneration in mouse central nervous system (481) 227
Rauch, B.H., A.-A. Weber, M. Braun, N. Zimmermann and K. Schrör, PDGF-induced Akt phosphorylation does not activate NF-κB in human vascular smooth muscle cells and fibroblasts (481) 3
Raufaste, D. see C. Serradeil-Le Gal (475) 150
Raugei, G. see T. Fiaschi (473) 42
Ravagnan, L. see E. Daugas (476) 118
Raven, J.A. see A.G. Ivanov (485) 173
Rawat, S. see V.R. Srinivas (474) 76
Ray, P.N. see E. González (482) 209

Ray, S. see S. Adhikari (475) 35
Raymond, C. see K. Sato (469) 147
Raymond, J.R. see K. Pahan (472) 203
Raynal, M. see A. Barakat (471) 161
Rechavi, G. see K. Kannan (470) 77
Reche, P.A., M.J. Howard, R. Broadhurst and R.N. Perham, Heteronuclear NMR studies of the specificity of the post-translational modification of biotinyl domains by biotinyl protein ligase (479) 93
Recio, J.A., J. Martínez de la Mata, J. Martín-Nieto and A. Aranda, Retinoic acid stimulates HIV-1 transcription in human neuroblastoma SH-SY5Y cells (469) 118
Recnik, I. see R.J. Weselake (481) 189
Reddel, R.R. see S.C. Kaul (474) 159
Reed, M.B. see A.F. Cowman (476) 84
Regazzi, R. see M. Iezzi (474) 66
Regelsberger, G. see P.G. Furtmüller (484) 139
Reich, J. see D. Brett (474) 83
Reid, G.A. see T.W.B. Ost (486) 173
Reid, R. see D.J. Heyes (483) 47
Reid, S.P. see C. Mayer (466) 40
Reimann, F. see R. Behrens (474) 99
Reimer, D., I.G. Huber, M.L. Garcia, H. Haase and J. Striessnig, β Subunit heterogeneity of L-type $Ca^{2+}$ channels in smooth muscle tissues (467) 65
Reinhold, D. see S. Wrenger (466) 155
Reiske, H.R., J. Zhao, D.C. Han, L.A. Cooper and J.-L. Guan, Analysis of FAK-associated signaling pathways in the regulation of cell cycle progression (486) 275
Rellahan, B. see L.J. Graham (470) 273
Remacle, J. see E. Minet (468) 53
Remaud-Simeon, M. see G. Potocki de Montalk (471) 219
Remaud-Simeon, M. see P. Sarçabal (474) 33
Remondelli, P. see M.C. Pascale (480) 226
Rémy, R. see A. Tomschy (472) 169
Ren, J., C. Bailly and J.B. Chaires, NB-506, an indolocarbazole topoisomerase I inhibitor, binds preferentially to triplex DNA (470) 355
Renart, J. see E. García-Palomero (481) 235
Renauld, J.-C. see J.-B. Demoulin (482) 200
Renger, G. see G. Christen (475) 103
Renger, G. see T. Shutova (469) 214
Renger, G. see T. Shutova (467) 137
Renhofa, R. see I. Cielens (482) 261
Renkema, W. see A.F. van Rijk (480) 79
Rennie, C.D. see R.J. Weselake (481) 189
Renold, A., C.M. Koehler and M.P. Murphy, Mitochondrial import of the long and short isoforms of human uncoupling protein 3 (465) 135
Rep, M. see M.J. Tamás (472) 159
Repasky, E. see X.-Y. Wang (465) 98
Rether, J. see M. Weidler (484) 1
Retzer, M., W. Siess and M. Essler, Mildly oxidised low density lipoprotein induces platelet shape change via Rho-kinase-dependent phosphorylation of myosin light chain and moesin (466) 70
Reutter, W. see R. Horstkorte (470) 315
Reutter, W. see C. Schmidt (478) 276
Rey, P. see M. Broin (467) 245
Reynolds, C.D. see L.M. Wright (468) 19
Rhee, H.J. see J. Oh (477) 244
Rhee, M. see Y. Hahn (482) 31
Rhee, M.-H., I. Nevo, R. Levy and Z. Vogel, Role of the highly conserved Asp-Arg-Tyr motif in signal transduction of the $CB_2$ cannabinoid receptor (466) 300
Rhee, S.G. see A.J. Kowaltowski (473) 177
Rho, S., H.M. Lee, K. Lee and C.-S. Park, Effects of mutation at a conserved *N*-glycosylation site in the bovine retinal cyclic nucleotide-gated ion channel (478) 246
Rian, E. see E. Munthe (466) 169
Ribeiro, J.A. see R. A. Cunha (469) 159
Rich, A.M. see M.C.W. Evans (477) 113
Richard, C. see F. Martinon (468) 134
Richard, S. see J. Chemin (478) 166
Richards, H.M. see J.R. Gallon (468) 231
Richards, K.M. see P.A. Hoyne (469) 57
Richardson, D.R. see E. Sekyere (483) 11
Richter, C.-M. see H. Funke-Kaiser (466) 310
Ridder, L., B.A. Palfey, J. Vervoort and I.M.C.M. Rietjens, Modelling flavin and substrate substituent effects on the activation barrier and rate of oxygen transfer by *p*-hydroxybenzoate hydroxylase (478) 197
Ridge, K.M. see L. Pesce (486) 310
Ridner, G. see Z. Yao (468) 37
Rietjens, I.M.C.M. see L. Ridder (478) 197
Rigoulet, M. see M.A. Piquet (468) 239
Rihn, B.H., S. Mohr, S.A. McDowell, S. Binet, J. Loubinoux, F. Galateau, G. Keith and G.D. Leikauf, Differential gene expression in mesothelioma (480) 95
Rimbach, G. see Y.C. Park (465) 93
Rinaldi, M.M. see A. Orrico (478) 216
Rio, M.-C. see J.-L. Linares (480) 249
Rioja, A., A.R. Pizzey, C.M. Marson and N.B. Thomas, Preferential induction of apoptosis of leukaemic cells by farnesol (467) 291
Risé, P. see F. Visioli (471) 75
Ritter, E. see F. Bartl (473) 259
Rius, J.L. see J.R. Gum Jr. (482) 49
Rizkallah, P.J. see L.M. Wright (468) 19
Roach, P.L. see K.S. Hewitson (466) 372
Robaye, B. see D. Communi (475) 39
Robert, B. see A.V. Ruban (477) 181
Roberts, C.J. see A.L. Martin (480) 106
Roberts, M.R. see W.L. Holtman (474) 48
Roberts, R.G. see M.J. Greener (482) 13
Robertson, B. see J.L. Herrmann (473) 358
Robertson, J. see R. Butler (470) 198
Robinson, C. see P.J. Hynds (467) 97
Robinson, C. see A. Bolhuis (472) 88
Robinson, C. see N.H. Mann (479) 72
Robinson, C. see T. Kieselbach (480) 271
Robinson, P.A. see A.J. Mighell (468) 109
Robl, I. see R. Graßl (468) 225
Rocchiccioli, F. see N. Cartier (478) 205
Roch, P. see G. Mitta (486) 185
Rocha, E.P.C., A. Sekowska and A. Danchin, Sulphur islands in the *Escherichia coli* genome: markers of the cell's architecture? (476) 8
Rochard, P. see F. Casas (478) 4
Rochard, P. see F. Casas (482) 71
Rochat, H. see Z. Fajloun (469) 179
Rödel, G. see A. Lode (485) 19
Rodier, A. see F. Casas (478) 4
Rodier, A. see F. Casas (482) 71
Rodnight, R. see S.S. Pinto (486) 203
Rodrigues, C.O. see A.E. Vercesi (473) 203
Rodriguez, M.H. see R. Conde (471) 165
Rodriguez, P.L. see L. Yenush (467) 321
Rodriguez, R. see A. Ledesma (466) 192
Rodríguez-Concepción, M., N. Campos, L. Maria Lois, C. Maldonado, J.-F. Hoeffler, C. Grosdemange-Billiard, M. Rohmer and A. Boronat, Genetic evidence of branching in the isoprenoid pathway for the production of isopentenyl diphosphate and dimethylallyl diphosphate in *Escherichia coli* (473) 328
Rodríguez-López, M. see E. Baroja-Fernández (480) 277
Roelfsema, M.G. see P. Ache (486) 93
Rohdich, F. see T. Radykewicz (465) 157
Rohm, B., B. Rahim, B. Kleiber, I. Hovatta and A.W. Püschel, The semaphorin 3A receptor may directly regulate the activity of small GTPases (486) 68
Rohmer, M. see M. Rodríguez-Concepción (473) 328
Roig, T. see J. Boada (480) 261
Roland, I. see E. Minet (468) 53
Romagni, J.G., G. Meazza, N.P. Nanayakkara and F.E. Dayan, The phytotoxic lichen metabolite, usnic acid, is a potent inhibitor of plant *p*-hydroxyphenylpyruvate dioxygenase (480) 301
Romanin, C. see M. Manunta (471) 256
Romanin, C. see K.J.F. Kepplinger (477) 161
Romão, C.V., R. Louro, R. Timkovich, M. Lübben, M.-Y. Liu, J. LeGall, A.V. Xavier and M. Teixeira, Iron-coproporphyrin III is a natural cofactor in bacterioferritin from the anaerobic bacterium *Desulfovibrio desulfuricans* (480) 213
Rombauts, S. see Z. Magyar (486) 79
Romero-Isart, N. see M. Valls (467) 189
Romi-Lebrun, R. see P. Escoubas (483) 175
Romiti, E. see E. Meacci (473) 10
Romiti, E. see E. Meacci (482) 97
Rona, J.-P. see T. Ghelis (474) 43

Rona, J.-P. see T. Ghelis (481) 89
Roncero, C. see L.J. García-Rodríguez (478) 84
Ronchi, S. see R. Bernardi (467) 296
Ronchi, S. see T. Simonic (469) 33
Rönnstrand, L. see M. Thullberg (470) 161
Roof, R.W., B.D. Dukes, J.-H. Chang and S.J. Parsons, Phosphorylation of the p190 RhoGAP N-terminal domain by c-Src results in a loss of GTP binding activity (472) 117
Roques, B.P. see F. Noble (467) 81
Rösch, P. see J. Wastl (471) 191
Rose, M.D. see F.J. Kaye (467) 348
Roseboom, W. see R.P. Happe (466) 259
Rösel, D., F. Půta, A. Blahůšková, P. Smýkal and P. Folk, Molecular characterization of a calmodulin-like *Dictyostelium* protein CalB (473) 323
Rosen, O. see E.J. Yavin (472) 259
Rosenberg, C.R. see H.M. Cooper (485) 57
Rosenthal, W. see R. Schülein (466) 101
Rosenthal, W. see R. Schülein (473) 124
Rosevear, P.R. see M. Abbott (469) 168
Rosilio, V. see V. Faivre (471) 56
Rosquist, A. see J. Torres (475) 263
Rossi, A.B. see E.S. Masuda (470) 61
Rossi, D. see M. Manunta (471) 256
Rossi, G. see Y.-X. Pan (466) 337
Rossi, G. see N. Montuori (476) 166
Rossi, J.P.F.C. see V. Levi (483) 99
Rossiter, J.T. see H.L. Foo (468) 243
Rosskopf, D. see C. Naber (484) 199
Rossolini, G.M. see M. Hernandez Valladares (467) 221
Rossolini, G.M. see M.H. Valladares (477) 285
Rostkova, E. see A. Iakovenko (468) 155
Roth, A. see I. Volf (483) 155
Rotilio, G. see M. Sette (483) 21
Rouanet, J.-L. see D. Roussel (477) 141
Roucou, X., M. Prescott, R.J. Devenish and P. Nagley, A cytochrome *c*–GFP fusion is not released from mitochondria into the cytoplasm upon expression of Bax in yeast cells (471) 235
Roulet, M. see M.A. Piquet (468) 239
Rousseau, E. see G. Guihard (476) 234
Roussel, D., F. Chainier, J.-L. Rouanet and H. Barré, Increase in the adenine nucleotide translocase content of duckling subsarcolemmal mitochondria during cold acclimation (477) 141
Roy, C.N., E.J. Carlson, E.L. Anderson, A. Basava, S.M. Starnes, J.N. Feder and C.A. Enns, Interactions of the ectodomain of HFE with the transferrin receptor are critical for iron homeostasis in cells (484) 271
Roy, H. see H.D. Becker (476) 140
Roy, S.K. see H. Nakamoto (483) 169
Ruaro, M.E. see M. Stebel (481) 152
Ruaro, M.E., M. Stebel, P. Vatta, S. Marzinotto and C. Schneider, Analysis of the domain requirement in Gas1 growth suppressing activity (481) 159
Ruban, A.V. see M. Wentworth (471) 71
Ruban, A.V., A.A. Pascal and B. Robert, Xanthophylls of the major photosynthetic light-harvesting complex of plants: identification, conformation and dynamics (477) 181
Rubartelli, A. see S. Gardella (481) 245
Rubertsson, S. see S. Basu (470) 1
Rubi, B. see M. Morillas (466) 183
Rubinraut, S. see R. Granoth (475) 71
Rubio, V. see C. Alcántara (484) 261
Rubtsov, A.M. and O.D. Lopina, Ankyrins (482) 1
Rüdiger, W. see K. Eichenberg (470) 107
Rüdiger, W. see H. Klement (480) 306
Rudolph, R. see H. Lilie (470) 173
Ruegg, C. see M. Irmler (468) 129
Ruelland, E. see I. Schepens (471) 240
Rüggeberg, S. see J.R. Gallon (468) 231
Ruggiero, F., J.-Y. Exposito, P. Bournat, V. Gruber, S. Perret, J. Comte, B. Olagnier, R. Garrone and M. Theisen, Triple helix assembly and processing of human collagen produced in transgenic tobacco plants (469) 132
Ruggiero, F.M. see G. Paradies (466) 323
Ruigrok, R.W.H. see M. Luckey (468) 23
Rümenapp, U., A. Blomquist, G. Schwörer, H. Schablowski, A. Psoma and K.H. Jakobs, Erratum to: Rho-specific binding and guanine nucleotide exchange catalysis by KIAA0380, a Dbl family member (FEBS 22709) (467) 134
Runswick, M.J. see I. Arechaga (482) 215
Rupp, B. see E.L. Altschuler (472) 166
Russek, C.S.N. see M. Groysman (467) 75
Russek, N. see I. Dekel (472) 99
Russell, S.J. see S. High (476) 38
Russo, L. see F. Esposito (470) 211
Russo, N. see S. Sorrentino (466) 35
Russo, T. see F. Esposito (470) 211
Rustgi, A.K. see J. Okano (473) 95
Ruysschaert, J.-M. see X.-M. Wang (481) 96
Rychlewski, L. see J.M. Bujnicki (486) 328
Ryong Lee, B. see H.Y. Kwon (485) 163
Ryu, J. see H.Y. Kwon (485) 163
Ryu, S.-H. see B.-Y. Kim (472) 45
Ryu, Y. see T.-Y. Choi (483) 71

# S

Saad, Y. see Y.-H. Feng (484) 133
Saarinen, J. see A. Santala (469) 213
Saarma, M. see T. Kuittinen (473) 233
Saatcioglu, F. see T. Yamamoto (486) 143
Sabatier, J.M. see Z. Fajloun (469) 179
Sabetkar, M. see K.M. Naseem (473) 119
Sablon, E. see S.E. Hufton (475) 225
Šabová, L. see I. Kiššová (471) 113
Sacchetto, R., E. Damiani, A. Pallanca and A. Margreth, Coordinate expression of $Ca^{2+}$-ATPase slow-twitch isoform and of β calmodulin-dependent protein kinase in phospholamban-deficient sarcoplasmic reticulum of rabbit masseter muscle (481) 255
Sachinidis, A. see S. Stier (467) 299
Sachinidis, A., C. Seul, S. Seewald, H.-Y. Ahn, Y. Ko and H. Vetter, Green tea compounds inhibit tyrosine phosphorylation of PDGF β-receptor and transformation of A172 human glioblastoma (471) 51
Sadakane, Y. see K. Nakagomi (467) 235
Sadeghlar, F., K. Sandhoff and G. van Echten-Deckert, Cell type specific localization of sphingomyelin biosynthesis (478) 9
Sadler, J. see T.S. Zamolodchikova (466) 295
Sadowy, E. see M. Juszczuk (484) 33
Saeki, K. see E. Yasugi (480) 197
Saenger, W. see M.M. Beliakova (477) 263
Saenger, W. see H. Xu (482) 180
Saéz-Cirión, A. see T. Suárez (477) 145
Safe, S. see M. Wormke (478) 109
Saffrich, R. see B. Pause (471) 23
Saiardi, A., J.J. Caffrey, S.H. Snyder and S.B. Shears, Inositol polyphosphate multikinase (ArgRIII) determines nuclear mRNA export in *Saccharomyces cerevisiae* (468) 28
Saiardi, A., J.J. Caffrey, S.H. Snyder and S.B. Shears, Corrigendum to: Inositol polyphosphate multikinase (ArgRIII) determines nuclear mRNA export in *Saccharomyces cerevisiae* (469) 213
Saigo, K. see K. Ui-Tei (479) 79
Saisho, D. see H. Tsuji (471) 201
Saito, H. see Y. Urakami (473) 173
Saito, K. see Y. Hatzfeld (470) 147
Saito, M. see H. Kitamura (485) 53
Saitoh, N. see T. Yokogawa (473) 222
Sajid, M. see C.R. Caffrey (466) 244
Sakagami, Y. see H. Hanai (470) 97
Sakagichi, M. see S. Takai (467) 141
Sakai, H. see T. Ono (466) 233
Sakai, H. see L. Schaefer (471) 205
Sakai, K. see Y. Matsumoto (478) 67
Sakai, Y. see I. Matsui (467) 195
Sakai, Y. see M. Nishikawa (476) 150
Sakaki, Y. see H.-S. Park (475) 167
Sakamoto, H. see M. Sugishima (471) 61

Sakatani, T. see G. Shiota (470) 325
Sakaue, R. see M. Imagawa (484) 118
Sakihama, Y. see H. Yamasaki (468) 89
Saklatvala, J. see M. Brook (483) 57
Sakurada, H. see J. Akai (479) 29
Sakurai, H., H. Miyoshi, J. Mizukami and T. Sugita, Phosphorylation-dependent activation of TAK1 mitogen-activated protein kinase kinase kinase by TAB1 (474) 141
Sakurai, N. see S. Takemura (476) 266
Sakurai, T. see K. Yoshimatsu (470) 216
Salamino, F. see R. De Tullio (475) 17
Salamone, P.R., T.W. Greene, I.H. Kavakli and T.W. Okita, Isolation and characterization of a higher plant ADP-glucose pyrophosphorylase small subunit homotetramer (482) 113
Salaneck, E., S.K.S. Holmberg, M.M. Berglund, T. Boswell and D. Larhammar, Chicken neuropeptide Y receptor Y2: structural and pharmacological differences to mammalian Y2 (484) 229
Salas, J.A. see L.M. Quirós (476) 186
Salcedo, G. see M. Pernas (467) 206
Saleem, Q. see S.K. Brahmachari (472) 167
Salido, G. see E. Sarri (486) 63
Salimova, E. see E. Zilahi (481) 105
Saliou, C. see Y.C. Park (465) 93
Sallaud, C. see A. Barakat (471) 161
Salmona, M. see G. Forloni (466) 205
Salter, J.P. see C.R. Caffrey (466) 244
Salvadori, S. see P. Amodeo (473) 157
Salvioli, R., M. Tatti, F. Ciaffoni and A.M. Vaccaro, Further studies on the reconstitution of glucosylceramidase activity by Sap C and anionic phospholipids (472) 17
Salvioli, S., C. Barbi, J. Dobrucki, L. Moretti, M. Pinti, J. Pedrazzi, T.L. Pazienza, V. Bobyleva, C. Franceschi and A. Cossarizza, Opposite role of changes in mitochondrial membrane potential in different apoptotic processes (469) 186
Salvioli, S. see M. Garcia Fernandez (478) 290
Salzano, S. see N. Montuori (476) 166
Sami, M. see A. Dubus (485) 142
Sánchez, R.M. see A. Cabrero (484) 37
Sánchez-Monge, R. see M. Pernas (467) 206
Sánchez-Weatherby, J. see J.A. Calera (475) 117
Sanders, C.R. see L. Czerski (472) 225
Sanders, J.A. see M.M. Awad (483) 160
Sanders, J.E. see X.D. Zhang (482) 193
Sanders, L.K. see C.M. Szabo (482) 25
Sanders, T.A. see F.F. Eide (486) 29
Sanderson, M.R. see M. Sohi (465) 161
Sandhoff, K. see F. Sadeghlar (478) 9
Sandmann, J. see D. Tsikas (478) 1
Sandmann, J. see D. Tsikas (483) 83
Sandmeier, E. see B. Kunz (466) 207
Sandmeier, E. see M. Manunta (474) 255
Sangameswaran, L. see Y. Yiangou (467) 249
Sanjuan, M.A. see D.R. Jones (476) 160
Sano, S. see S. Kawamoto (470) 263
Sanschagrin, F. see C. Therrien (470) 285
Sansone, F. see A. Andrè (468) 73
Santala, A., J. Saarinen, P. Kovanen and P. Kuusela, Corrigendum to: Activation of interstitial collagenase, MMP-1, by *Staphylococcus aureus* cells having surface-bound plasmin: a novel role of plasminogen receptors of bacteria (469) 213
Santillo, M. see P. Mondola (467) 57
Santini, C. see M.D. Leibowitz (473) 333
Santorelli, F.M. see R. Carrozzo (486) 297
Santos, B.F., S.M.T. Serrano, A. Kuliopulos and S. Niewiarowski, Interaction of viper venom serine peptidases with thrombin receptors on human platelets (477) 199
Santos, C. see C. Miralles (476) 253
Santos, E. see P. Aroca (483) 27
Sanz, V., I. Arozarena and P. Crespo, Distinct carboxy-termini confer divergent characteristics to the mitogen-activated protein kinase p38α and its splice isoform Mxi2 (474) 169
Sanz-González, S.M. see M. López-Garcia (466) 187
Saraste, M., Editorial (465) 1
Saraste, M. and G. Semenza, Editorial (476) 1
Saraste, M. see P.-F. Lenne (476) 124
Sarçabal, P. see G. Potocki de Montalk (471) 219
Sarçabal, P., M. Remaud-Simeon, R.-M. Willemot, G. Potocki de Montalk, B. Svensson and P. Monsan, Identification of key amino acid residues in *Neisseria polysaccharea* amylosucrase (474) 33
Sardet, C. see L. Fajas (471) 29
Sareth, S., H. Li, H. Yamada, C.K. Woodward and K. Akasaka, Rapid internal dynamics of BPTI is insensitive to pressure (470) 11
Sárkány, Z., T. Skern and L. Polgár, Characterization of the active site thiol group of rhinovirus 2A proteinase (481) 289
Sarkar, H.K. see B.Y. Williams (470) 207
Sarker, K.P. see Y. Wang (470) 151
Sarker, K.P., S. Obara, M. Nakata, I. Kitajima and I. Maruyama, Anandamide induces apoptosis of PC-12 cells: involvement of superoxide and caspase-3 (472) 39
Sarno, S. see O. Marin (481) 63
Sarri, E., B. Ramos, G. Salido and E. Claro, Colecystokinin octapeptide CCK-8 and carbachol reduce [$^{32}$P]orthophosphate labeling of phosphatidylcholine without modifying phospholipase D activity in rat pancreatic acini (486) 63
Sasagawa, Y. see A. Higashitani (485) 35
Sasaguri, Y. see K.-Y. Wang (473) 345
Sasaki, H. see N. Maulik (485) 7
Sasaki, J. see Y. Fujinaga (467) 179
Sasaki, K. see S. Hiraga (471) 245
Sasaki, S. see S. Takai (467) 141
Sasaki, T., K. Kobayashi, T. Kohno and K. Sato, Combinatorial synthesis of ω-conotoxin MVIIC analogues and their binding with N- and P/Q-type calcium channels (466) 125
Sasaki, T. see K. Sato (469) 147
Sasaki, T. see S. Hiraga (471) 245
Sasaki, T. see M. Ishino (474) 179
Sasaki, T. see R. Balaji (474) 208
Sasaki, Y. see K. Endo (477) 55
Sasaski, H. see M. Ishino (474) 179
Sasayama, S. see K. Shioji (472) 109
Sass, L. see C. Seregélyes (482) 125
Sass, L. see C. Seregélyes (485) 207
Sato, F. see S. Murakami (468) 15
Sato, K. see R. Balaji (474) 208
Sato, K. see J. Ota (466) 96
Sato, K. see T. Sasaki (466) 125
Sato, K., C. Raymond, N. Martin-Moutot, T. Sasaki, A. Ohtake, K. Minami, C. Van Renterghem, J.I. Kim, M. Takahashi and M.J. Seagar, Binding of Ala-scanning analogs of ω-conotoxin MVIIC to N- and P/Q-type calcium channels (469) 147
Sato, K. see G. Shiota (470) 325
Sato, M., Y. Matsuki, T. Oguma, K. Tsujimoto, E. Takayama and T. Tadakuma, Inhibition of glucocorticoid-induced apoptosis by the expression of antisense gene of mitochondrial ATPase subunit 6 (478) 34
Sato, M. see N. Todoroki-Ikeda (482) 85
Sato, M. see N. Todoroki-Ikeda (483) 186
Sato, S. see Y. Shirano (485) 178
Sato, T. see W. Ise (465) 28
Sato, T. see M. Nakagawa (473) 161
Satoh, A., T. Toida, K. Yoshida, K. Kojima and I. Matsumoto, New role of glycosaminoglycans on the plasma membrane proposed by their interaction with phosphatidylcholine (477) 249
Satta, Y. see M. Watanabe (473) 139
Satyanarayana, C., S. Schröder-Köhne, E.A. Craig, P.V. Schu and M. Horst, Cytosolic Hsp70s are involved in the transport of aminopeptidase 1 from the cytoplasm into the vacuole (470) 232
Sauer, G.A., G. Nagel, H. Koepsell, E. Bamberg and K. Hartung, Voltage and substrate dependence of the inverse transport mode of the rabbit $Na^+$/glucose cotransporter (SGLT1) (469) 98
Sauer, H., G. Rahimi, J. Hescheler and M. Wartenberg, Role of reactive oxygen species and phosphatidylinositol 3-kinase in cardiomyocyte differentiation of embryonic stem cells (476) 218
Sauer, N. see F. Klebl (481) 86
Saunders, R.D.C. and L.I. McLellan, Molecular cloning of *Drosophila* γ-glutamylcysteine synthetase by functional complementation of a yeast mutant (467) 337
Sauter, M. see A. Boese (468) 65
Saves, I., M.-A. Lanéelle, M. Daffé and J.-M. Masson, Inteins invading mycobacterial RecA proteins (480) 221
Saville, B. see M. Wormke (478) 109
Savino, C., L. Federici, R. Ippoliti, E. Lendaro and D. Tsernoglou, The crystal structure of saporin SO6 from *Saponaria officinalis* and its interaction with the ribosome (470) 239

Saviñón-Tejeda, A.L. see L. Ongay-Larios (467) 22
Sawamura, T. see T. Aoyama (467) 217
Sayed, Y., L.A. Wallace and H.W. Dirr, The hydrophobic lock-and-key intersubunit motif of glutathione transferase A1-1: implications for catalysis, ligandin function and stability (465) 169
Scaloni, A., C. Bottiglieri, L. Ferrara, M. Corona, G.B. Gurrola, C. Batista, E. Wanke and L.D. Possani, Corrigendum to: Disulfide bridges of Ergtoxin, a member of a new sub-family of peptide blockers of the *ether-a-go-go*-related $K^+$ channel (FEBS 24007) (481) 308
Scarlett, J.L., P.W. Sheard, G. Hughes, E.C. Ledgerwood, H.-H. Ku and M.P. Murphy, Changes in mitochondrial membrane potential during staurosporine-induced apoptosis in Jurkat cells (475) 267
Scarth, S.L. see Sh.M. Nolan (486) 89
Schablowski, H. see U. Rümenapp (467) 134
Schaefer, L., H. Sakai, M.-G. Mattei, M. Lazdunski and E. Lingueglia, Molecular cloning, functional expression and chromosomal localization of an amiloride-sensitive $Na^+$ channel from human small intestine (471) 205
Schäfer, E. see K. Eichenberg (470) 107
Schäfer, U., S. Seibold, A. Schneider and E. Neugebauer, Isolation and characterisation of the human rab18 gene after stimulation of endothelial cells with histamine (466) 148
Schaffner, K. see C. Kneip (482) 252
Schaper, F. see L. Terstegen (478) 100
Scharf, D. see L.A. Davies (478) 61
Scharffetter-Kochanek, K. see R. Blaudschun (474) 195
Schaschke, N., I. Assfalg-Machleidt, Th. Laßleben, C.P. Sommerhoff, L. Moroder and W. Machleidt, Epoxysuccinyl peptide-derived affinity labels for cathepsin B (482) 91
Scheer, H. see K.-H. Zhao (469) 9
Scheide, D. see T. Friedrich (479) 1
Scheja, L. see J.K. Sethi (469) 77
Scheller, R.H. see E.S. Masuda (470) 61
Schepens, I., P. Decottignies, E. Ruelland, K. Johansson and M. Miginiac-Maslow, The dimer contact area of sorghum NADP-malate dehydrogenase: role of aspartate 101 in dimer stability and catalytic activity (471) 240
Scheraga, H.A. see M.-C. Song (471) 177
Scheraga, H.A. see L.K. Low (472) 67
Schieven, G.L. see G. Dawson (478) 233
Schilling, K. see Y.L. Guo (469) 203
Schindler, H. see M. Manunta (471) 256
Schindler, H. see M. Manunta (474) 255
Schindler, H. see K.J.F. Kepplinger (477) 161
Schipper, A. see M. Volpicella (468) 137
Schlamann, W. see C. Kneip (482) 252
Schledz, M. see S. Al-Babili (485) 168
Schlick, J.-L., P. Dulieu, B. Desvoyes, P. Adami, J. Radom and M. Jouvenot, Cytotoxic activity of a recombinant GnRH-PAP fusion toxin on human tumor cell lines (472) 241
Schliess, F. see M. Michalke (465) 64
Schlomann, U. see S. Rathke-Hartlieb (481) 227
Schlüter, T., H. Struy and P. Schönfeld, Protection of mitochondrial integrity from oxidative stress by the triaminopyridine derivative flupirtine (481) 42
Schmid, V.H.R. see A.N. Melkozernov (471) 89
Schmidt, C., C. Ohlemeyer, H. Kettenmann, W. Reutter and R. Horstkorte, Incorporation of *N*-propanoylneuraminic acid leads to calcium oscillations in oligodendrocytes upon the application of GABA (478) 276
Schmidt, G. and A. Wittinghofer, Priming of PC12 cells for semiquantitative microinjection studies involving Ras (474) 184
Schmidt, G.W. see A.N. Melkozernov (471) 89
Schmidt, M.F.G. see E. Ponimaskin (478) 173
Schmidt, T. see K.J.F. Kepplinger (477) 161
Schmies, G., I. Chizhov and M. Engelhard, Functional expression of His-tagged sensory rhodopsin I in *Escherichia coli* (466) 67
Schmitt, M.E. see J.W. Meyer (472) 1
Schmitt-John, T. see N. Wedemeyer (477) 49
Schneider, A. see U. Schäfer (466) 148
Schneider, C. see L. Collavin (481) 57
Schneider, C. see M. Stebel (481) 152
Schneider, C. see M.E. Ruaro (481) 159
Schneider, G. see S. Thorell (475) 205
Schneider, K., P. Dimroth and M. Bott, Identification of triphosphoribosyl-dephospho-CoA as precursor of the citrate lyase prosthetic group (483) 165
Schoefs, B. and M. Bertrand, The formation of chlorophyll from chlorophyllide in leaves containing proplastids is a four-step process (486) 243
Schoeser, M. see H. Oberegger (485) 113
Schofield, C.J. see A. Dubus (485) 142
Schohn, H. see F. Casas (478) 4
Scholthof, K.-B.G. see B. Desvoyes (485) 25
Scholze, H. see R. Nickel (486) 112
Schönfeld, P. see T. Schlüter (481) 42
Schönfeld, P., M.R. Więckowski and L. Wojtczak, Long-chain fatty acid-promoted swelling of mitochondria: further evidence for the protonophoric effect of fatty acids in the inner mitochondrial membrane (471) 108
Schönle, A. see S. Jakobs (479) 131
Schor, N.F. see V.E. Kagan (477) 1
Schouten, O. see F.A.A. van Acker (473) 145
Schouten, T. see T. van Laar (469) 123
Schreiber, A.Z. see W. Jarmuszkiewicz (467) 145
Schreiber, R., H. Pavenstädt, R. Greger and K. Kunzelmann, Aquaporin 3 cloned from *Xenopus laevis* is regulated by the cystic fibrosis transmembrane conductance regulator (475) 291
Schrempf, H. see H. Splitt (472) 83
Schrével, J. see I. Florenta (484) 246
Schröder, J. see J. Määttä (484) 202
Schröder, W.P. see T. Kieselbach (480) 271
Schröder-Köhne, S. see C. Satyanarayana (470) 232
Schrör, K. see B.H. Rauch (481) 3
Schrör, K. see S.M. Nilius (484) 211
Schu, P.V. see C. Satyanarayana (470) 232
Schübel, H. see T. Zuleeg (472) 247
Schubert, U. see P. Henklein (482) 220
Schuldiner, S. see H. Yerushalmi (476) 93
Schuldiner, S. see C. Glaubitz (480) 127
Schülein, R., K. Zühlke, A. Oksche, R. Hermosilla, J. Furkert and W. Rosenthal, The role of conserved extracellular cysteine residues in vasopressin V2 receptor function and properties of two naturally occurring mutant receptors with additional extracellular cysteine residues (466) 101
Schülein, R., K. Zühlke, A. Oksche, R. Hermosilla, J. Furkert and W. Rosenthal, Corrigendum to: The role of conserved extracellular cysteine residues in vasopressin V2 receptor function and properties of two naturally occurring mutant receptors with additional extracellular cysteine residues (473) 124
Schüler, H., C.E. Schutt, U. Lindberg and R. Karlsson, Covalent binding of ATPγS to the nucleotide-binding site in S14C-actin (476) 155
Schulreich, S. see A.G. Maier (484) 82
Schultz, J.E. see Y.L. Guo (469) 203
Schulz, A. see A. Krause (480) 147
Schulz, R. see K. Chamaon (482) 189
Schulz, R. see H. Ammer (485) 157
Schulze, W., A. Weise, W.B. Frommer and J.M. Ward, Function of the cytosolic N-terminus of sucrose transporter AtSUT2 in substrate affinity (485) 189
Schulze-Osthoff, K. see S. Stier (467) 299
Schulz-Knappe, P. see A. Krause (480) 147
Schünemann, V., C. Jung, A.X. Trautwein, D. Mandon and R. Weiss, Intermediates in the reaction of substrate-free cytochrome $P450_{cam}$ with peroxy acetic acid (479) 149
Schutkowski, M. see M. Weiwad (478) 39
Schutt, C.E. see H. Schüler (476) 155
Schwarz, M. see R. Behrens (474) 99
Schwikardi, M. and P. Dröge, Site-specific recombination in mammalian cells catalyzed by γδ resolvase mutants: implications for the topology of episomal DNA (471) 147
Schwörer, G. see U. Rümenapp (467) 134
Scott, D.J. see S. Tarabykina (475) 187
Scott, D.J. see A.L. Ferguson (481) 281
Scott, J.D. see K. Dodge (476) 58
Scotti, P.A. see E.N.G. Houben (476) 229
Seagar, M.J. see K. Sato (469) 147
Sebald, W. see T. Kirsch (468) 215
Sebban, P. see A. Kuglstatter (472) 114
Sebban-Kreuzer, C. see C. Dominguez (482) 109
Seelos, C. see M. Exner (470) 47
Seery, J.P. see R.F.L. O'Shaughnessy (486) 149
Seewald, S. see A. Sachinidis (471) 51
Segal, A.W. see S.A. Didichenko (485) 147

Seger, D. and S. Shaltiel, Evidence showing that the two-chain form of vitronectin is produced in the liver by a selective furin cleavage (480) 169
Seger, R. see Z. Yao (468) 37
Sehested, M. see L.H. Jensen (480) 201
Seibold, S. see U. Schäfer (466) 148
Seidel, B. see K. Chamaon (482) 189
Seiki, M. see S. Kojima (480) 142
Seino, Y. see Y. Ihara (473) 24
Seko, T. see M. Koyama (475) 197
Sekowska, A. see E.P.C. Rocha (476) 8
Sekyere, E. and D.R. Richardson, The membrane-bound transferrin homologue melanotransferrin: roles other than iron transport? (483) 11
Selheim, F., A.K. Frøyset, I. Strand, F.S. Vassbotn and H. Holmsen, Adrenaline potentiates PI 3-kinase in platelets stimulated with thrombin and SFRLLN: role of secreted ADP (485) 62
Selig, L. see P. Legrain (480) 32
Selin-Sjögren, L. see L. Gan (477) 89
Selker, J.M.L. see R.W. Gilkerson (474) 1
Selkirk, M.E. see V.P. Smith (483) 104
Sell, S. see G. Shiota (470) 325
Semenza, G., From the handling editor (466) 208
Semenza, G. see M. Saraste (476) 1
Semeraro, M.L. see P. Matarrese (473) 311
Semisotnov, G.V. see A.A. Timchenko (471) 211
Sen, S. see S.K. Brahmachari (472) 167
Senda, S. and M.A. Titus, A potential mechanism for regulating myosin I binding to membranes in vivo (484) 125
Senior, A.E. see J. Weber (483) 1
Sentenac, H. see B. Lacombe (466) 351
Seo, H. see T. Yamada (466) 287
Seong, I.S., J.Y. Oh, J.W. Lee, K. Tanaka and C.H. Chung, The HslU ATPase acts as a molecular chaperone in prevention of aggregation of SulA, an inhibitor of cell division in *Escherichia coli* (477) 224
Seregélyes, C., L. Mustárdy, F. Ayaydin, L. Sass, L. Kovács, G. Endre, N. Lukács, I. Kovács, I. Vass, G.B. Kiss, G.V. Horváth and D. Dudits, Nuclear localization of a hypoxia-inducible novel non-symbiotic hemoglobin in cultured alfalfa cells (482) 125
Seregélyes, C., L. Mustárdy, F. Ayaydin, L. Sass, L. Kovács, G. Endre, N. Lukács, I. Kovács, I. Vass, G.B. Kiss, G.V. Horváth and D. Dudits, Corrigendum to: Nuclear localization of a hypoxia-inducible novel non-symbiotic hemoglobin in cultured alfalfa cells (485) 207
Sergheraert, C. see I. Florenta (484) 246
Serizawa, S. see Y. Matsumoto (478) 67
Serizawa, T. see Y. Wang (470) 151
Serra, D. see M. Morillas (466) 183
Serradeil-Le Gal, C., M. Lafontan, D. Raufaste, J. Marchand, B. Pouzet, P. Casellas, M. Pascal, J.-P. Maffrand and G. Le Fur, Characterization of NPY receptors controlling lipolysis and leptin secretion in human adipocytes (475) 150
Serrano, L. see A. Westerholm-Parvinen (486) 285
Serrano, R. see L. Yenush (467) 321
Serrano, S.M.T. see B.F. Santos (477) 199
Serù, R. see P. Mondola (467) 57
Servant, N. see L. Fajas (471) 29
Sessions, R.B. see T. Joseph-Horne (481) 141
Sethi, J.K., H. Xu, K. Uysal, S.M. Wiesbrock, L. Scheja and G.S. Hotamisligil, Characterisation of receptor-specific TNFα functions in adipocyte cell lines lacking type 1 and 2 TNF receptors (469) 77
Sette, M., M. Bozzi, A. Battistoni, M. Fasano, M. Paci and G. Rotilio, Investigation of the active site of *Escherichia coli* Cu,Zn superoxide dismutase reveals the absence of the copper-coordinated water molecule. Is the water molecule really necessary for the enzymatic mechanism? (483) 21
Seul, C. see A. Sachinidis (471) 51
Seuwen, K. see V. Sottile (475) 201
Seyama, I. see T. Kimura (465) 18
Sgambato, A. see C. Losasso (484) 194
Shade, R.E. see H. Koiwa (471) 67
Shah, Z.H., G.A.J. Hakkaart, B. Arku, L. de Jong, H. van der Spek, L.A. Grivell and H.T. Jacobs, The human homologue of the yeast mitochondrial AAA metalloprotease Yme1p complements a yeast *yme1* disruptant (478) 267
Shah, Z.H. see M. Juhola (481) 91
Shaklai, M. see J. Lahav (475) 89
Shaltiel, S. see D. Seger (480) 169
Shao, W., A.Y. Lee, S. Gulnik, E. Gustchina, Y.-L. Liu, H.-F. Kung and J.W. Erickson, A novel putative transcription factor protein MYT2 that preferentially binds supercoiled DNA and induces DNA synthesis in quiescent cells (473) 363
Sharma, A., R. Sharma, M. Imamura, M. Yamakawa and H. Machii, Transgenic expression of cecropin B, an antibacterial peptide from *Bombyx mori*, confers enhanced resistance to bacterial leaf blight in rice (484) 7
Sharma, A., R. Sharma, M. Imamura, M. Yamakawa and H. Machii, Corrigendum to: Transgenic expression of cecropin B, an antibacterial peptide from *Bombyx mori*, confers enhanced resistance to bacterial leaf blight in rice (FEBS 24213) (485) 208
Sharma, D. see S.K. Brahmachari (472) 167
Sharma, N., R. Furter, P. Kast and D.A. Tirrell, Efficient introduction of aryl bromide functionality into proteins in vivo (467) 37
Sharma, R. see A. Sharma (484) 7
Sharma, R. see A. Sharma (485) 208
Sharma, S. see S.K. Brahmachari (472) 167
Sharma, V. see V.R. Srinivas (474) 76
Sharova, N.P., E.B. Abramova, S.B. Dmitrieva, D.D. Dimitrova and V.S. Mikhailov, Preferential interaction of loach DNA polymerase δ with DNA duplexes containing single-stranded gaps (486) 14
Sharpe, M.A. see J. Torres (475) 263
Sharrock, R.A. see K. Eichenberg (470) 107
Shaw, N.M. see K.S. Hewitson (466) 372
Shaw, P.J. see T.D. Bunney (476) 145
She, Q.-B., J.J. Mukherjee, J.-S. Huang, K.S. Crilly and Z. Kiss, Growth factor-like effects of placental alkaline phosphatase in human fetus and mouse embryo fibroblasts (469) 163
She, Q.-B., J.J. Mukherjee, K.S. Crilly and Z. Kiss, $\alpha_1$-Antitrypsin can increase insulin-induced mitogenesis in various fibroblast and epithelial cell lines (473) 33
Sheard, P.W. see J.L. Scarlett (475) 267
Shears, S.B. see A. Saiardi (468) 28
Shears, S.B. see A. Saiardi (469) 213
Shelden, M. see C. Sohlenkamp (467) 273
Shelden, M.C. see O.K. Khurana (477) 118
Shen, C.-K. see M.-J. Lin (469) 101
Shen, M. see E.S. Masuda (470) 61
Shen, X., F. Hong, V.-A. Nguyen and B. Gao, IL-10 attenuates IFN-α-activated STAT1 in the liver: involvement of SOCS2 and SOCS3 (480) 132
Shen, Y. see M. Costa (482) 75
Shenkarev, Z.O. see T.A. Balashova (466) 333
Sheridan, M.A. see G.T. Melroe (465) 115
Shi, J. see Y.-Y. Tang (470) 167
Shi, Y. see S. Yokoyama (486) 167
Shiba, H. see M. Watanabe (473) 139
Shiba, T. see A. Yamashita (481) 147
Shibata, D. see Y. Shirano (485) 178
Shibata, N. see K. Itakura (473) 249
Shibata, S. see K. Motohashi (468) 189
Shibata, T. see T. Yamada (466) 287
Shibata, T. see H. Kurumizaka (477) 129
Shichiri, M. see S. Oyadomari (478) 141
Shie, J.-L. see Z.Y. Chen (477) 67
Shima, S. see G. Buurman (485) 200
Shimada, H. see N. Oosawa (474) 133
Shimada, H. see Y. Shirano (485) 178
Shimada, I. see K. Masuda (473) 349
Shimajiri, S. see K.-Y. Wang (473) 345
Shimamura, S. see J. Ota (466) 96
Shimane, M. see Y. Chimori (469) 67
Shimizu, H. see A. Utama (465) 74
Shimizu, H., M. Kang, Y. Iitsuka, M. Ichinose, T. Tokuhisa and M. Hatano, Identification of an optimal Ncx binding sequence required for transcriptional activation (475) 170
Shimizu, K. see A. Takano (477) 106
Shimizu, M., W. Wang, E. Walch, P.W. Dunne and H.F. Epstein, Rac-1 and Raf-1 kinases, components of distinct signaling pathways, activate myotonic dystrophy protein kinase (475) 273
Shimizu, N. see N. Yamamoto (484) 153
Shimizu, S. see Y. Tsujimoto (466) 6
Shimo, T. see S. Kubota (474) 58
Shimojo, N. see Y. Kumagai (478) 295
Shimokata, H. see A. Funakoshi (466) 264

Shimomura, O. see S. Inouye (481) 19
Shin, D.W., J. Ma and D.H. Kim, The *asp*-rich region at the carboxyl-terminus of calsequestrin binds to $Ca^{2+}$ and interacts with triadin (486) 178
Shin, H.-C. see L.K. Low (472) 67
Shin, S.W., D.-S. Park, S.C. Kim and H.-Y. Park, Two carbohydrate recognition domains of *Hyphantria cunea* lectin bind to bacterial lipopolysaccharides through O-specific chain (467) 70
Shinohara, A. see Y. Kumagai (478) 295
Shinohara, T. see M. Nagano (475) 7
Shinoura, H., H. Take, A. Hirasawa, K. Inoue, Y. Ohno, K. Hashimoto and G. Tsujimoto, Key amino acids of vasopressin V1a receptor responsible for the species difference in the affinity of OPC-21268 (466) 255
Shinoura, H., H. Take, S. Itoh, A. Hirasawa, K. Inoue, Y. Ohno, K. Hashimoto and G. Tsujimoto, Corrigendum to: Key amino acids of vasopressin V1a receptor responsible for the species difference in the affinity of OPC-21268 (FEBS 23227) (474) 257
Shinozaki, K. see I. Tsujio (469) 111
Shinozaki, K. see T. Urao (478) 227
Shintomi, N. see S. Joshi (468) 11
Shioji, K., C. Kishimoto, H. Nakamura, S. Toyokuni, Y. Nakayama, J. Yodoi and S. Sasayama, Upregulation of thioredoxin (TRX) expression in giant cell myocarditis in rats (472) 109
Shiota, G., T. Kunisada, K. Oyama, A. Udagawa, T. Nomi, K. Tanaka, A. Tsutsumi, M. Isono, T. Nakamura, H. Hamada, T. Sakatani, S. Sell, K. Sato, H. Ito and H. Kawasaki, In vivo transfer of hepatocyte growth factor gene accelerates proliferation of hepatic oval cells in a 2-acetylaminofluorene/partial hepatectomy model in rats (470) 325
Shirai, N. see J. Akai (479) 29
Shirai, R. see T. Yokogawa (473) 222
Shirai, Y. see T. Yokogawa (473) 222
Shiraishi, H. see Y. Naito (466) 273
Shiraki, K. see M. Koyama (475) 197
Shirano, Y., H. Shimada, K. Kanamaru, M. Fujiwara, K. Tanaka, H. Takahashi, K. Unno, S. Sato, S. Tabata, H. Hayashi, C. Miyake, A. Yokota and D. Shibata, Chloroplast development in *Arabidopsis thaliana* requires the nuclear-encoded transcription factor Sigma B (485) 178
Shkuropatov, A.Y. see A.G. Yakovlev (466) 209
Shogomori, H. see Y. Neuberger (469) 44
Shong, M. see O.-Y. Kwon (475) 27
Shore, R.F. see J.L. Griffin (478) 147
Shore, R.F. see J.L. Griffin (486) 225
Shu, F., H. Kobayashi, K. Fukudome, N. Tsuneyoshi, M. Kimoto and T. Terao, Activated protein C suppresses tissue factor expression on U937 cells in the endothelial protein C receptor-dependent manner (477) 208
Shukunami, C., H. Akiyama, T. Nakamura and Y. Hiraki, Requirement of autocrine signaling by bone morphogenetic protein-4 for chondrogenic differentiation of ATDC5 cells (469) 83
Shu-Nu, C., C.-H. Lin and A. Lin, An acidic amino acid cluster regulates the nucleolar localization and ribosome assembly of human ribosomal protein L22 (484) 22
Shutova, T., K.-D. Irrgang, V.V. Klimov and G. Renger, Is the manganese stabilizing 33 kDa protein of photosystem II attaining a 'natively unfolded' or 'molten globule' structure in solution? (467) 137
Shutova, T., K.-D. Irrgang, V.V. Klimov and G. Renger, Erratum to: Is the manganese stabilizing 33 kDa protein of photosystem II attaining a 'natively unfolded' or 'molten globule' structure in solution? (469) 214
Shuvalov, V.A. see A.G. Yakovlev (466) 209
Shvedova, A.A. see V.E. Kagan (477) 1
Sibille, B. see M.A. Piquet (468) 239
Siddiqui, S.S. see M. Ali (470) 70
Siddiqui, Z.K. see M. Ali (470) 70
Siddle, K. see L. Molina (467) 226
Siddon, N.A. see M. Johnson-Saliba (467) 169
Sidenius, N. and F. Blasi, Domain 1 of the urokinase receptor (uPAR) is required for uPAR-mediated cell binding to vitronectin (470) 40
Sidenius, N., C.F.M. Sier and F. Blasi, Shedding and cleavage of the urokinase receptor (uPAR): identification and characterisation of uPAR fragments in vitro and in vivo (475) 52
Sidenius, N. see S. Mustjoki (486) 237
Sidhu, S.S. see G. Fuh (480) 231
Siegmund, K. see W. Pelzer (476) 134
Sier, C.F.M. see N. Sidenius (475) 52
Siess, W. see M. Retzer (466) 70
Siffert, W. see C. Naber (484) 199
Sikder, D. see T. Bhaduri (486) 126
Silberring, J. see D. Wade (479) 6
Sil'nikov, V.N. see N.G. Beloglazova (481) 277
Silva, J.R. see M.F. Oliveira (477) 95
Silve, S. see I. Soustre (470) 102
Sim, A.S. see X.L. Wang (471) 45
Sim, R.B. see J.M. Inal (470) 131
Simanis, V. see E. Zilahi (481) 105
Simeoni, I. see M. Manunta (471) 256
Simon, H., L. Kittler, E. Baird, P. Dervan and C. Zimmer, Selective inhibition of DNA gyrase in vitro by a GC specific eight-ring hairpin polyamide at nanomolar concentration (471) 173
Simon, J. see T. Fawcett (484) 65
Simonic, T., S. Duga, B. Strumbo, R. Asselta, F. Ceciliani and S. Ronchi, cDNA cloning of turtle prion protein (469) 33
Singh, K. see P.N. Farnsworth (482) 175
Singh, S.P. see D. Lai (469) 191
Singh, S.V. see A. Pal (486) 163
Sinigaglia, F. see M. Torti (466) 355
Sipiczki, M. see E. Zilahi (481) 105
Sippl, M.J. see F.S. Domingues (476) 98
Sistonen, L. see K. Kaarniranta (475) 283
Si-Tahar, M. see C. Trumel (484) 184
Skerjanc, I.S. and S. Wilton, Myocyte enhancer factor 2C upregulates MASH-1 expression and induces neurogenesis in P19 cells (472) 53
Skern, T. see W. Glaser (480) 151
Skern, T. see Z. Sárkány (481) 289
Skorpen, F. see H.E. Krokan (476) 73
Skowronski, M.T. see Y. Ishikawa (477) 253
Skubitz, A.P.N. see K.M. Skubitz (469) 52
Skubitz, K.M., K.D. Campbell and A.P.N. Skubitz, CD63 associates with CD11/CD18 in large detergent-resistant complexes after translocation to the cell surface in human neutrophils (469) 52
Slabas, A.R. see T. Fawcett (484) 65
Slocombe, P.M. see A. Amour (473) 275
Slupphaug, G. see H.E. Krokan (476) 73
Sluse, F.E. see W. Jarmuszkiewicz (467) 145
Small, D.H. see J. Nunan (483) 6
Smalla, K.-H. see K. Chamaon (482) 189
Smalley, K. and T. Eisen, The involvement of p38 mitogen-activated protein kinase in the α-melanocyte stimulating hormone (α-MSH)-induced melanogenic and anti-proliferative effects in B16 murine melanoma cells (476) 198
Smart, C.E. see A.-S. Vercoutter-Edouart (478) 209
Smedman, A. see S. Basu (468) 33
Smirnova, H.A. see A.A. Volodin (473) 53
Smith, A.R. see G.V. Novikova (474) 29
Smith, B.J. see Z. Ahmed (475) 31
Smith, C.J. see J.R. Gallon (468) 231
Smith, L. and J.T. Stull, Myosin light chain kinase binding to actin filaments (480) 298
Smith, M.A. see M. Pérez (486) 270
Smith, M.J., R. Crowther and M. Goedert, The natural osmolyte trimethylamine *N*-oxide (TMAO) restores the ability of mutant tau to promote microtubule assembly (484) 265
Smith, N.R. see A.J. Mighell (468) 109
Smith, R. see T.H. Szeto (470) 293
Smith, R. see D. Clayton (479) 118
Smith, R., A. Jenkins, A. Lourbakos, P. Thompson, V. Ramakrishnan, J. Tomlinson, U. Deshpande, D.A. Johnson, R. Jones, E.J. Mackie and R.N. Pike, Evidence for the activation of PAR-2 by the sperm protease, acrosin: expression of the receptor on oocytes (484) 285
Smith, R.G. see M.D. Leibowitz (473) 333
Smith, V.P., M.E. Selkirk and K. Gounaris, A reversible protein phosphorylation system is present at the surface of infective larvae of the parasitic nematode *Trichinella spiralis* (483) 104
Smýkal, P. see D. Rösel (473) 323
Snezhkov, E.V. see A.N. Domansky (472) 191
Snyder, S.H. see A. Saiardi (468) 28
Snyder, S.H. see A. Saiardi (469) 213
Sobue, K. see Y. Chimori (469) 67
Soda, Y. see M.-X. Zou (473) 15
Söderström, M. see S. Surapureddi (480) 239

Sohi, M., A. Alexandrovich, G. Moolenaar, R. Visse, N. Goosen, X. Vernede, J.C. Fontecilla-Camps, J. Champness and M.R. Sanderson, Crystal structure of *Escherichia coli* UvrB C-terminal domain, and a model for UvrB-UvrC interaction (465) 161
Sohlenkamp, C., M. Shelden, S. Howitt and M. Udvardi, Characterization of *Arabidopsis* AtAMT2, a novel ammonium transporter in plants (467) 273
Sohma, H. see T. Maeda (470) 336
Sohn, H.W. see M.-J. Hahn (470) 350
Sokolova, E.A. see T.S. Zamolodchikova (466) 295
Soldatov, N.M. see K.J.F. Kepplinger (477) 161
Soliymani, R. see D. Wade (479) 6
Söll, D. see H.D. Becker (476) 140
Solscheid, B. and M. Tropschug, A novel type of FKBP in the secretory pathway of *Neurospora crassa* (480) 118
Somerville, R.L. see S. Kristl (467) 87
Somlyo, A.P. see J.A. MacDonald (479) 83
Somlyo, A.V. see J.A. MacDonald (479) 83
Sommer, A., H. Burkhardt, S.M. Keyse and B. Lüscher, Synergistic activation of the *mkp-1* gene by protein kinase A signaling and USF, but not c-Myc (474) 146
Sommer, U. see S. Thiel (470) 15
Sommerhoff, C.P. see N. Schaschke (482) 91
Song, H.G. see M.-J. Hahn (470) 350
Song, J., P. Xu, H. Xiang, Z. Su, A.C. Storer and F. Ni, The active-site residue Cys-29 is responsible for the neutral-pH inactivation and the refolding barrier of human cathepsin B (475) 157
Song, K., D. Jung, Y. Jung, S.-G. Lee and I. Lee, Interaction of human Ku70 with TRF2 (481) 81
Song, M.-C. and H.A. Scheraga, Formation of native structure by intermolecular thiol-disulfide exchange reactions without oxidants in the folding of bovine pancreatic ribonuclease A (471) 177
Soni, B.G. see P. Moutsaki (473) 316
Sonnewald, U. see F. Ludewig (479) 19
Sonnleitner, M. see K.J.F. Kepplinger (477) 161
Sonoda, N. see K. Fujita (476) 258
Sorrentino, S., R. Barone, E. Bucci, G. Gotte, N. Russo, M. Libonati and G. D'Alessio, The two dimeric forms of RNase A (466) 35
Sorrentino, V. see M. Manunta (471) 256
Sorrentino, V. see A. Orrico (478) 216
Sorrentino, V. see A. Orrico (481) 285
Soto, A.M. see W.H. Gmeiner (465) 148
Soto, R.P. see M.H. Valladares (477) 285
Sotta, B. see T. Ghelis (474) 43
Sotta, B. see T. Ghelis (481) 89
Sotta, B. see T. Ghelis (483) 67
Sottile, V. and K. Seuwen, Bone morphogenetic protein-2 stimulates adipogenic differentiation of mesenchymal precursor cells in synergy with BRL 49653 (rosiglitazone) (475) 201
Sottocasa, G.L. see S. Passamonti (482) 167
Souchet, M., A. Poupon, I. Callebaut, I. Léger, J.-P. Mornon, A. Bril and T.P.G. Calmels, Functional specificity conferred by the unique plasticity of fully α-helical Ras and Rho GAPs (477) 99
Soustre, I., P.-H. Dupuy, S. Silve, F. Karst and G. Loison, Sterol metabolism and *ERG2* gene regulation in the yeast *Saccharomyces cerevisiae* (470) 102
Souza, J.M., B.I. Giasson, V.M.-Y. Lee and H. Ischiropoulos, Chaperone-like activity of synucleins (474) 116
Sowa, M.-L. see E. Petitfrère (485) 117
Sowder II, R.C. see D.R. Morcock (476) 190
Španiel ová, H. see Z. Palková (467) 359
Sparrow, C.P. see M.D. Leibowitz (473) 333
Specht, V. see N. Klugbauer (470) 189
Speck, N.A. see Y.-Y. Tang (470) 167
Speiser, W. see M. Exner (470) 47
Spieckermann, P.G. see T. Moeslinger (478) 95
Spiegel, S. see V.E. Nava (473) 81
Spiegel, S. and S. Milstien, Sphingosine-1-phosphate: signaling inside and out (476) 55
Spiridonova, V.A. see M.M. Beliakova (477) 263
Splitt, H., D. Meuser, I. Borovok, M. Betzler and H. Schrempf, Pore mutations affecting tetrameric assembly and functioning of the potassium channel KcsA from *Streptomyces lividans* (472) 83
Spokes, K.C. see Md.R. Abid (486) 252
Spooner, P. see C. Glaubitz (480) 127
Spoto, N. see M. Volpicella (468) 137
Spudich, J.A. see S. Nock (466) 267
Sreedhar, A.S., B.V.V. Pardhasaradhi, A. Khar and U.K. Srinivas, Heat induced expression of CD95 and its correlation with the activation of apoptosis upon heat shock in rat histiocytic tumor cells (472) 271
Srinivas, U.K. see A.S. Sreedhar (472) 271
Srinivas, V.R., S. Acharya, S. Rawat, V. Sharma and A. Surolia, The primary structure of the acidic lectin from winged bean (*Psophocarpus tetragonolobus*): insights in carbohydrate recognition, adenine binding and quaternary association (474) 76
Srinivasan, A. see D. Lai (469) 191
Srivastava, S.K. see A. Pal (486) 163
Staege, M.S. see S. Rathke-Hartlieb (481) 227
Staels, B. see P. Delerive (471) 34
Staels, B. see C. Faveeuw (486) 261
Stafford, S.J. and P.A. Lund, Mutagenic studies on human protein disulfide isomerase by complementation of *Escherichia coli dsbA* and *dsbC* mutants (466) 317
Staniszewski, K.E. see P.A. Leland (477) 203
Stankiewicz, M. see P. Escoubas (483) 175
Starnes, S.M. see C.N. Roy (484) 271
Stathopoulos, C. see A. Tekos (485) 71
Staub, O. see H. Abriel (466) 377
Stebel, M., P. Vatta, M.E. Ruaro, G. Del Sal, R.G. Parton and C. Schneider, The growth suppressing *gas1* product is a GPI-linked protein (481) 152
Stebel, M. see M.E. Ruaro (481) 159
Stec, I., S.B. Nagl, G.-J.B. van Ommen and J.T. den Dunnen, The PWWP domain: a potential protein–protein interaction domain in nuclear proteins influencing differentiation? (473) 1
Steele, D.F. see N.D. Maruoka (473) 188
Stefan, M. see A. Koch (469) 72
Stefan, M. see A. Mancini (482) 54
Steffen, R. see G. Christen (475) 103
Steghens, J.-P. see T. Mourad-Terzian (475) 22
Steinberger, P. see S. Denépoux (465) 39
Steiner, V. see M. Irmler (468) 129
Steinert, P.M. see C.H. Lee (477) 268
Steinkellner, H. see R. Strasser (472) 105
Stenberg, Y. see A. Muranyi (475) 135
Stenflo, J. see A. Muranyi (475) 135
Stephens, P.E. see A. Amour (473) 275
Sterchi, E.E. see D. Köhler (465) 2
Stern, A. see D. Das (472) 50
Stern, A. see M. Cheng (475) 257
Stern, B. see A.M. Szilvay (484) 43
Stern, B. see A.M. Szilvay (485) 209
Stetter, K.O. see R. Dirmeier (467) 101
Stetter, K.O. see G. Fritz (473) 63
Stetzkowski-Marden, F. see M.C. Marden (472) 221
Stevens, M. see J.-B. Demoulin (482) 200
Steverding, D. see T. Breidbach (473) 212
Stewart, G.W. see J.S. Gibson (480) 179
Sticht, H. see J. Wastl (471) 191
Stieber, J. see L. Vaca (479) 35
Stieger, B. see V. Cattori (474) 242
Stiel, H. see D. Leupold (480) 73
Stier, S., G. Totzke, E. Grünewald, T. Neuhaus, S. Fronhoffs, A. Sachinidis, H. Vetter, K. Schulze-Osthoff and Y. Ko, Identification of syntenin and other TNF-inducible genes in human umbilical arterial endothelial cells by suppression subtractive hybridization (467) 299
Stock, S.D. see H. Hama (478) 26
Stöcker, W. see D. Köhler (465) 2
Stöcker, W. see I. Yiallouros (484) 224
Stoica, B. see L.J. Graham (470) 273
Stoka, V., B. Turk, J.H. McKerrow, I. Björk, J.J. Cazzulo and V. Turk, The high stability of cruzipain against pH-induced inactivation is not dependent on its C-terminal domain (469) 29
Štokrová, J. see Z. Palková (478) 281
Stolnik, S. see A.L. Martin (480) 106
Stoner, M. see M. Wormke (478) 109
Storer, A.C. see J. Song (475) 157
Storey, K.B. see B. Matutte (483) 135
Storf, M. see K.-H. Zhao (469) 9
Strack, D. see C. Milkowski (486) 183

Stracke, J.O., A.J. Fosang, K. Last, F.A. Mercuri, A.M. Pendás, E. Llano, R. Perris, P.E. Di Cesare, G. Murphy and V. Knäuper, Matrix metalloproteinases 19 and 20 cleave aggrecan and cartilage oligomeric matrix protein (COMP) (478) 52
Stracke, R. see K.J. Böhm (466) 59
Straface, E. see W. Malorni (468) 125
Strand, I. see F. Selheim (485) 62
Strasser, R., J. Mucha, L. Mach, F. Altmann, I.B.H. Wilson, J. Glössl and H. Steinkellner, Molecular cloning and functional expression of β1,2-xylosyltransferase cDNA from *Arabidopsis thaliana* (472) 105
Strauss, M. see M. Thullberg (470) 161
Strelkov, L.A., A.A. Mikhailova, L.A. Fonina and R.V. Petrov, A new endogenous differentiating factor (myelopeptide-4) for myeloid cells (470) 281
Strelnikova, A. see I. Cielens (482) 261
Striessnig, J. see D. Reimer (467) 65
Strobel, G. see M. Angermayr (481) 8
Strohmann, B. see K.-H. Zhao (469) 9
Strom, M. see R.P. Menon (470) 227
Strömberg, N. see A.P. Jonsson (475) 131
Stroppolo, M.E., A. Pesce, M. Falconi, P. O'Neill, M. Bolognesi and A. Desideri, Single mutation at the intersubunit interface confers extra efficiency to Cu,Zn superoxide dismutase (483) 17
Struglics, A., K.M. Fredlund, Y.M. Konstantinov, J.F. Allen and I.M. Møller, Protein phosphorylation/dephosphorylation in the inner membrane of potato tuber mitochondria (475) 213
Strumbo, B. see T. Simonic (469) 33
Struy, H. see T. Schlüter (481) 42
Stuible, H.-P., D. Büttner, J. Ehlting, K. Hahlbrock and E. Kombrink, Mutational analysis of 4-coumarate:CoA ligase identifies functionally important amino acids and verifies its close relationship to other adenylate-forming enzymes (467) 117
Stull, J.T. see R.C. Padre (472) 148
Stull, J.T. see L. Smith (480) 298
Stull, J.T. see A. Abdelmoity (482) 65
Stümpel, F. see T. Kucera (474) 223
Stupak, E.E. see R.N. Tchuraev (486) 200
Stupak, I.V. see R.N. Tchuraev (486) 200
Su, Z. see J. Song (475) 157
Suárez, T., S. Nir, F.M. Goñi, A. Saéz-Cirión and J.L. Nieva, The pre-transmembrane region of the human immunodeficiency virus type-1 glycoprotein: a novel fusogenic sequence (477) 145
Suaud, L. see B. Laine (479) 41
Subjeck, J. see X.-Y. Wang (465) 98
Subramaniam, S. see S. Herrgård (486) 107
Subramaniam, V. see S. Jakobs (479) 131
Suda, M., S. Yamada, T. Toda, T. Miyakawa and D. Hirata, Regulation of Wee1 kinase in response to protein synthesis inhibition (486) 305
Sudo, T. see S. Iino (479) 46
Sudo, T. see M. Matsumoto (486) 23
Sudol, M. see A. Tommasi di Vignano (471) 229
Suehiro, T. see K. Hirano (484) 275
Suessmuth, R.D. see E.J. Yavin (472) 259
Sugahara, K. see Y. Nakayama (474) 165
Sugamura, K. see K. Endo (477) 55
Sugawara, A. see K. Mori (486) 213
Sugihara, T. see S.C. Kaul (474) 159
Sugishima, M., Y. Omata, Y. Kakuta, H. Sakamoto, M. Noguchi and K. Fukuyama, Crystal structure of rat heme oxygenase-1 in complex with heme (471) 61
Sugita, T. see H. Sakurai (474) 141
Sugiura, M. see V.E. Nava (473) 81
Sugiyama, H., T. Nonaka, T. Kishimoto, K. Komoriya, K. Tsuji and T. Nakahata, Peroxisome proliferator-activated receptors are expressed in mouse bone marrow-derived mast cells (467) 259
Sugiyama, T., Y. Matsuda and K. Mikoshiba, Inositol 1,4,5-trisphosphate receptor associated with focal contact cytoskeletal proteins (466) 29
Sugiyama, T. see X.-L. Yang (470) 29
Suh, M.-H. see S. Lei (478) 192
Suh, P.-G. see B.-Y. Kim (472) 45
Suhayda, C.G. see M. Kita (469) 173
Sui, G.-C. see H. Mångs (475) 192
Sui, S. see H.-W. Wang (469) 105
Sulimenko, V. see M. Žiková (473) 19
Sully, G. see M. Brook (483) 57
Summer, W.R. see S.P. Kantrow (483) 119
Sun, B. see G. Fan (467) 7
Sun, B. see T. Nakahashi (470) 113
Sun, G. see Y. Kumagai (478) 295
Sun, Y. see P. Wang (475) 107
Sundström, V. see P. Martinsson (465) 107
Sunkel, C.E. see V. Cambiazo (483) 37
Surapureddi, S., J. Svartz, K.-E. Magnusson, S. Hammarström and M. Söderström, Colocalization of leukotriene C synthase and microsomal glutathione S-transferase elucidated by indirect immunofluorescence analysis (480) 239
Suresh, C. see A.K. Dubey (471) 251
Surolia, A. see V.R. Srinivas (474) 76
Surolia, A. see S. Chakravarty (476) 296
Susin, S.A. see E. Daugas (476) 118
Susin, S.A. see E. Yasugi (480) 197
Sutoh, K. see N. Oishi (474) 16
Sutoh, K. see S. Iwai (475) 47
Suty, L. see P. Etienne (466) 213
Suyama, E. see S. Iwai (475) 47
Suzu, S. see J. Ota (466) 96
Suzuki, G. see M. Watanabe (473) 139
Suzuki, H. see Y. Fukunishi (471) 261
Suzuki, K. see T. Todo (465) 12
Suzuki, K., K. Yamanishi, O. Mori, M. Kamikawa, B. Andersen, S. Kato, T. Toyoda and G. Yamada, Defective terminal differentiation and hypoplasia of the epidermis in mice lacking the *Fgf10* gene (481) 53
Suzuki, M., T. Tetsuka, S. Yoshida, N. Watanabe, M. Kobayashi, N. Matsui and T. Okamoto, The role of p38 mitogen-activated protein kinase in IL-6 and IL-8 production from the TNF-α- or IL-1β-stimulated rheumatoid synovial fibroblasts (465) 23
Suzuki, M. see E. Kuranaga (466) 279
Suzuki, M. see T. Inoue (469) 14
Suzuki, M., N. Ishizaka, K. Tsukamoto, K. Minami, J. Taguchi, R. Nagai and M. Ohno, Pressurization facilitates adenovirus-mediated gene transfer into vein graft (470) 370
Suzuki, M. see E. Kuranaga (472) 137
Suzuki, M. see S. Takemura (476) 266
Suzuki, N. see Y. Matsumoto (478) 67
Suzuki, N. see T. Kusakabe (483) 143
Suzuki, N. see H. Nakamoto (483) 169
Suzuki, R. see M. Ishino (474) 179
Suzuki, S. see N. Todoroki-Ikeda (482) 85
Suzuki, S. see N. Todoroki-Ikeda (483) 186
Suzuki, T. see T. Yasukawa (467) 175
Suzuki, T., M. Kusaba, M. Matsushita, K. Okazaki and T. Nishio, Characterization of *Brassica S*-haplotypes lacking *S*-locus glycoprotein (482) 102
Suzumura, K., M. Warashina, K. Yoshinari, Y. Tanaka, T. Kuwabara, M. Orita and K. Taira, Significant change in the structure of a ribozyme upon introduction of a phosphorothioate linkage at P9: NMR reveals a conformational fluctuation in the core region of a hammerhead ribozyme (473) 106
Svartz, J. see S. Surapureddi (480) 239
Svensson, B. see P. Sarçabal (474) 33
Svensson, L., I. Närlid and A. Oldberg, Fibromodulin and lumican bind to the same region on collagen type I fibrils (470) 178
Sverdlov, E.D. see A.N. Domansky (472) 191
Svingor, Á. see A. Németh (468) 48
Swanson, R. and M. Hochstrasser, A viable ubiquitin-activating enzyme mutant for evaluating ubiquitin system function in *Saccharomyces cerevisiae* (477) 193
Sydor, J. see C. Gellini (472) 263
Szabo, C.M., L.K. Sanders, H. Le, E.Y.T. Chien and E. Oldfield, Expression of doubly labeled *Saccharomyces cerevisiae iso*-1 ferricytochrome *c* and $^{1}H$, $^{13}C$ and $^{15}N$ chemical shift assignments by multidimensional NMR (482) 25
Szabò, I. see S. Martinucci (480) 89
Szegedi, C. see A. Herzog (472) 73
Szeto, T.H., L.C. Birinyi-Strachan, R. Smith, M. Connor, M.J. Christie, G.F. King and G.M. Nicholson, Isolation and pharmacological characterisation of δ-atracotoxin-Hv1b, a vertebrate-selective sodium channel toxin (470) 293
Szilágyi, A. see A. Németh (468) 48
Szilvay, A.M., B. Stern, A. Blichenberg and D.E. Helland, Structural and functional similarities between HIV-1 reverse transcriptase and the *Escherichia coli* RNA polymerase β′ subunit (484) 43

Szilvay, A.M., B. Stern, A. Blichenberg and D.E. Helland, Corrigendum to: Structural and functional similarities between HIV-1 reverse transcriptase and the *Escherichia coli* RNA polymerase β′ subunit (FEBS 24219) (485) 209
Sznajder, J.I. see E. Lecuona (481) 217
Sznajder, J.I. see L. Pesce (486) 310

# T

Tabata, S. see Y. Shirano (485) 178
Tabayashi, K. see S. Kawamoto (470) 263
Tachibana, H., Propensities for the formation of individual disulfide bonds in hen lysozyme and the size and stability of disulfide-associated submolecular structures (480) 175
Tachibana, T. see M. Matsubae (468) 171
Tadaki, T. see N. Nameki (470) 345
Tadakuma, T. see M. Sato (478) 34
Tafuri, S. see F. Urban Jr. (484) 159
Tagaev, A.A. see T.A. Balashova (466) 333
Tagarelli, A., A. Piro, L. Bastone and G. Tagarelli, Identification of glucose 6-phosphate dehydrogenase deficiency in a population with a high frequency of thalassemia (466) 139
Tagarelli, G. see A. Tagarelli (466) 139
Tagaya, M. see T. Yamaguchi (470) 25
Tagliavini, F. see G. Forloni (466) 205
Tagmount, A. see J.J. Vidmar (475) 65
Taguchi, A. see H. Furumoto (486) 195
Taguchi, J. see M. Suzuki (470) 370
Tai, A.K.F. see S.J. Ono (467) 268
Taira, A. see K. Bandoh (478) 159
Taira, K. see K. Suzumura (473) 106
Taira, K. see A. Kuno (482) 231
Taira, T. see N. Koike (467) 17
Taira, T. see M. Takayama (477) 43
Tajima, S., A. Akagi, N. Tanaka, A. Ishibashi, A. Kawada and N. Yamaguchi, Expression of type XVI collagen in cultured skin fibroblasts is related to cell growth arrest (469) 1
Takada, Y. see M. Watanabe (473) 139
Takaha, T. see S. Machida (486) 131
Takahashi, C. see H. Izumi (481) 31
Takahashi, H. see M. Fujiwara (481) 47
Takahashi, H. see A. Higashitani (485) 35
Takahashi, H. see Y. Shirano (485) 178
Takahashi, M. see E. Kuranaga (466) 279
Takahashi, M. see K. Sato (469) 147
Takahashi, M. see E. Kuranaga (472) 137
Takahashi, N. see T. Mori (465) 124
Takahashi, N. see A. Iwahori (466) 239
Takahashi, N. see K. Masuda (473) 349
Takahata, Y. see M. Watanabe (473) 139
Takai, S., A. Yuda, D. Jin, M. Nishimoto, M. Sakagichi, S. Sasaki and M. Miyazaki, Inhibition of chymase reduces vascular proliferation in dog grafted veins (467) 141
Takai, T., S. Ichikawa, T. Yokota, H. Hatanaka, F. Inagaki and Y. Okumura, Unlocking the allergenic structure of the major house dust mite allergen Der f 2 by elimination of key intramolecular interactions (484) 102
Takai, Y. see K. Hirano (484) 275
Takaishi, K. see K. Hirano (484) 275
Takaku, H. see T. Toyoda (481) 113
Takamatsu, N. see A. Yamashita (481) 147
Takamiya, K. see N. Oosawa (474) 133
Takamizawa, K. see A. Utama (465) 74
Takanami, T. see A. Higashitani (485) 35
Takano, A., K. Shimizu, S. Kani, R.M. Buijs, M. Okada and K. Nagai, Cloning and characterization of rat casein kinase 1ε (477) 106
Takao, N., Y. Li and K. Yamamoto, Protective roles for ATM in cellular response to oxidative stress (472) 133
Takaoka, T. see P. Escoubas (483) 175
Takasaki, T. see M. Watanabe (473) 139
Takase, K. see M. Koyama (475) 197
Takase, M., S. Noguchi and M. Nakamura, Two *Sox9* messenger RNA isoforms: isolation of cDNAs and their expression during gonadal development in the frog *Rana rugosa* (466) 249
Takashi, T. see J. Endo (468) 234
Takata, Y. see A. Funakoshi (466) 264
Takato, R. see W. Ise (465) 28
Takaya, K. see K. Mori (486) 213
Takayama, E. see M. Sato (478) 34
Takayama, M., T. Taira, S.M.M. Iguchi-Ariga and H. Ariga, CDC6 interacts with c-Myc to inhibit E-box-dependent transcription by abrogating c-Myc/Max complex (477) 43
Takayama, S. see M. Watanabe (473) 139
Take, H. see H. Shinoura (466) 255
Take, H. see H. Shinoura (474) 257
Takeda, J. see S. Kawamoto (470) 263
Takeda, M. see I. Tsujio (469) 111
Takeda, Y. see M. Ikeda (485) 94
Takekoshi, K., K. Ishii, Y. Kawakami, K. Isobe and T. Nakai, κ-Opioid inhibits catecholamine biosynthesis in PC12 rat pheochromocytoma cell (477) 273
Takemoto, J.Y. see H. Hama (478) 26
Takemura, S., R. Asano, K. Tsumoto, T. Arai, N. Sakurai, H. Kodama, H. Yoshida, Y. Katayose, M. Suzuki, S. Matsuno, T. Kudo and I. Kumagai, Functional Fv fragment of an antibody specific for CD28: Fv-mediated co-stimulation of T cells (476) 266
Takenaka, S. see M. Nakazawa (479) 155
Takeshige, K. see T. Irie (467) 160
Takeshita, A. see K. Watari (466) 367
Takeshita, H. see T. Yasuda (467) 231
Takeshita, T. see K. Endo (477) 55
Taki, T. see M. Takikawa (466) 381
Takigawa, M. see S. Kubota (474) 58
Takiguchi, M. see S. Oyadomari (478) 141
Takiguchi, S. see A. Funakoshi (466) 264
Takikawa, M., H. Kikkawa, T. Asai, N. Yamaguchi, D. Ishikawa, M. Tanaka, K. Ogino, T. Taki and N. Oku, Suppression of GD1α ganglioside-mediated tumor metastasis by liposomalized WHW-peptide (466) 381
Takio, K. see M. Nojiri (465) 173
Takizawa, T. see N. Yamamoto (484) 153
Tamás, M.J., M. Rep, J.M. Thevelein and S. Hohmann, Stimulation of the yeast high osmolarity glycerol (HOG) pathway: evidence for a signal generated by a change in turgor rather than by water stress (472) 159
Tamura, T. see A. Koch (469) 72
Tamura, T. see A. Mancini (482) 54
Tan, B. see F. Urban Jr. (484) 159
Tan, Z.-Y. see J.-G. Ye (479) 136
Tanabe, A. see M. Imagawa (484) 118
Tanaka, K. see J. Urano (466) 107
Tanaka, K. see G. Shiota (470) 325
Tanaka, K. see I.S. Seong (477) 224
Tanaka, K. see M. Fujiwara (481) 47
Tanaka, K. see Y. Shirano (485) 178
Tanaka, M. see M. Takikawa (466) 381
Tanaka, N. see S. Tajima (469) 1
Tanaka, N. see K. Endo (477) 55
Tanaka, S. see H. Zhang (469) 39
Tanaka, T. see I. Tsujio (469) 111
Tanaka, T. see Y. Hori (472) 187
Tanaka, T. see T. Nakajima (481) 197
Tanaka, Y., D. Okuzaki, N. Yabuta, T. Yoneki and H. Nojima, Rad24 is essential for proliferation of diploid cells in fission yeast (472) 254
Tanaka, Y. see K. Suzumura (473) 106
Tancrède, P. see J. Barwicz (465) 83
Tancredi, T. see P. Amodeo (473) 157
Tandon, N.N. see T. Nakahashi (470) 113
Taneike, I. see T. Yamamoto (472) 22
Tang, J. see H. Hama (478) 26
Tang, X. see J. Liu (478) 105
Tang, Y.-Y., B.E. Crute, J.J. Kelley III, X. Huang, J. Yan, J. Shi, K.L. Hartman, T.M. Laue, N.A. Speck and J.H. Bushweller, Biophysical characterization of interactions between the core binding factor α and β subunits and DNA (470) 167
Tani, K. see K. Watari (466) 367
Tani, K. see T. Yamaguchi (470) 25
Taniguchi, Y. see T. Nakajima (481) 197

Tanimori, S. see Y. Honda (476) 194
Tanimoto, A. see K.-Y. Wang (473) 345
Tanimura, T. see K. Nakagomi (467) 235
Tanner, W. see R. Graßl (468) 225
Tao, W. see Y. Zhao (480) 208
Tarabykina, S., M. Kriajevska, D.J. Scott, T.J. Hill, D. Lafitte, P.J. Derrick, G.G. Dodson, E. Lukanidin and I. Bronstein, Heterocomplex formation between metastasis-related protein S100A4 (Mts1) and S100A1 as revealed by the yeast two-hybrid system (475) 187
Taramelli, R. see F. Acquati (468) 59
Tashiro, F. see S. Kawamoto (470) 263
Tatemoto, K. see M.-X. Zou (473) 15
Tatsuta, M. see M. Mukai (484) 69
Tatsuta, T. see S. Makino (467) 365
Tatsuta, T., D.M. Joo, R. Calendar, Y. Akiyama and T. Ogura, Evidence for an active role of the DnaK chaperone system in the degradation of $\sigma^{32}$ (478) 271
Tatsuzawa, H., T. Maruyama, N. Misawa, K. Fujimori and M. Nakano, Quenching of singlet oxygen by carotenoids produced in *Escherichia coli* – attenuation of singlet oxygen-mediated bacterial killing by carotenoids (484) 280
Tatti, M. see R. Salvioli (472) 17
Tavernier, J. see S. Eyckerman (486) 33
Tay, D. see Y. Peng (482) 37
Taya, C. see J. Endo (468) 234
Taylor, J. see T.D. Bunney (476) 145
Taylor, J.E. see M.G. Cattaneo (481) 271
Taylor, S.S. see S. Herrgård (486) 107
Tchuraev, R.N., I.V. Stupak, T.S. Tropynina and E.E. Stupak, Epigenes: design and construction of new hereditary units (486) 200
Teh, T. see A. Hammet (471) 141
Teissié, J. see C. Ramos (465) 141
Teissier, E. see P. Delerive (471) 34
Teixeira, M. see C.V. Romão (480) 213
Tekos, A., A. Tsagla, C. Stathopoulos and D. Drainas, Inhibition of eukaryotic ribonuclease P activity by aminoglycosides: kinetic studies (485) 71
Telford, J.L. see X.-M. Wang (481) 96
Tello, D. see E. Osinaga (469) 24
Temussi, P.A. see P. Amodeo (473) 157
Tendler, S.J.B. see A.L. Martin (480) 106
Tennagels, N., E. Bergschneider, H. Al-Hasani and H.W. Klein, Autophosphorylation of the two C-terminal tyrosine residues $Tyr^{1316}$ and $Tyr^{1322}$ modulates the activity of the insulin receptor kinase in vitro (479) 67
Tepel, M. see M. Walter (479) 51
Terano, Y. see Y. Nishii (465) 153
Terao, T. see F. Shu (477) 208
Terleth, C. see T. van Laar (469) 123
Ternent, D. see S.K. Maciver (473) 71
Terstegen, L., B.G. Maassen, S. Radtke, I. Behrmann, F. Schaper, P.C. Heinrich, L. Graeve and P. Gatsios, Differential inhibition of IL-6-type cytokine-induced STAT activation by PMA (478) 100
Terwisscha van Scheltinga, A.C. see E. Bokma (478) 119
Teschemacher, H. see P. Mayer (480) 156
Tessier, M. see A. Tomschy (472) 169
Testerink, C. see M.J. van Zeijl (473) 292
Testerink, C. see W.L. Holtman (474) 48
Testerink, C., M. Vennik, J.W. Kijne, M. Wang and S. Heimovaara-Dijkstra, Inactivation of a MAPK-like protein kinase and activation of a MBP kinase in germinating barley embryos (484) 55
Tetsuka, T. see M. Suzuki (465) 23
Tettamanti, G. see G. Goi (473) 89
Tezapsidis, N. see A.A. Johnsingh (465) 53
Thauer, R.K. see G. Buurman (485) 200
Theis, S. see H. Funke-Kaiser (466) 310
Theisen, M. see F. Ruggiero (469) 132
Thelen, M. see S.A. Didichenko (485) 147
Thérisod, H. see L. Aussel (465) 87
Therrien, C., L.P. Kotra, F. Sanschagrin, S. Mobashery and R.C. Levesque, Evaluation of inhibition of the carbenicillin-hydrolyzing β-lactamase PSE-4 by the clinically used mechanism-based inhibitors (470) 285
Thevelein, J.M. see M.J. Tamás (472) 159
Thibaud, J.-B. see B. Lacombe (466) 351
Thibault, P. see L. Aussel (485) 40
Thibivilliers, S. see M.-J. Droillard (474) 217
Thiel, C. see N. Wedemeyer (477) 49
Thiel, S., U. Sommer, M. Kortylewski, C. Haan, I. Behrmann, P.C. Heinrich and L. Graeve, Termination of IL-6-induced STAT activation is independent of receptor internalization but requires de novo protein synthesis (470) 15
Thiran, S. see V. Jayaraman (475) 278
Thody, A.J. see J. Ancans (478) 57
Thomä, N.H. see A. Iakovenko (468) 155
Thomas, J.A. see R.J. Mallis (482) 237
Thomas, N..B. see A. Rioja (467) 291
Thomas, W.D. see X.D. Zhang (482) 193
Thompson, P. see R. Smith (484) 285
Thomson, A.J. see J.P. Hannan (468) 161
Thöny-Meyer, L. see E. Arslan (470) 7
Thorburn, A. see C. Jette (467) 1
Thorell, S., P. Gergely Jr., K. Banki, A. Perl and G. Schneider, The three-dimensional structure of human transaldolase (475) 205
Thorén, P.E.G., D. Persson, M. Karlsson and B. Nordén, The Antennapedia peptide penetratin translocates across lipid bilayers – the first direct observation (482) 265
Thorén, S. see L. Forsberg (471) 78
Thress, K. see F.J. Kaye (467) 348
Thullberg, M., J. Bartkova, S. Khan, K. Hansen, L. Rönnstrand, J. Lukas, M. Strauss and J. Bartek, Distinct versus redundant properties among members of the INK4 family of cyclin-dependent kinase inhibitors (470) 161
Thykjaer, T. see J.E. Celis (480) 2
Tian, R.-H., G.-Y. Zhang, C.-H. Yan and Y.-R. Dai, Involvement of poly(ADP-ribose) polymerase and activation of caspase-3-like protease in heat shock-induced apoptosis in tobacco suspension cells (474) 11
Tiberi, M. see A. Jackson (470) 183
Tidball, J.G. see X. Zhu (474) 71
Timchenko, A.A., B.S. Melnik, H. Kihara, K. Kimura and G.V. Semisotnov, GroES co-chaperonin small-angle X-ray scattering study shows ring orifice increase in solution (471) 211
Timkovich, R. see C.V. Romão (480) 213
Timmermann, A., S. Pflanz, J. Grötzinger, A. Küster, I. Kurth, V. Pitard, P.C. Heinrich and G. Müller-Newen, Different epitopes are required for gp130 activation by interleukin-6, oncostatin M and leukemia inhibitory factor (468) 120
Tinari, N. see P. Matarrese (473) 311
Tinel, N., S. Diochot, I. Lauritzen, J. Barhanin, M. Lazdunski and M. Borsotto, M-type KCNQ2–KCNQ3 potassium channels are modulated by the KCNE2 subunit (480) 137
Tirrell, D.A. see N. Sharma (467) 37
Tischmeyer, H. see P. Mayer (480) 156
Tittawella, I. and V. Baranov, Localization of riboproteins in a trypanosomatid mitochondrion (470) 319
Titus, M.A. see S. Senda (484) 125
Tobe, H. see K. Yamamoto (465) 103
Toborek, M. see Y.W. Lee (485) 122
Toda, T. see P.A. Radcliffe (468) 84
Toda, T. see M. Suda (486) 305
Todo, T., T. Ikeuchi, T. Kobayashi, H. Kajiura-Kobayashi, K. Suzuki, M. Yoshikuni, K. Yamauchi and Y. Nagahama, Characterization of a testicular 17α,20β-dihydroxy-4-pregnen-3-one (a spermiation-inducing steroid in fish) receptor from a teleost, Japanese eel (*Anguilla japonica*) (465) 12
Todoroki-Ikeda, N. see K. Mogami (466) 395
Todoroki-Ikeda, N., Y. Mizukami, K. Mogami, T. Kusuda, K. Yamamoto, T. Miyake, M. Sato, S. Suzuki, H. Yamagata, Y. Hokazono and S. Kobayashi, Sphingosylphosphorylcholine induces $Ca^{2+}$-sensitization of vascular smooth muscle contraction: possible involvement of Rho-kinase (482) 85
Todoroki-Ikeda, N., Y. Mizukami, K. Mogami, T. Kusuda, K. Yamamoto, T. Miyake, M. Sato, S. Suzuki, H. Yamagata, Y. Hokazono and S. Kobayashi, Corrigendum to: Sphingosylphosphorylcholine induces $Ca^{2+}$-sensitization of vascular smooth muscle contraction: possible involvement of Rho-kinase (FEBS 24156) (483) 186
Togawa, A. see M. Mukai (484) 69
Togores, B. see C. Miralles (476) 253
Toida, T. see A. Satoh (477) 249
Tojo, A. see K. Watari (466) 367
Tokaji, Z. see Z. Dancsházy (476) 171
Tokuhisa, T. see H. Shimizu (475) 170

Tokumoto, M., A. Yamaguchi, Y. Nagahama and T. Tokumoto, Identification of the goldfish 20S proteasome β6 subunit bound to nuclear matrix (472) 62
Tokumoto, T. see M. Tokumoto (472) 62
Tokunaga, F. see K. Tsuchihara (478) 299
Tokuyasu, K. see Y. Honda (476) 194
Tollersrud, O.K. see S. Numao (484) 175
Tolman, R.L. see M.D. Leibowitz (473) 333
Tomasetto, C. see J.-L. Linares (480) 249
Tomasselli, A.G. see K.-C. Chou (470) 249
Tombola, F. see S. Martinucci (480) 89
Tomita, M. see Y. Matsumoto (478) 67
Tomlinson, J. see R. Smith (484) 285
Tommasi di Vignano, A., G. Di Zenzo, M. Sudol, G. Cesareni and L. Dente, Contribution of the different modules in the utrophin carboxy-terminal region to the formation and regulation of the DAP complex (471) 229
Tomschy, A., M. Wyss, D. Kostrewa, K. Vogel, M. Tessier, S. Höfer, H. Bürgin, A. Kronenberger, R. Rémy, A.P.G.M. van Loon and L. Pasamontes, Active site residue 297 of *Aspergillus niger* phytase critically affects the catalytic properties (472) 169
Tong, S.-F. see A. Orrico (481) 285
Tong, Y. see T. Ivanina (466) 327
Tordo, P. see H. Zhang (473) 58
Torre, V. see L. Guidoni (477) 37
Torres, J., M.A. Sharpe, A. Rosquist, C.E. Cooper and M.T. Wilson, Cytochrome *c* oxidase rapidly metabolises nitric oxide to nitrite (475) 263
Torti, M., A. Bertoni, F. Sinigaglia, C. Balduini, B. Payrastre, M. Plantavid, H. Chap and G. Mauco, The platelet cytoskeleton regulates the aggregation-dependent synthesis of phosphatidylinositol 3,4-bisphosphate induced by thrombin (466) 355
Tóth, A., E. Kiss, P. Gergely, M.P. Walsh, D.J. Hartshorne and F. Erdödi, Phosphorylation of MYPT1 by protein kinase C attenuates interaction with PP1 catalytic subunit and the 20 kDa light chain of myosin (484) 113
Totsuka, M. see W. Ise (465) 28
Totzke, G. see S. Stier (467) 299
Touqui, L. see S. Braud (471) 12
Touraine, B. see J.J. Vidmar (475) 65
Toyama-Sorimachi, N. see J. Endo (468) 234
Toyoda, F. see K. Yamamoto (472) 267
Toyoda, T. see K. Suzuki (481) 53
Toyoda, T., Y. Imamura, H. Takaku, T. Kashiwagi, K. Hara, J. Iwahashi, Y. Ohtsu, N. Tsumura, H. Kato and N. Hamada, Inhibition of influenza virus replication in cultured cells by RNA-cleaving DNA enzyme (481) 113
Toyokuni, S. see K. Shioji (472) 109
Toyokuni, S. see Y. Ihara (473) 24
Toyokuni, S. see K. Itakura (473) 249
Toyoshima, C. see H. Ogawa (471) 99
Trautwein, A.X. see V. Schünemann (479) 149
Travers, A. see P.B. Arimondo (485) 47
Tregear, R.T. see J.E. Molloy (480) 293
Tremethick, D.J. see M. Johnson-Saliba (467) 169
Tremousaygue, D. see A. Manevski (483) 43
Trifonov, E.N. see I.N. Berezovsky (466) 283
Triglia, T. see A.F. Cowman (476) 84
Trilla, J.A. see L.J. García-Rodríguez (478) 84
Troiano, L. see M. García Fernández (478) 290
Troke, J. see J.L. Griffin (478) 147
Troke, J. see J.L. Griffin (486) 225
Tropschug, M. see B. Solscheid (480) 118
Tropynina, T.S. see R.N. Tchuraev (486) 200
Trotier, D. see L. Briand (476) 179
Trottein, F. see C. Faveeuw (486) 261
Trudinger, B. see X.L. Wang (471) 45
Trülzsch, K. see C. Barz (482) 139
Trumel, C., M. Si-Tahar, V. Balloy, M. Chignard, H. Chap, B. Payrastre, M. Plantavid and D. Pidard, Phosphoinositide 3-kinase inhibition reverses platelet aggregation triggered by the combination of the neutrophil proteinases elastase and cathepsin G without impairing $\alpha_{IIb}\beta_3$ integrin activation (484) 184
Truscott, T. see R. Edge (471) 125
Tsagla, A. see A. Tekos (485) 71
Tschopp, J. see M. Irmler (468) 129
Tschopp, J. see F. Martinon (468) 134
Tschopp, J. see A. Kaptein (485) 135
Tseng, C.-C. and C.-P. Tseng, Identification of a novel secretory leukocyte protease inhibitor-binding protein involved in membrane phospholipid movement (475) 232
Tseng, C.-C. see Z.Y. Chen (477) 67
Tseng, C.-P. see C.-C. Tseng (475) 232
Tsernoglou, D. see C. Savino (470) 239
Tsikas, D., J. Sandmann, K. Denker and J.C. Frölich, Is *S*-nitrosoglutathione formed in nitric oxide synthase incubates? (483) 83
Tsikas, D., R.H. Böger, J. Sandmann, S.M. Bode-Böger and J.C. Frölich, Endogenous nitric oxide synthase inhibitors are responsible for the L-arginine paradox (478) 1
Tsoka, S. and C.A. Ouzounis, Recent developments and future directions in computational genomics (480) 42
Tsuboi, K. see H. Nakagawa (471) 187
Tsuchie, H. see K. Asamitsu (467) 366
Tsuchihara, K., K. Ueno, A. Yamanaka, K. Isono, K. Endo, R. Nishida, K. Yoshihara and F. Tokunaga, A putative binding protein for lipophilic substances related to butterfly oviposition (478) 299
Tsuchiya, T. see K. Hayami-Noumi (468) 68
Tsuda, T., Y. Kato and T. Osawa, Mechanism for the peroxynitrite scavenging activity by anthocyanins (484) 207
Tsuda, Y. see S. Joshi (468) 11
Tsuji, H., M. Nakazono, D. Saisho, N. Tsutsumi and A. Hirai, Transcript levels of the nuclear-encoded respiratory genes in rice decrease by oxygen deprivation: evidence for involvement of calcium in expression of the alternative oxidase 1a gene (471) 201
Tsuji, K. see H. Sugiyama (467) 259
Tsuji, T. see J. Koike (477) 84
Tsujimoto, G. see H. Shinoura (466) 255
Tsujimoto, G. see H. Shinoura (474) 257
Tsujimoto, K. see M. Sato (478) 34
Tsujimoto, M. see K. Bandoh (478) 159
Tsujimoto, M. see M. Matsumoto (486) 23
Tsujimoto, Y. and S. Shimizu, Bcl-2 family: Life-or-death switch (466) 6
Tsujio, I., T. Tanaka, T. Kudo, T. Nishikawa, K. Shinozaki, I. Grundke-Iqbal, K. Iqbal and M. Takeda, Inactivation of glycogen synthase kinase-3 by protein kinase C δ: implications for regulation of τ phosphorylation (469) 111
Tsukada, H. see H. Kikkawa (467) 211
Tsukamoto, K. see M. Suzuki (470) 370
Tsukamoto, K. see K. Hirano (484) 275
Tsukita, S. see K. Fujita (476) 258
Tsukiyama, T. see K. Kitagawa (476) 306
Tsumoto, K. see S. Takemura (476) 266
Tsumura, N. see T. Toyoda (481) 113
Tsuneyoshi, N. see F. Shu (477) 208
Tsunoda, S.P., R. Aggeler, H. Noji, K. Kinosita Jr., M. Yoshida and R.A. Capaldi, Observations of rotation within the $F_oF_1$-ATP synthase: deciding between rotation of the $F_oc$ subunit ring and artifact (470) 244
Tsutsumi, A. see G. Shiota (470) 325
Tsutsumi, N. see H. Tsuji (471) 201
Tsutsumi, T. see T. Yokogawa (473) 222
Tufail, U. see A.L. Ferguson (481) 281
Tung, W.L. see K.-C. Chow (478) 133
Turk, B. see V. Stoka (469) 29
Turk, V. see V. Stoka (469) 29
Tyerman, S.D. see C.M. Niemietz (465) 110
Typke, D. see I. Gutsche (477) 278
Tytgat, J. see C. Ulens (474) 111
Tyurin, V.A. see V.E. Kagan (477) 1
Tyurina, Y.Y. see V.E. Kagan (477) 1
Tzamarias, D. see N. Gounalaki (473) 37
Tzartos, S.J. see E. Fostieri (481) 127

# U

Uchida, K. see K. Itakura (473) 249

Udagawa, A. see G. Shiota (470) 325
Udvardi, M. see C. Sohlenkamp (467) 273
Ueda, H. see M. Kohno (473) 101
Ueda, K. see Y. Nishii (465) 153
Ueda, K. see J. Akai (479) 29
Ueda, M. see M. Nakazawa (479) 155
Ueda, R. see T. Mori (465) 124
Ueda, T. see T. Yasukawa (467) 175
Ueda, Y., Activin A increases Pax4 gene expression in pancreatic β cell lines (480) 101
Uehara, T. see A. Ito (470) 360
Uehara, T. see R. Moriya (484) 253
Ueno, K. see K. Tsuchihara (478) 299
Ueno, N., M. Murakami and I. Kudo, Functional crosstalk between phospholipase $D_2$ and signaling phospholipase $A_2$/cyclooxygenase-2-mediated prostaglandin biosynthetic pathways (475) 242
Ui-Tei, K. see T. Hamada (475) 97
Ui-Tei, K., S. Zenno, Y. Miyata and K. Saigo, Sensitive assay of RNA interference in *Drosophila* and Chinese hamster cultured cells using firefly luciferase gene as target (479) 79
Ujita, C. see K. Matsui (481) 183
Ulens, C. and J. Tytgat, Redox state dependency of *HERG*S631C channel pharmacology: relation to C-type inactivation (474) 111
Umeda, M. see T. Yokogawa (473) 222
Umeda, N. see Y. Matsumoto (478) 67
Umehara, K. see Y. Nishii (465) 153
Umesh-Kumar, S. see A.K. Dubey (471) 251
Umezu, M. see M. Kitagawa (479) 57
Unemoto, T. see Y. Nakayama (474) 165
Unger, E. see K.J. Böhm (466) 59
Unno, K. see Y. Shirano (485) 178
Urade, R. see H. Okudo (465) 145
Urakami, Y., M. Okuda, H. Saito and K. Inui, Hormonal regulation of organic cation transporter OCT2 expression in rat kidney (473) 173
Urano, J., T. Nakagawa, Y. Maki, T. Masumura, K. Tanaka, N. Murata and T. Ushimaru, Molecular cloning and characterization of a rice dehydroascorbate reductase (466) 107
Urao, T., S. Miyata, K. Yamaguchi-Shinozaki and K. Shinozaki, Possible His to Asp phosphorelay signaling in an *Arabidopsis* two-component system (478) 227
Urban, B. see R. Nickel (486) 112
Urban Jr., F., G. Cavazos, J. Dunbar, B. Tan, P. Escher, S. Tafuri and M. Wang, The important role of residue F268 in ligand binding by LXRβ (484) 159
Urbanke, C. see R. Lukačin (467) 353
Ureta, T., W.Y. Fernández, J.J. Centelles and M. Cascante, In vivo measurements of control coefficients for hexokinase and glucose-6-phosphate dehydrogenase in *Xenopus laevis* oocytes (475) 145
Uri, A. see M. Loog (480) 244
Usherwood, P.N.R. see H. Vais (470) 135
Ushimaru, T. see J. Urano (466) 107
Utama, A., H. Shimizu, S. Morikawa, F. Hasebe, K. Morita, A. Igarashi, M. Hatsu, K. Takamizawa and T. Miyamura, Identification and characterization of the RNA helicase activity of Japanese encephalitis virus NS3 protein (465) 74
Utoh, T. see H. Zhang (469) 39
Uysal, K. see J.K. Sethi (469) 77

# V

Vaca, L., J. Stieber, X. Zong, A. Ludwig, F. Hofmann and M. Biel, Mutations in the S4 domain of a pacemaker channel alter its voltage dependence (479) 35
Vaccaro, A.M. see R. Salvioli (472) 17
Vaheri, A. see S. Mustjoki (486) 237
Vais, H., S. Atkinson, N. Eldursi, A.L. Devonshire, M.S. Williamson and P.N.R. Usherwood, A single amino acid change makes a rat neuronal sodium channel highly sensitive to pyrethroid insecticides (470) 135
Valacchi, G. see Y.C. Park (465) 93
Valacchi, G., S.U. Weber, C. Luu, C.E. Cross and L. Packer, Ozone potentiates vitamin E depletion by ultraviolet radiation in the murine stratum corneum (466) 165
Valdeolmillos, M. see J. Fernandez (477) 33
Valdivieso, M.H. see L.J. Garcia-Rodriguez (478) 84
Valent, Q.A. see E.N.G. Houben (476) 229
Valenta, R. see S. Denèpoux (465) 39
Valenzuela, A. see J. Blanco (477) 123
Valladares, M.H., M. Kiefer, U. Heinz, R.P. Soto, W. Meyer-Klaucke, H.F. Nolting, M. Zeppezauer, M. Galleni, J.-M. Frère, G.M. Rossolini, G. Amicosante and H.-W. Adolph, Corrigendum to: Kinetic and spectroscopic characterization of native and metal-substituted β-lactamase from *Aeromonas hydrophila* AE036 (FEBS 23250) (477) 285
Valls, M., R. Bofill, N. Romero-Isart, R. González-Duarte, J. Abián, M. Carrascal, P. Gonzàlez-Duarte, M. Capdevila and S. Atrian, *Drosophila* MTN: a metazoan copper-thionein related to fungal forms (467) 189
Valverde, A.M., M. Lorenzo, P. Navarro, C. Mur and M. Benito, Okadaic acid inhibits insulin-induced glucose transport in fetal brown adipocytes in an Akt-independent and protein kinase C ζ-dependent manner (472) 153
Vamecq, J. see F. Bailly (486) 19
van Acker, F.A.A., O. Schouten, G.R.M.M. Haenen, W.J.F. van der Vijgh and A. Bast, Flavonoids can replace α-tocopherol as an antioxidant (473) 145
van Beeren, H.C., O. Bakker and W.M. Wiersinga, Desethylamiodarone interferes with the binding of co-activator GRIP-1 to the $\beta_1$-thyroid hormone receptor (481) 213
van Berkel, W.J.H. see R.H.H. van den Heuvel (481) 109
Van Damme, E.J.M. see L.M. Wright (468) 19
Van Damme, E.J.M. see W.J. Peumans (477) 190
van de Craen, M. see H.A. Behrensdorf (466) 143
van den Beuken, T. see S.E. Hufton (475) 225
van den Hazel, B. see J. DeRisi (470) 156
van den Heuvel, M. see I. Miguel-Aliaga (486) 99
van den Heuvel, R.H.H., M.W. Fraaije and W.J.H. van Berkel, Direction of the reactivity of vanillyl-alcohol oxidase with 4-alkylphenols (481) 109
van den Hurk, M.J.J. see A.F. van Rijk (480) 79
Van den Wyngaert, I., W. de Vries, A. Kremer, J.-M. Neefs, P. Verhasselt, W.H.M.L. Luyten and S.U. Kass, Cloning and characterization of human histone deacetylase 8 (478) 77
van der Eb, A.J. see T. van Laar (469) 123
van der Spek, H. see Z.H. Shah (478) 267
van der Spek, H. see L. de Jong (483) 62
van der Vijgh, W.J.F. see F.A.A. van Acker (473) 145
van Deventer, S.J.H. see H.H. Versteeg (465) 69
van Duijn, B. see H.A.A.J. Korthout (475) 139
van Echten-Deckert, G. see F. Sadeghlar (478) 9
van Eck, M. see T. van Laar (469) 123
van Gastel, M., L. Bubacco, E.J.J. Groenen, E. Vijgenboom and G.W. Canters, EPR study of the dinuclear active copper site of tyrosinase from *Streptomyces antibioticus* (474) 228
Van Houdt, H., A. Kovařík, M. Van Montagu and A. Depicker, Cross-talk between posttranscriptionally silenced neomycin phosphotransferase II transgenes (467) 41
Van Houdt, H. see A. Kovařík (467) 47
van Laar, T., T. Schouten, E. Hoogervorst, M. van Eck, A.J. van der Eb and C. Terleth, The novel MMS-inducible gene *Mif1*/*KIAA0025* is a target of the unfolded protein response pathway (469) 123
Van Loo, G. see G. Denecker (465) 47
van Loon, A.P.G.M. see A. Tomschy (472) 169
Van Molle, W., J. Vanden Berghe, P. Brouckaert and C. Libert, Tumor necrosis factor-induced lethal hepatitis: pharmacological intervention with verapamil, tannic acid, picotamide and K76COOH (467) 201
Van Montagu, M. see H. Van Houdt (467) 41
Van Montagu, M. see E. Belles-Boix (482) 19
van Neer, N. see S.E. Hufton (475) 225
van Ommen, G.-J.B. see I. Stec (473) 1
Van Renterghem, C. see K. Sato (469) 147
van Rijk, A.F., M.J.J. van den Hurk, W. Renkema, W.C. Boelens, W.W. de Jong and H. Bloemendal, Characteristics of super αA-crystallin, a product of in vitro exon shuffling (480) 79
van Voorst, F., I.J. Vereyken and B. de Kruijff, The high affinity ATP binding site modulates the SecA–precursor interaction (486) 57

van Zeijl, M.J., C. Testerink, J.W. Kijne and M. Wang, Subcellular differences in post-translational modification of barley 14-3-3 proteins (473) 292
van Zeijl, M.J. see W.L. Holtman (474) 48
Vandekerckhove, J. see S. Eyckerman (486) 33
Vanden Berghe, J. see W. Van Molle (467) 201
Vandenabeele, P. see G. Denecker (465) 47
Vandenabeele, P. see H.A. Behrensdorf (466) 143
Vandenbulcke, F. see G. Mitta (486) 185
Vankeerberghen, A. see L. Wei (473) 149
Varadarajan, R. see S. Chakravarty (470) 65
Varadarajan, R. see S. Chakravarty (476) 296
Vardy, L. see P.A. Radcliffe (468) 84
Varotsis, C. see S. Kapetanaki (474) 238
Varsanyi, M. see A. Herzog (472) 73
Vartapetian, A.B. see A.G. Evstafieva (467) 150
Vasquez-Vivar, J. see H. Zhang (473) 58
Vásquez-Vivar, J. and B. Kalyanaraman, Generation of superoxide from nitric oxide synthase (481) 305
Vass, I. see C. Seregélyes (482) 125
Vass, I. see C. Seregélyes (485) 207
Vassbotn, F.S. see F. Selheim (485) 62
Vassilieva, J. see M. Dontsova (472) 213
Vatta, P. see M. Stebel (481) 152
Vatta, P. see M.E. Ruaro (481) 159
Vaughan-Thomas, A. see J. Huggett (485) 13
Vayssière, B., G. Zalcman, Y. Mahé, G. Mirey, T. Ligensa, K. Weidner, P. Chardin and J. Camonis, Interaction of the Grb7 adapter protein with Rnd1, a new member of the Rho family (467) 91
Vázquez, M. see À. Cabrero (484) 37
Veggi, D. see T. Fiaschi (473) 42
Veigel, C. see J.E. Molloy (480) 293
Veldman, R.J. see C.M. Filipeanu (474) 107
Venclovas, Č. see K. Ginalski (482) 119
Venkatesh, B., P. Gilligan and S. Brenner, Fugu: a compact vertebrate reference genome (476) 3
Vennik, M. see C. Testerink (484) 55
Venzke, D.P. see K.H. Holt (468) 79
Verardo, R. see L. Collavin (481) 57
Vercammen, D. see G. Denecker (465) 47
Vercellotti, G.M. see J. Wang (474) 213
Vercesi, A.E. see W. Jarmuszkiewicz (467) 145
Vercesi, A.E. see A.J. Kowaltowski (473) 177
Vercesi, A.E., C.O. Rodrigues, R. Catisti and R. Docampo, Presence of a $Na^+/H^+$ exchanger in acidocalcisomes of *Leishmania donovani* and their alkalization by anti-leishmanial drugs (473) 203
Vercesi, A.E. see E.B. Zago (478) 29
Vercoutter-Edouart, A.-S., J. Lemoine, C.E. Smart, V. Nurcombe, B. Boilly, J.-P. Peyrat and H. Hondermarck, The mitogenic signaling pathway for fibroblast growth factor-2 involves the tyrosine phosphorylation of cyclin D2 in MCF-7 human breast cancer cells (478) 209
Vereyken, I.J. see F. van Voorst (486) 57
Verhasselt, P. see I. Van den Wyngaert (478) 77
Verhee, A. see S. Eyckerman (486) 33
Veri, M.-C. see L.J. Graham (470) 273
Vernede, X. see M. Sohi (465) 161
Vernos, I. see A. Westerholm-Parvinen (486) 285
Veronese, S. see R. Villa (473) 241
Versteeg, H.H., M.W.A. Evertzen, S.J.H. van Deventer and M.P. Peppelenbosch, The role of phosphatidylinositide-3-kinase in basal mitogen-activated protein kinase activity and cell survival (465) 69
Vervoort, J. see L. Ridder (478) 197
Verzili, D., C. Zamparelli, B. Mattei, A.A. Noegel and E. Chiancone, The sorcin–annexin VII calcium-dependent interaction requires the sorcin N-terminal domain (471) 197
Vessby, B. see S. Basu (468) 33
Vetter, H. see S. Stier (467) 299
Vetter, H. see A. Sachinidis (471) 51
Vianello, A. see V. Casolo (474) 53
Vicentini, L.M. see M.G. Cattaneo (481) 271
Vidmar, J.J., A. Tagmount, N. Cathala, B. Touraine and J.-C.E. Davidian, Cloning and characterization of a root specific high-affinity sulfate transporter from *Arabidopsis thaliana* (475) 65
Vielhaber, G. see W. Plaga (466) 45
Vietzke, D. see C. Naber (484) 199
Vijgenboom, E. see M. van Gastel (474) 228
Villa, R., M. Folini, S. Lualdi, S. Veronese, M.G. Daidone and N. Zaffaroni, Inhibition of telomerase activity by a cell-penetrating peptide nucleic acid construct in human melanoma cells (473) 241
Villalba, M. see A. Ledesma (466) 192
Villalta, F. see T.N. Moody (470) 305
Villanueva, J., F. Canals, V. Villegas, E. Querol and F.X. Avilés, Hydrogen exchange monitored by MALDI-TOF mass spectrometry for rapid characterization of the stability and conformation of proteins (472) 27
Villanueva, N. see A. Asenjo (467) 279
Villard, S. see G. Ferrières (479) 99
Villaverde, A. see M. Carrió (471) 7
Villaverde, A. see J.X. Feliu (473) 123
Villaverde, A. see J.X. Feliu (474) 87
Villegas, V. see J. Villanueva (472) 27
Vilo, J. see A. Brazma (480) 17
Vincent, A. see A. Lombardi (475) 84
Virchow Jr., C. see D. Ferrari (486) 217
Visco, V. see S. Denépoux (465) 39
Visconti, P.E. see F. Espinosa (475) 251
Visioli, F., C. Galli, F. Bornet, A. Mattei, R. Patelli, G. Galli and D. Caruso, Olive oil phenolics are dose-dependently absorbed in humans (468) 159
Visioli, F., F. Marangoni, D. Moi, P. Risè and C. Galli, In vitro differentiation of human monocytes to macrophages results in depletion of antioxidants and increase in *n*-3 fatty acids levels (471) 75
Visse, R. see M. Sohi (465) 161
Visser, J. see L. Pařenicová (467) 333
Visweswariah, S.S. see Y.K. Ghosh (473) 341
Vitale, N. see M. Gensse (480) 184
Vlassi, M. see N. Gounalaki (473) 37
Vlassov, V.V. see E.V. Kostenko (475) 181
Vlassov, V.V. see N.G. Beloglazova (481) 277
Vogel, K. see A. Tomschy (472) 169
Vogel, L.K. and J.E. Larsen, Apical and non-polarized secretion of serpins from MDCK cells (473) 297
Vogel, Z. see M.-H. Rhee (466) 300
Vogel, Z. see K. Eckhardt (470) 309
Vogtherr, M. see T. Zuleeg (472) 247
Voigt, B. see D. Leupold (480) 73
Voigt, C., H.-P. Holzapfel and R. Paschke, Expression of β-arrestins in toxic and cold thyroid nodules (486) 208
Voigt, M.M. see T.M. Egan (475) 287
Volf, I. see T. Moeslinger (478) 95
Volf, I., A. Roth, J. Cooper, T. Moeslinger and E. Koller, Hypochlorite modified LDL are a stronger agonist for platelets than copper oxidized LDL (483) 155
Volodin, A.A., H.A. Smirnova and T.N. Bocharova, Binding, annealing and strand exchange between oligonucleotides in different sites of the RecA protein filament (473) 53
Volpicella, M., A. Schipper, M.A. Jongsma, N. Spoto, R. Gallerani and L.R. Ceci, Characterization of recombinant mustard trypsin inhibitor 2 (MTI2) expressed in *Pichia pastoris* (468) 137
Volpon, L. and J.-M. Lancelin, Solution NMR structures of the polyene macrolide antibiotic filipin III (478) 137
Volpon, L., F. Besson and J.-M. Lancelin, NMR structure of antibiotics plipastatins A and B from *Bacillus subtilis* inhibitors of phospholipase $A_2$ (485) 76
von Heijne, G. see J. Nilsson (486) 267
Vorum, H., C. Jacobsen and B. Honoré, Calumenin interacts with serum amyloid P component (465) 129
Vorum, H. see B. Honoré (466) 11
Voyno-Yasenetskaya, T.A. see E. Ponimaskin (478) 173
Vrasdonk, C. see J.H. Hooijberg (469) 47
Vriend, G. see V.A. Iconomidou (479) 141
Vrtala, S. see S. Denépoux (465) 39
Vuolo, R. see F. Zanotti (482) 163
Vysotskaya, T.N. see R. Lingameneni (473) 265

# W


Wachtveitl, J. see A. Kuglstatter (477) 284
Wada, E. see K. Ohinata (473) 207
Wada, H. see T. Maeda (470) 336
Wada, K. see K. Ohinata (473) 207
Wade, D., J. Silberring, R. Soliymani, S. Heikkinen, I. Kilpeläinen, H. Lankinen and P. Kuusela, Antibacterial activities of temporin A analogs (479) 6
Wadhwa, R. see S.C. Kaul (474) 159
Wagner, M. see I. Blasko (470) 221
Wajant, H. see M. Irmler (468) 129
Wakabayashi, H. see H. Mori (467) 61
Wakagi, T. see S. Makino (467) 365
Wakayama, T. see Y. Kumagai (478) 295
Wakimoto, N. see J. Ota (466) 96
Wal, J.M. see H. Bernard (467) 239
Walch, E. see M. Shimizu (475) 273
Walczak, H. see S.A. Keogh (471) 93
Waldschütz, R. see R. Behrens (474) 99
Walker, J.E. see I. Arechaga (482) 215
Walker, K.S., P.W. Watt and P. Cohen, Phosphorylation of the skeletal muscle glycogen-targetting subunit of protein phosphatase 1 in response to adrenaline in vivo (466) 121
Walker, L.A. see J.L. Griffin (478) 147
Walker, L.A. see J.A. MacDonald (479) 83
Walker, L.A. see J.L. Griffin (486) 225
Wallace, L.A. see Y. Sayed (465) 169
Wallach, J. see W. Plaga (466) 45
Walne, P.L. see L. Barsanti (482) 247
Walsh, M.P. see B. Nilius (466) 346
Walsh, M.P. see A. Tóth (484) 113
Walter, M., M. Tepel, J.-R. Nofer, M. Neusser, G. Assmann and W. Zidek, Involvement of phospholipase D in store-operated calcium influx in vascular smooth muscle cells (479) 51
Walter, S. see D. Choubey (474) 38
Wan, D.C.C. see T.K. Au (471) 169
Wang, C.-Y. see J.-G. Ye (479) 136
Wang, D.-N. see H.-W. Wang (469) 105
Wang, E. see A. Kaptein (485) 135
Wang, H. see J. Liu (478) 105
Wang, H.-G. see K. Komatsu (481) 122
Wang, H.-W., Y.-J. Lu, L.-J. Li, S. Liu, D.-N. Wang and S. Sui, Trimeric ring-like structure of ArsA ATPase (469) 105
Wang, J. see K. Yamamoto (465) 103
Wang, J. see X.L. Wang (471) 45
Wang, J., P.H. Marker, J.D. Belcher, D.E.L. Wilcken, L.J. Burns, G.M. Vercellotti and X.L. Wang, Human cytomegalovirus immediate early proteins upregulate endothelial p53 function (474) 213
Wang, K.-Y., N. Arima, S. Higuchi, S. Shimajiri, A. Tanimoto, Y. Murata, T. Hamada and Y. Sasaguri, Switch of histamine receptor expression from H2 to H1 during differentiation of monocytes into macrophages (473) 345
Wang, M. see M.J. van Zeijl (473) 292
Wang, M. see W.L. Holtman (474) 48
Wang, M. see H.A.A.J. Korthout (475) 139
Wang, M. see C. Testerink (484) 55
Wang, M. see F. Urban Jr. (484) 159
Wang, M.X. see X.L. Wang (471) 45
Wang, P., Y.-L. Wu, T.-H. Zhou, Y. Sun and G. Pei, Identification of alternative splicing variants of the β subunit of human $Ca^{2+}$/calmodulin-dependent protein kinase II with different activities (475) 107
Wang, W. see M. Shimizu (475) 273
Wang, X. see G. Fan (467) 7
Wang, X. see M.D. Kirkitadze (467) 133
Wang, X.L., A.S. Sim, M.X. Wang, G.A.C. Murrell, B. Trudinger and J. Wang, Genotype dependent and cigarette specific effects on endothelial nitric oxide synthase gene expression and enzyme activity (471) 45
Wang, X.L. see J. Wang (474) 213
Wang, X.-M., R. Wattiez, C. Pagliacia, J.L. Telford, J.-M. Ruysschaert and V. Cabiaux, Membrane topology of VacA cytotoxin from *H. pylori* (481) 96
Wang, X.-Y., X. Chen, H.-J. Oh, E. Repasky, L. Kazim and J. Subjeck, Characterization of native interaction of hsp110 with hsp25 and hsc70 (465) 98
Wang, Y., F. Xu and F.L. Hall, The MAT1 cyclin-dependent kinase-activating kinase (CAK) assembly/targeting factor interacts physically with the MCM7 DNA licensing factor (484) 17
Wang, Y., Y. Liu, K.P. Sarker, M. Nakashima, T. Serizawa, A. Kishida, M. Akashi, M. Nakata, I. Kitajima and I. Maruyama, Polymyxin B binds to anandamide and inhibits its cytotoxic effect (470) 151
Wanke, E. see C. Bottiglieri (479) 156
Wanke, E. see A. Scaloni (481) 308
Warashina, M. see K. Suzumura (473) 106
Ward, C.W. see P.A. Hoyne (469) 57
Ward, C.W. see P.A. Hoyne (479) 15
Ward, J.M. see W. Schulze (485) 189
Warder, S.E. see T. Blandl (470) 139
Warren, R.J. see C. Mayer (466) 40
Warrick, H.M. see S. Nock (466) 267
Wartenberg, M. see H. Sauer (476) 218
Waśniewska, M. and J. Duszyński, The role of mitochondrial dysfunction in regulation of store-operated calcium channels in glioma C6 and human fibroblast cells (478) 237
Wastl, J., H. Sticht, U.-G. Maier, P. Rösch and S. Hoffmann, Identification and characterization of a eukaryotically encoded rubredoxin in a cryptomonad alga (471) 191
Watanabe, A. see Y. Okimoto (474) 137
Watanabe, K. see T. Yasukawa (467) 175
Watanabe, K. see S. Inouye (481) 19
Watanabe, M., A. Ito, Y. Takada, C. Ninomiya, T. Kakizaki, Y. Takahata, K. Hatakeyama, K. Hinata, G. Suzuki, T. Takasaki, Y. Satta, H. Shiba, S. Takayama and A. Isogai, Highly divergent sequences of the pollen self-incompatibility (*S*) gene in class-I *S* haplotypes of *Brassica campestris* (syn. *rapa*) L. (473) 139
Watanabe, N. see M. Suzuki (465) 23
Watanabe, N.M. see I. Dan (469) 19
Watanabe, T. see Y. Honda (476) 194
Watari, K., A. Tojo, T. Nagamura-Inoue, F. Nagamura, A. Takeshita, T. Fukushima, T. Motoji, K. Tani and S. Asano, Identification of a melanoma antigen, PRAME, as a BCR/ABL-inducible gene (466) 367
Watkins, P.A.C. see T.D. Bunney (476) 145
Watkins, P.A.C. see B.K. Drøbak (481) 240
Watson, D.G. see E.J. Oliveira (471) 1
Watt, F.M. see A.L. Corbi (474) 201
Watt, F.M. see R.F.L. O'Shaughnessy (486) 149
Watt, P.W. see K.S. Walker (466) 121
Watt, P.W. see E. Hajduch (479) 89
Wattiez, R. see X.-M. Wang (481) 96
Watts, A. see C. Glaubitz (480) 127
Weber, A.-A. see B.H. Rauch (481) 3
Weber, J., S. Nadanaciva and A.E. Senior, ATP-driven rotation of the γ subunit in $F_1$-ATPase (483) 1
Weber, S.U. see G. Valacchi (466) 165
Webster, A. see A. Amour (473) 275
Wedemeyer, N., T. Schmitt-John, D. Evers, C. Thiel, D. Eberhard and H. Jockusch, Conservation of the 3′-untranslated region of the *Rab1a* gene in amniote vertebrates: exceptional structure in marsupials and possible role for posttranscriptional regulation (477) 49
Wedemeyer, W.J. see L.K. Low (472) 67
Weglöhner, W. see S. Wrenger (466) 155
Wegrzyn, A. see G. Konopa (472) 217
Wegrzyn, G. see G. Konopa (472) 217
Wehling, M. see X. Zhu (474) 71
Wei, L., A. Vankeerberghen, M. Jaspers, J.-J. Cassiman, B. Nilius and H. Cuppens, Suppressive interactions between mutations located in the two nucleotide binding domains of CFTR (473) 149
Weidler, M., J. Rether, T. Anke and G. Erkel, Inhibition of interleukin-6 signaling by galiellalactone (484) 1
Weidner, K. see B. Vayssière (467) 91
Weig, A.R. and C. Jakob, Functional identification of the glycerol permease activity of *Arabidopsis thaliana* NLM1 and NLM2 proteins by heterologous expression in *Saccharomyces cerevisiae* (481) 293

Weiner, H. and W.M. Kaiser, Binding to 14-3-3 proteins is not sufficient to inhibit nitrate reductase in spinach leaves (480) 217
Weiner, H. see P.K. Hammen (468) 101
Weise, A. see W. Schulze (485) 189
Weiss, M. and T. Nilsson, Protein sorting in the Golgi apparatus: a consequence of maturation and triggered sorting (486) 2
Weiss, M.C. see S. Barradeau (476) 272
Weiss, R. see V. Schünemann (479) 149
Weiwad, M., G. Küllertz, M. Schutkowski and G. Fischer, Evidence that the substrate backbone conformation is critical to phosphorylation by p42 MAP kinase (478) 39
Welfle, H. see C. Krafft (471) 128
Wells, B. see T.D. Bunney (476) 145
Welsch, R. see S. Al-Babili (485) 168
Welti, S. see J. Määttä (484) 202
Wendling, C. see J.-L. Linares (480) 249
Wentworth, M., A.V. Ruban and P. Horton, Chlorophyll fluorescence quenching in isolated light harvesting complexes induced by zeaxanthin (471) 71
Werbajh, S., I. Nojek, R. Lanz and M.A. Costas, RAC-3 is a NF-κB coactivator (485) 195
Weselake, R.J., E. Kazala, K. Cianflone, D.D. Boehr, C.K. Middleton, C.D. Rennie, A. Laroche and I. Recnik, Human acylation stimulating protein enhances triacylglycerol biosynthesis in plant microsomes (481) 189
Wess, T.J. see T. Whalley (482) 242
Wessel, I. see L.H. Jensen (480) 201
Westerholm-Parvinen, A., I. Vernos and L. Serrano, Kinesin subfamily UNC104 contains a FHA domain: boundaries and physicochemical characterization (486) 285
Westhoff, P. see P.J. Hynds (467) 97
Weyer, A. see S. Denèpoux (465) 39
Whalley, T., J.G. Grossmann and T.J. Wess, An analysis of the lamellar structure of sea urchin egg cortical granules using X-ray scattering (482) 242
Whinna, H.C. see C.A. Holland (484) 87
Whitaker, N. see I. Blasko (470) 221
White, M.R.H. see C. Akgul (478) 72
Whitford, D. see A.J. Benie (476) 287
Whiting, D.A. see H.L. Foo (468) 243
Whitty, A. see P. Nash (475) 1
Wickham, M.E. see A.F. Cowman (476) 84
Więckowski, M.R. see P. Schönfeld (471) 108
Więckowski, M.R., D. Brdiczka and L. Wojtczak, Long-chain fatty acids promote opening of the reconstituted mitochondrial permeability transition pore (484) 61
Wieder, T. see M. Raisova (473) 27
Wiederanders, B. see Y.L. Guo (469) 203
Wiener, M.C. see M.D. Purdy (466) 26
Wiersinga, W.M. see H.C. van Beeren (481) 213
Wiesbrock, S.M. see J.K. Sethi (469) 77
Wiklund, L. see S. Basu (470) 1
Wilchek, M. see A.T. Marttila (467) 31
Wilcken, D.E.L. see J. Wang (474) 213
Wilkinson, J. see K. Matsui (481) 183
Wilks, H.M. see D.J. Heyes (483) 47
Willecke, K. see H. Niessen (466) 112
Willemot, R.-M. see G. Potocki de Montalk (471) 219
Willemot, R.-M. see P. Sarçabal (474) 33
Williams, B.Y., S.L. Hamilton and H.K. Sarkar, The survival motor neuron protein interacts with the transactivator FUSE binding protein from human fetal brain (470) 207
Williams, L.R., S.R. Ellis, A.K. Hopper, E.O. Davis and N.C. Martin, Splicing before import – An intein in a mitochondrially targeted preprotein folds and is catalytically active in the cytoplasm in vivo (476) 301
Williams, M. see M.C. Gagnon (484) 144
Williams, M.R. see A. Balendran (484) 217
Williams, P.M. see A.L. Martin (480) 106
Williamson, G. see A.J. Day (468) 166
Williamson Jr., M.J. see L. Ongay-Larios (467) 22
Williamson, M.S. see H. Vais (470) 135
Wilson, I.B.H. see R. Strasser (472) 105
Wilson, I.D. see C.L. Gavaghan (484) 169
Wilson, J.R., C. Leang, A.P. Morby, J.L. Hobman and N.L. Brown, MerF is a mercury transport protein: different structures but a common mechanism for mercuric ion transporters? (472) 78
Wilson, M.T. see J. Torres (475) 263
Wilton, S. see I.S. Skerjanc (472) 53
Wiman, B. see H. Mångs (475) 192
Winkler, E. see D. Heidkaemper (480) 265
Winterhalter, K.E. see V. Cattori (474) 242
Winterhalter, M. see S.M. Bezrukov (476) 224
Wischmeyer, E., F. Döring and A. Karschin, Stable cation coordination at a single outer pore residue defines permeation properties in Kir channels (466) 115
Wissenbach, U., M. Bödding, M. Freichel and V. Flockerzi, Trp12, a novel Trp related protein from kidney (485) 127
Withers, S.G. see C. Mayer (466) 40
Withers, S.G. see S. Numao (484) 175
Wittinghofer, A. see G. Schmidt (474) 184
Wittmann-Liebold, B. see M.M. Beliakova (477) 263
Wittung-Stafshede, P. see C. Moczygemba (470) 203
Wlaschek, M. see R. Blaudschun (474) 195
Wofchuk, S. see S.S. Pinto (486) 203
Wojtczak, L. see P. Schönfeld (471) 108
Wojtczak, L. see M.R. Więckowski (484) 61
Wollheim, C.B. see M. Iezzi (474) 66
Won, H.-S. see M.-K. Yoon (484) 241
Woo, G.H. see J.-H. Yoon (474) 175
Wood, C. see K. Pahan (472) 203
Wood, P.M. see T. Joseph-Horne (481) 141
Wood, S.P. see A.R. Coker (473) 199
Woodtli, K. see M. Müller (468) 115
Woodward, C.K. see S. Sareth (470) 11
Wormke, M., M. Stoner, B. Saville and S. Safe, Crosstalk between estrogen receptor α and the aryl hydrocarbon receptor in breast cancer cells involves unidirectional activation of proteasomes (478) 109
Wrenger, S., T. Kähne, C. Bohuon, W. Weglöhner, S. Ansorge and D. Reinhold, Amino-terminal truncation of procalcitonin, a marker for systemic bacterial infections, by dipeptidyl peptidase IV (DP IV) (466) 155
Wrenn, S.P. see T. Yoshida (478) 113
Wright, L.M., C.D. Reynolds, P.J. Rizkallah, A.K. Allen, E.J.M. Van Damme, M.J. Donovan and W.J. Peumans, Structural characterisation of the native fetuin-binding protein *Scilla campanulata* agglutinin: a novel two-domain lectin (468) 19
Wright, M.E., D.K. Han and D.M. Hockenbery, Caspase-3 and inhibitor of apoptosis protein(s) interactions in *Saccharomyces cerevisiae* and mammalian cells (481) 13
Wright, P.E. see G.C. Pérez-Alvarado (470) 125
Wrutniak-Cabello, C. see F. Casas (478) 4
Wrutniak-Cabello, C. see F. Casas (482) 71
Wu, C.W. see G. Jayaraman (482) 154
Wu, F.Q. see P. Escoubas (483) 175
Wu, J.-R. and D.M. Gilbert, Lovastatin arrests CHO cells between the origin decision point and the restriction point (484) 108
Wu, M. see Y. Zhao (480) 208
Wu, S.-J., C. Koller, D.L. Miller, L.S. Bauer and D.H. Dean, Enhanced toxicity of *Bacillus thuringiensis* Cry3A δ-endotoxin in coleopterans by mutagenesis in a receptor binding loop (473) 227
Wu, Y.-L. see P. Wang (475) 107
Wungsintaweekul, J. see T. Radykewicz (465) 157
Wyss, M. see A. Tomschy (472) 169

# X

Xavier, A.V. see C.V. Romão (480) 213
Xiang, H. see J. Song (475) 157
Xiao, L. see G. Fan (467) 7
Xiaohua, S. see S. Machida (486) 131
Xie, W. see X. Huang (478) 123
Xin, H. see D. Choubey (474) 38
Xu, D., R. Neville and T. Finkel, Homocysteine accelerates endothelial cell senescence (470) 20
Xu, F. see Y. Wang (484) 17
Xu, H. see J.K. Sethi (469) 77

Xu, H., J. Frank, J.F. Holzwarth, W. Saenger and J. Behlke, Interaction of different oligomeric states of hexameric DNA-helicase RepA with single-stranded DNA studied by analytical ultracentrifugation (482) 180
Xu, J. see A.A. Johnsingh (465) 53
Xu, J. see Y.-X. Pan (466) 337
Xu, K.Y., Does nitric oxide synthase catalyze the synthesis of superoxide? (474) 252
Xu, K.Y., A key negative control experiment provides evidence that nitric oxide synthase does not catalyze superoxide formation (481) 306
Xu, P. see J. Song (475) 157
Xu, R.-H. see Y. Peng (482) 37
Xuan, X. see Y. Nishikawa (466) 179

# Y

Yabuta, N. see Y. Tanaka (472) 254
Yagisawa, H. see S. Oka (472) 196
Yagita, K. and H. Okamura, Forskolin induces circadian gene expression of *rPer1*, *rPer2* and *dbp* in mammalian rat-1 fibroblasts (465) 79
Yahata, K. see K. Mori (486) 213
Yakehiro, M. see T. Kimura (465) 18
Yakovlev, A.G., A.Y. Shkuropatov and V.A. Shuvalov, Nuclear wavepacket motion producing a reversible charge separation in bacterial reaction centers (466) 209
Yamada, G. see K. Suzuki (481) 53
Yamada, H. see S. Sareth (470) 11
Yamada, M. see J. Ota (466) 96
Yamada, M. see K. Endo (477) 55
Yamada, R. see K. Nakagomi (467) 235
Yamada, S. see K. Itakura (473) 249
Yamada, S. see M. Suda (486) 305
Yamada, T., K. Okuhara, A. Iwamatsu, H. Seo, K. Ohta, T. Shibata and H. Murofushi, p97 ATPase, an ATPase involved in membrane fusion, interacts with DNA unwinding factor (DUF) that functions in DNA replication (466) 287
Yamada, Y. see H. Zhang (469) 39
Yamada, Y. see Y. Ihara (473) 24
Yamagata, H. see N. Todoroki-Ikeda (482) 85
Yamagata, H. see N. Todoroki-Ikeda (483) 186
Yamaguchi, A. see M. Tokumoto (472) 62
Yamaguchi, N. see M. Takikawa (466) 381
Yamaguchi, N. see S. Tajima (469) 1
Yamaguchi, T., M. Nagahama, H. Itoh, K. Hatsuzawa, K. Tani and M. Tagaya, Regulation of the Golgi structure by the α subunits of heterotrimeric G proteins (470) 25
Yamaguchi, Y. see H. Hasegawa (473) 76
Yamaguchi, Y. see K. Masuda (473) 349
Yamaguchi-Shinozaki, K. see T. Urao (478) 227
Yamaji, R. see M. Nakazawa (479) 155
Yamakawa, M. see A. Sharma (484) 7
Yamakawa, M. see A. Sharma (485) 208
Yamakuchi, M., I. Higuchi, S. Masuda, Y. Ohira, T. Kubo, Y. Kato, I. Maruyama and I. Kitajima, Type I muscle atrophy caused by microgravity-induced decrease of myocyte enhancer factor 2C (MEF2C) protein expression (477) 135
Yamamori, S. see A. Funakoshi (466) 264
Yamamori, T., O. Inanami, H. Nagahata, Y.-D. Cui and M. Kuwabara, Roles of p38 MAPK, PKC and PI3-K in the signaling pathways of NADPH oxidase activation and phagocytosis in bovine polymorphonuclear leukocytes (467) 253
Yamamoto, K., J. Wang, S. Yamamoto and H. Tobe, Suppression of cyclooxygenase-2 gene transcription by humulon of beer hop extract studied with reference to glucocorticoid (465) 103
Yamamoto, K. see S. Hiraga (471) 245
Yamamoto, K. see N. Takao (472) 133
Yamamoto, K., Y. Kawai, T. Hayashi, Y. Ohe, H. Hayashi, F. Toyoda, G. Kawahara, T. Iwata and S. Kikuyama, Silefrin, a sodefrin-like pheromone in the abdominal gland of the sword-tailed newt, *Cynops ensicauda* (472) 267
Yamamoto, K. see N. Todoroki-Ikeda (482) 85
Yamamoto, K. see N. Todoroki-Ikeda (483) 186
Yamamoto, M., H. Hara and T. Adachi, Effects of homocysteine on the binding of extracellular-superoxide dismutase to the endothelial cell surface (486) 159
Yamamoto, N. see N. Yamamoto (484) 153
Yamamoto, N., T. Takizawa, Y. Iwanaga, N. Shimizu and N. Yamamoto, Malignant transformation of B lymphoma cell line BJAB by Epstein–Barr virus-encoded small RNAs (484) 153
Yamamoto, S. see K. Yamamoto (465) 103
Yamamoto, T. and I. Taneike, The sequences of enterohemorrhagic *Escherichia coli* and *Yersinia pestis* that are homologous to the enteroaggregative *E. coli* heat-stable enterotoxin gene: cross-species transfer in evolution (472) 22
Yamamoto, T. see T. Matsuda (472) 235
Yamamoto, T. see M. Nakazawa (479) 155
Yamamoto, T., T. Matsuda, A. Junicho, H. Kishi, F. Saatcioglu and A. Muraguchi, Cross-talk between signal transducer and activator of transcription 3 and estrogen receptor signaling (486) 143
Yamanaka, A. see K. Tsuchihara (478) 299
Yamanishi, K. see K. Suzuki (481) 53
Yamaoka, K. see T. Kimura (465) 18
Yamasaki, H. and Y. Sakihama, Simultaneous production of nitric oxide and peroxynitrite by plant nitrate reductase: in vitro evidence for the NR-dependent formation of active nitrogen species (468) 89
Yamasaki, S. see M. Ikeda (485) 94
Yamashita, A., M. Ito, N. Takamatsu and T. Shiba, Characterization of Solt, a novel SoxLZ/Sox6 binding protein expressed in adult mouse testis (481) 147
Yamashita, S. see K. Hirano (484) 275
Yamashita, T. see Y. Okimoto (474) 137
Yamashita, T. see H. Ashida (476) 213
Yamashita-Suzuki, K. see I. Dan (469) 19
Yamauchi, K. see T. Todo (465) 12
Yan, C.-H. see R.-H. Tian (474) 11
Yan, J. see Y.-Y. Tang (470) 167
Yan, Y.-P. see J.-G. Ye (479) 136
Yanagawa, S., J.-S. Lee, Y. Matsuda and A. Ishimoto, Biochemical characterization of the *Drosophila* Axin protein (474) 189
Yanai, N. see E. Arakawa (481) 193
Yanaka, N. see K. Yuasa (466) 175
Yang, D.-H., H. Paulsen and B. Andersson, The N-terminal domain of the light-harvesting chlorophyll *a/b*-binding protein complex (LHCII) is essential for its acclimative proteolysis (466) 385
Yang, F. see D. Zhai (472) 293
Yang, H. see H. Hanai (470) 97
Yang, S.J. see S.S. Jiang (468) 211
Yang, S.K. see Y. Hahn (482) 31
Yang, V.W. see D.T. Dang (476) 203
Yang, X.-L., H. Matsuura, Y. Fu, T. Sugiyama and N. Miura, MFH-1 is required for bone morphogenetic protein-2-induced osteoblastic differentiation of C2C12 myoblasts (470) 29
Yano, M. see H. Mori (467) 61
Yao, Z., Y. Dolginov, T. Hanoch, Y. Yung, G. Ridner, Z. Lando, D. Zharhary and R. Seger, Detection of partially phosphorylated forms of ERK by monoclonal antibodies reveals spatial regulation of ERK activity by phosphatases (468) 37
Yaron, M. see E.J. Yavin (472) 259
Yarwood, S.J. see I. McPhee (477) 213
Yasuda, H. see Y. Matsumoto (478) 67
Yasuda, T., H. Takeshita, E. Nakazato, T. Nakajima, Y. Nakashima, S. Mori, K. Mogi and K. Kishi, The molecular basis for genetic polymorphism of human deoxyribonuclease II (DNase II): a single nucleotide substitution in the promoter region of human DNase II changes the promoter activity (467) 231
Yasugi, E., T. Kumagai, Y. Nishikawa, E. Okuma, K. Saeki, M. Oshima, S.A. Susin, G. Kroemer and A. Yuo, Involvement of apoptosis-inducing factor during dolichyl monophosphate-induced apoptosis in U937 cells (480) 197
Yasui, M. see Y. Nakayama (474) 165
Yasukawa, T., T. Suzuki, N. Ishii, T. Ueda, S. Ohta and K. Watanabe, Defect in modification at the anticodon wobble nucleotide of mitochondrial $tRNA^{Lys}$ with the MERRF encephalomyopathy pathogenic mutation (467) 175
Yatomi, Y. see K. Motohashi (468) 189

Yavin, E.J., L. Preciado-Patt, O. Rosen, M. Yaron, R.D. Suessmuth, D. Levartowsky, G. Jung, O. Lider and M. Fridkin, Serum amyloid A-derived peptides, present in human rheumatic synovial fluids, induce the secretion of interferon-γ by human $CD_4^+$ T-lymphocytes (472) 259
Ye, J.-G., C.-Y. Wang, Y.-J. Li, Z.-Y. Tan, Y.-P. Yan, C. Li, J. Chen and Y.-H. Ji, Purification, cDNA cloning and function assessment of BmK abT, a unique component from the Old World scorpion species (479) 136
Yenush, L., J.M. Bellés, J.M. López-Coronado, R. Gil-Mascarell, R. Serrano and P.L. Rodríguez, A novel target of lithium therapy (467) 321
Yerushalmi, H. and S. Schuldiner, A common binding site for substrates and protons in EmrE, an ion-coupled multidrug transporter (476) 93
Yiallouros, I., E. Große Berkhoff and W. Stöcker, The roles of Glu93 and Tyr149 in astacin-like zinc peptidases (484) 224
Yiangou, Y., R. Birch, L. Sangameswaran, R. Eglen and P. Anand, SNS/PN3 and SNS2/NaN sodium channel-like immunoreactivity in human adult and neonate injured sensory nerves (467) 249
Yoda, K. see J.-H. Cho (469) 151
Yodoi, J. see K. Shioji (472) 109
Yohda, M. see M. Nojiri (465) 173
Yokogawa, T., S. Nagata, Y. Nishio, T. Tsutsumi, S. Ihara, R. Shirai, K. Morita, M. Umeda, Y. Shirai, N. Saitoh and Y. Fukui, Evidence that 3′-phosphorylated polyphosphoinositides are generated at the nuclear surface: use of immunostaining technique with monoclonal antibodies specific for PI 3,4-$P_2$ (473) 222
Yokota, A. see Y. Shirano (485) 178
Yokota, T. see T. Takai (484) 102
Yokota, Y., K. Higashino, K. Nakano, H. Arita and K. Hanasaki, Identification of group X secretory phospholipase $A_2$ as a natural ligand for mouse phospholipase $A_2$ receptor (478) 187
Yokoyama, C.B. see M.C. Mutomba (478) 19
Yokoyama, S. and Y. Shi, Genetics and evolution of ultraviolet vision in vertebrates (486) 167
Yomada, T. see M. Nakagawa (473) 161
Yoneda, Y. see M. Matsubae (468) 171
Yonekawa, H. see J. Endo (468) 234
Yoneki, T. see Y. Tanaka (472) 254
Yonezawa, T. see E. Kuranaga (472) 137
Yoo, M.-A. see T.-Y. Choi (483) 71
Yoon, J. see T.-Y. Choi (483) 71
Yoon, J.-H., H.-S. Lee, T.H. Kim, G.H. Woo and C.Y. Kim, Augmentation of urea-synthetic capacity by inhibition of nitric oxide synthesis in butyrate-induced differentiated human hepatocytes (474) 175
Yoon, M.-K., S.-H. Park, H.-S. Won, D.-S. Na and B.-J. Lee, Solution structure and membrane-binding property of the N-terminal tail domain of human annexin I (484) 241
Yoon, S.S. see M.-J. Hahn (470) 350
Yoshida, A. see M. Kohno (473) 101
Yoshida, A. see K. Kitagawa (476) 306
Yoshida, H. see S. Takemura (476) 266
Yoshida, K. see K. Mogami (466) 395
Yoshida, K. see A. Satoh (477) 249
Yoshida, M. see S.P. Tsunoda (470) 244
Yoshida, S. see M. Suzuki (465) 23
Yoshida, T., J. Klinkspoor, R. Kuver, S.P. Wrenn, E.W. Kaler and S.P. Lee, Cholestan-3β,5α,6β-triol, but not 7-ketocholesterol, suppresses taurocholate-induced mucin secretion by cultured dog gallbladder epithelial cells (478) 113
Yoshihara, K. see K. Tsuchihara (478) 299
Yoshihara, K. see K. Bryl (480) 123
Yoshikawa, M. see K. Ohinata (473) 207
Yoshikuni, M. see T. Todo (465) 12
Yoshimatsu, K., T. Sakurai and T. Fujiwara, Purification and characterization of dissimilatory nitrate reductase from a denitrifying halophilic archaeon, *Haloarcula marismortui* (470) 216
Yoshimoto, A. see K. Mori (486) 213
Yoshimura, A. see T. Matsuda (472) 235
Yoshinari, K. see K. Suzumura (473) 106
Yoshino, M. see Y. Fukunishi (471) 261
Yoshizawa, Y. see J. Endo (468) 234
You, H.-J. see J. Oh (477) 244
You, K.-H. see O.-Y. Kwon (475) 27
Youn, H. and S.-O. Kang, Enhanced sensitivity of *Streptomyces seoulensis* to menadione by superfluous lipoamide dehydrogenase (472) 57
Young, C. see E.S. Masuda (470) 61
Young, D. see J.L. Herrmann (473) 358
Young, D.A. see H. Hama (478) 26
Young, S.P., Inhibition of endosome fusion in primary hepatocytes prevents asialoglycoprotein degradation but not uptake of transferrin iron demonstrating that intracellular iron release occurs from early endosomes (466) 135
Yu, J. see J.E. Celis (480) 2
Yu, K.L. see P.-L. Gu (472) 122
Yu, S. see E.S. Masuda (470) 61
Yuan, H. see M.C. Mutomba (478) 19
Yuan, X. see W. Li (470) 35
Yuasa, K., H. Michibata, K. Omori and N. Yanaka, Identification of a conserved residue responsible for the autoinhibition of cGMP-dependent protein kinase Iα and β (466) 175
Yuda, A. see S. Takai (467) 141
Yuki, T. see T. Kimura (465) 18
Yun, J.H. see Y.J. Lee (472) 230
Yun, J.H. see Y. Hahn (482) 31
Yung, Y. see Z. Yao (468) 37
Yuo, A. see E. Yasugi (480) 197
Yurimoto, H. see M. Nishikawa (476) 150

# Z

Zabala, J.C. see L. Martín (470) 93
Zadra, I. see H. Oberegger (485) 113
Zaffaroni, N. see R. Villa (473) 241
Zago, E.B., R.F. Castilho and A.E. Vercesi, The redox state of endogenous pyridine nucleotides can determine both the degree of mitochondrial oxidative stress and the solute selectivity of the permeability transition pore (478) 29
Zagórski, W. see M. Juszczuk (484) 33
Zajac-Kaye, M. see A. Itkes (474) 23
Zalcman, G. see B. Vayssière (467) 91
Zamolodchikova, T.S., E.A. Sokolova, D. Lu and J. Sadler, Activation of recombinant proenteropeptidase by duodenase (466) 295
Zamparelli, C. see D. Verzili (471) 197
Zamudio, F.Z. see R. Conde (471) 165
Zamzami, N. see E. Daugas (476) 118
Zanata, S.M. see E. Graner (482) 257
Zandueta-Criado, A. see E. Baroja-Fernández (480) 277
Zanotti, F., G. Raho, R. Vuolo, A. Gaballo, F. Papa and S. Papa, Functional domains of the ATPase inhibitor protein from bovine heart mitochondria (482) 163
Zappella, M. see A. Orrico (481) 285
Zappia, V. see C. Manna (470) 341
Zatterale, A. see W. Malorni (468) 125
Závodszky, P. see A. Németh (468) 48
Zechel, D.L. see C. Mayer (466) 40
Zeelis, N. see D. Communi (475) 39
Zeiher, A.M. see S. Dimmeler (477) 258
Zeman, I. see I. Kiššová (471) 113
Zenk, M.H. see T. Radykewicz (465) 157
Zenkova, M.A. see E.V. Kostenko (475) 181
Zenkova, M.A. see N.G. Beloglazova (481) 277
Zenno, S. see K. Ui-Tei (479) 79
Zeppezauer, M. see M. Hernandez Valladares (467) 221
Zeppezauer, M. see M.H. Valladares (477) 285
Zeppezauer, M.M. see J. Nord (472) 312
Zeuzem, S. see U.F. Mondorf (472) 129
Zhai, D., X. Huang, X. Han and F. Yang, Characterization of tBid-induced cytochrome *c* release from mitochondria and liposomes (472) 293
Zhai, Z. see Y. Zhao (480) 208
Zhang, F., D.L. Hogue, L. Liu, C.L. Fisher, D. Hui, S. Childs and V. Ling, M-ABC2, a new human mitochondrial ATP-binding cassette membrane protein (478) 89

Zhang, G.-Y. see R.-H. Tian (474) 11
Zhang, H., K. Futami, N. Horie, A. Okamura, T. Utoh, N. Mikawa, Y. Yamada, S. Tanaka and N. Okamoto, Molecular cloning of fresh water and deep-sea rod opsin genes from Japanese eel *Anguilla japonica* and expressional analyses during sexual maturation (469) 39
Zhang, H., J. Joseph, J. Vasquez-Vivar, H. Karoui, C. Nsanzumuhire, P. Martásek, P. Tordo and B. Kalyanaraman, Detection of superoxide anion using an isotopically labeled nitrone spin trap: potential biological applications (473) 58
Zhang, H., W. Holzgreve and C. De Geyter, Evolutionarily conserved Bok proteins in the Bcl-2 family (480) 311
Zhang, H.-Y. see J.-H. Han (468) 194
Zhang, J. see S. Miura (470) 331
Zhang, P. see S.P. Kantrow (483) 119
Zhang, X. see N.D. Maruoka (473) 188
Zhang, X.D., T. Nguyen, W.D. Thomas, J.E. Sanders and P. Hersey, Mechanisms of resistance of normal cells to TRAIL induced apoptosis vary between different cell types (482) 193
Zhang, Z. see K. Hirano (484) 275
Zhao, J. see H.R. Reiske (486) 275
Zhao, K.-H., M.-G. Deng, M. Zheng, M. Zhou, A. Parbel, M. Storf, M. Meyer, B. Strohmann and H. Scheer, Novel activity of a phycobiliprotein lyase: both the attachment of phycocyanobilin and the isomerization to phycoviolobilin are catalyzed by the proteins PecE and PecF encoded by the phycoerythrocyanin operon (469) 9
Zhao, M., J.W. Eaton and U.T. Brunk, Protection against oxidant-mediated lysosomal rupture: a new anti-apoptotic activity of Bcl-2? (485) 104
Zhao, S. see S. Kristl (467) 87
Zhao, Y., X. Liu, M. Wu, W. Tao and Z. Zhai, In vitro nuclear reconstitution could be induced in a plant cell-free system (480) 208
Zharhary, D. see Z. Yao (468) 37
Zheng, M. see K.-H. Zhao (469) 9
Zhong, Q., D.M. Newns, P. Pattnaik, J.D. Lear and M.L. Klein, Two possible conducting states of the influenza A virus M2 ion channel (473) 195
Zhong, Q. see L.A. Davies (478) 61
Zhou, D. see K. Mitra (482) 81
Zhou, G. see S.J. Ono (467) 268
Zhou, J. see H.-M. Chen (480) 165
Zhou, J.-J., E. Fernández, A. Galván and A.J. Miller, A high affinity nitrate transport system from *Chlamydomonas* requires two gene products (466) 225
Zhou, J.-J., E. Fernández, A. Galván and A.J. Miller, Corrigendum to: A high affinity nitrate transport system from *Chlamydomonas* requires two gene products (FEBS 23233) (481) 88
Zhou, M. see K.-H. Zhao (469) 9
Zhou, T.-H. see P. Wang (475) 107
Zhu, C., M. Johansson and A. Karlsson, Differential incorporation of 1-β-D-arabinofuranosylcytosine and 9-β-D-arabinofuranosylguanine into nuclear and mitochondrial DNA (474) 129
Zhu, X., M. Hadhazy, M. Wehling, J.G. Tidball and E.M. McNally, Dominant negative myostatin produces hypertrophy without hyperplasia in muscle (474) 71
Zhu-Salzman, K. see H. Koiwa (471) 67
Zickermann, V. see K. Björklöf (467) 105
Zidek, W. see M. Walter (479) 51
Zieren, M. see K.J. Böhm (466) 59
Zíková, M., V. Sulimenko, P. Dráber and E. Dráberová, Accumulation of 210 kDa microtubule-interacting protein in differentiating P19 embryonal carcinoma cells (473) 19
Zilahi, E., E. Salimova, V. Simanis and M. Sipiczki, The *S. pombe sep1* gene encodes a nuclear protein that is required for periodic expression of the *cdc15* gene (481) 105
Zillig, M. see F. Klebl (481) 86
Zimmer, C. see H. Simon (471) 173
Zimmer, W. see B. Miller (481) 221
Zimmerman, G.A. see Y. Cao (467) 263
Zimmermann, N. see B.H. Rauch (481) 3
Zimniak, P. see A. Pal (486) 163
Zizioli, D. see A. Piccinotti (472) 143
Zocchi, M. see S. Gardella (481) 245
Zoete, V. see F. Bailly (486) 19
Zong, X. see L. Vaca (479) 35
Zoratti, M. see S. Martinucci (480) 89
Zorov, D.B. see L.D. Zorova (466) 305
Zorova, L.D., B.F. Krasnikov, A.E. Kuzminova, I.A. Polyakova, E.N. Dobrov and D.B. Zorov, Virus-induced permeability transition in mitochondria (466) 305
Zou, M.-X., H.-Y. Liu, Y. Haraguchi, Y. Soda, K. Tatemoto and H. Hoshino, Apelin peptides block the entry of human immunodeficiency virus (HIV) (473) 15
Zscherp, C. see A. Barth (477) 151
Zucconi, A., S. Panni, S. Paoluzi, L. Castagnoli, L. Dente and G. Cesareni, Domain repertoires as a tool to derive protein recognition rules (480) 49
Zühlke, K. see R. Schülein (466) 101
Zühlke, K. see R. Schülein (473) 124
Zuleeg, T., M. Vogtherr, H. Schübel and S. Limmer, The C-A mismatch base pair and the single-strand terminus in the *E. coli* initiator $tRNA^{fMet}$ acceptor stem adopt unusual conformations (472) 247
Zweytick, D., C. Hrastnik, S.D. Kohlwein and G. Daum, Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, Erg4p, from the yeast *Saccharomyces cerevisiae* (470) 83
Zwiller, J. see C. Burgun (484) 189

# FEBS Letters Volumes 465–486
# Master Subject Index

PII: S0014-5793(01)02231-1

# A


$\alpha_{IIb}\beta_3$, (484) 184
A172 glioblastoma, (471) 51
A549 cell, (481) 217
AAA protease, (479) 72
AAA protein, (478) 267; (481) 91
Aarskog–Scott disease, (478) 216
ABC protein, (482) 59
ABC transporter, (476) 134
Abiotic stress, (467) 206
Abnormally hyperphosphorylated tau, (485) 87
Abscisic acid, (485) 168
Abscisic acid transduction, (483) 67
Abscissic acid perception, (474) 43
Absorption, (468) 166; (475) 43; (486) 167
Acceptor stem, (472) 247
Accessory subunit, (474) 99
Acclimative protease, (466) 385
Acein-1, (467) 235
Acein-2, (467) 235
Acetaldehyde, (486) 49
Acetoacetyl-CoA synthetase, (466) 239
Acetylcholine, (484) 92
Acetylcholine receptor, (481) 127
Acetyl-CoA, (484) 12
Acetyl-CoA transporter, (473) 169
*N*-Acetyl-L-cysteine, (472) 196
Acetylhydrolase, (479) 63
Acetylspermidine, (476) 150
Acid inhibition, (475) 57
Acid phosphatase, (472) 169
Acidic cluster, (484) 22
Acidic proline-rich protein, (475) 131
Acidification, (469) 137
Acidocalcisome, (473) 203
Acrosin, (484) 285
Actin, (480) 298
Actin dynamics, (482) 81
β-Actin promoter, (470) 263
Actin stress, (478) 173
Actin-binding protein, (482) 81
α-Actinin-2, (473) 188
Activated protein C, (477) 208
Activated protein-1, (473) 113
Activation, (472) 148
Activation domain of human procarboxypeptidase A2, (472) 27
Activation energy, (465) 110
Active oxygen, (478) 295
Active site, (466) 259; (468) 220; (472) 169; (474) 33; (483) 21, 139
Active site reactivity, (481) 289
Activin A, (480) 101
Acute phase response, (484) 1
Acyl analog of PAF, (479) 63
Acyl carrier protein, (483) 165
Acylation, (486) 213
Acylation stimulating protein, (481) 189
Acylcarnitine, (468) 1
Acyl-CoA dehydrogenase, (468) 1
Acylphosphatase, (473) 42
ADA, (477) 123
Adapter protein, (475) 31
Adapter protein containing a PH and SH2 domain, (475) 31
Adenine nucleotide translocase, (477) 141
Adenine nucleotide translocator, (468) 1
Adenosinetriphosphate, (471) 256
Adenovirus, (468) 23; (470) 370; (476) 248; (484) 149
Adenylate kinase, (480) 235
Adenylyl cyclase, (470) 309
Adenylylsulfate reductase, (473) 63
Adhesion, (468) 234; (470) 40, 305; (471) 182; (475) 89
Adhesion molecule, (467) 299
Adhesive protein, (480) 169
Adipocyte, (475) 201; (481) 261
Adipogenesis, (469) 77
ADP, (466) 197
ADP/ATP antiporter, (481) 42
ADP/ATP carrier, (471) 113
ADP-glucose pyrophosphorylase, (482) 113
Adrenal cortex, (470) 198
Adrenaline, (466) 121; (485) 62
α-Adrenergic activation, (473) 207
$\beta_2$-Adrenoceptor, (485) 157
Adrenoleukodystrophy, (478) 205
Adrenomedullin, (471) 156; (486) 320
AfaD, (479) 111
Affinity, (479) 99
Affinity chromatography, (480) 244
Affinity label, (482) 91
African swine fever virus, (471) 17
Ageing, (468) 43; (470) 20
Aggrecan, (478) 52, 241
Aggregation, (471) 7; (481) 37
AICAR, (481) 209
AIM2, (474) 38
A-kinase anchoring protein, (486) 107
Akt, (478) 253; (481) 205
Akt phosphorylation, (481) 3
Akt/PKB, (477) 27
4-Alkylphenol, (481) 109
Ala-scanning, (469) 147
Alcohol dehydrogenase, (486) 49
Aldehyde dehydrogenase 2, (476) 306
Aldose reductase, (469) 208
*Alectoria sarmentosa*, (480) 301
Algorithm, (480) 42
ALK4, (480) 101
Allene oxide synthase, (466) 63; (481) 183
Allergen engineering, (484) 102
Allergy, (465) 39; (467) 239; (470) 61
Allosteric effector, (466) 130
Allosteric regulation, (482) 113
Altered peptide ligand, (465) 28
Alternative oxidase, (474) 53; (477) 175
Alternative promoter, (466) 310
Alternative splicing, (473) 132; (474) 83; (475) 107; (477) 15; (478) 43; (482) 209
Alternative transcript, (476) 272
Alternative transcription initiation, (465) 119
Alternative translation, (473) 47
Alzheimer's disease, (465) 53; (469) 111; (470) 221; (476) 89; (483) 6; (485) 87
Amadori product, (481) 0
AmBisome, (465) 83
Amidase activity, (471) 12
Amiloride, (471) 205; (481) 77
Amino acid analog, (467) 37
Amino acid sequence, (466) 192
Amino acid sequence motif, (482) 175
Aminoacyl-tRNA, (476) 140
Aminoacyl-tRNA synthetase, (470) 300
3-Aminobenzamide, (474) 11
Aminopeptidase 1, (470) 232
Aminopeptidase N, (467) 81
3-Aminotriazole, (475) 117
AML1, (470) 167
Ammonium transporter, (467) 273
AMP kinase, (481) 209
Amphibian skin, (483) 135
Amphipathic helix, (482) 220
Amphotericin B, (465) 83
α-Amylase, (471) 251
Amylase precursor, (471) 251
Amyloid, (470) 55
β-Amyloid, (484) 98
Amyloid beta (25–35), (470) 221
Amyloid fibril, (468) 23; (479) 141
Amyloid protein precursor, (483) 6
Amyloidosis, (473) 199
Amyloplast, (480) 277
Amylosucrase, (471) 219; (474) 33
Anaerobic regulation, (470) 118


PII: S0014-5793(01)02231-1

Analgesia, (466) 337
Analytical ultracentrifugation, (471) 128; (482) 180
Anandamide, (468) 176; (470) 151; (472) 39; (483) 52
Anaphase-promoting complex, (468) 142
Anesthetic-protein interaction, (478) 61
Angiogenesis, (486) 247
Angiotensin-converting enzyme, (467) 141
Angiotensin-I-converting enzyme inhibitory peptide, (467) 235
Angiotensin II, (467) 141; (470) 331; (472) 129; (484) 133
Anion carrier, (471) 108
Anion current, (474) 43
Anionic phospholipid, (472) 17
Anisoosmolarity, (465) 64
Ankyrin, (482) 1
Ankyrin repeat, (482) 1; (484) 113; (485) 53
Annexin, (469) 88; (479) 46
Annexin-I, (477) 244
Annexin VII, (471) 197
Anomalous mole fraction, (466) 115
Anoxia, (477) 175
Antagonist, (469) 14
Antenna, (471) 89
Antennapedia homeodomain, (482) 265
Anthocyanin, (484) 207
Antibacterial peptide, (484) 7
Antibiotic, (466) 333; (471) 165; (485) 71
Antibiotic peptide, (479) 6
Antibody, (465) 39; (473) 19; (474) 87; (475) 11
Antibody production, (465) 28
Anticancer drug, (470) 355; (481) 137
Anticodon, (467) 175
Antifungal antibiotic, (478) 137; (485) 76
Antifungal peptide, (478) 123
Antigen presentation, (478) 178
Antigen-peptide-epitope, (465) 39
Antimalarial, (474) 238
Antimicrobial peptide, (480) 147; (483) 135; (486) 185
Antioxidant, (466) 165; (468) 159; (469) 208; (470) 341; (471) 75; (473) 145, 177; (484) 207; (486) 19
Antioxidant activity, (486) 103
Antioxygen defence, (474) 53
Anti-phospho-antibody, (468) 37
Antiplasmodial inhibitor, (484) 246
Antisense cDNA, (478) 34
Antisense mapping, (466) 337
Antisense oligonucleotide, (475) 181; (481) 113, 277
Antisense RNA, (472) 230
Antithrombin, (484) 87
Antithrombin III, (468) 115
$\alpha_1$-Antitrypsin, (473) 33
Antiviral activity, (466) 179
$AnxI^{N26}$, (484) 241
AP-1, (474) 201; (483) 93; (485) 7
$Ap_4A$, (485) 57
*Apaf1*, (480) 63
Apamin, (469) 196
Apelin, (473) 15
Aphidicolin, (473) 42
Aphrodisin, (476) 179
Apical plasma membrane, (477) 253
Apical secretion, (473) 297
APJ, (473) 15
Apolipoprotein B, (469) 208
Apolipoprotein E, (485) 99
Apoptosis, (465) 47, 64; (466) 6, 143; (467) 150, 155, 201, 291; (468) 129, 134; (469) 111, 186; (470) 35, 221, 249, 360; (471) 93, 113; (472) 5, 39, 133, 137, 271, 287, 293; (473) 6, 233; (474) 11; (475) 139, 257, 267; (476) 55; (477) 67, 229; (478) 19, 67, 72, 233, 290; (480) 165, 193, 197; (481) 13, 122, 205; (482) 6, 200; (483) 119; (484) 153, 202, 253; (485) 104, 122, 135; (486) 281, 291
Apoptosis-inducing factor, (476) 118; (480) 197
Apoptotic cell death, (466) 279
Aptamer, (484) 87
Aquaglyceroporin, (481) 293
Aquaporin, (465) 110; (481) 293
Aquaporin 3, (475) 291
Aquaporin-5, (477) 253
*Arabidopsis*, (472) 302; (476) 208
*Arabidopsis thaliana*, (466) 351; (467) 117, 273; (470) 147; (471) 133, 224; (472) 105; (474) 29, 133; (475) 65; (477) 170; (478) 227; (482) 19, 225; (483) 43; (484) 12; (485) 178; (486) 79, 93
*Arabidopsis thaliana* suspension cells, (474) 43; (483) 67
1-β-D-Arabinofuranosylcytosine, (474) 129
9-β-D-Arabinofuranosylguanine, (474) 129
AraC/XylS family, (476) 312
Arachidonic acid, (466) 292; (467) 263; (475) 242; (483) 109
ArcB His-kinase, (470) 118
Archaea, (486) 195
Archaeal phototaxis, (466) 67; (472) 263
Archaeon, (467) 101; (472) 213
aRF1, (472) 213
ARF-like protein, (468) 84
Arg82, (486) 300
L-Arg uptake, (485) 57
L-Arginine paradox, (478) 1
Arginine metabolism, (486) 300
Arginine synthesis, (484) 261
*ARGRIII*, (468) 28
Armadillo, (474) 189
Arnt, (466) 80
Aromatic amino acid, (471) 103
Arrestin, (470) 336
β-Arrestin, (486) 208
ArsA ATPase, (469) 105
Artemisinin, (474) 238
Artificial chaperone, (486) 131
*Artocarpus*, (477) 190
Aryl hydrocarbon receptor, (476) 213; (478) 109
Ascorbate, (466) 107
Ascorbic acid, (481) 193
Ascospore wall, (478) 105
Asialoglycoprotein receptor, (466) 135
Asparaginyl endopeptidase, (466) 244
Aspartic protease, (468) 15, 59
*Aspergillus fumigatus*, (485) 113
*Aspergillus nidulans*, (475) 117; (485) 113
*Aspergillus niger*, (467) 333; (471) 251; (472) 169
Aspirin, (470) 47; (480) 193
Assembly, (476) 89
Assignment, (475) 135
Astacin, (484) 224
Astacin family, (465) 2; (484) 224
Astrocyte, (472) 203; (481) 227
Astrocyte culture, (486) 203
Astroglia, (479) 10
Asymmetric dimethylarginine, (478) 1
$AT_2$ receptor, (484) 133
A/T rich interaction domain, (471) 17
Ataxia-telangiectasia mutated, (472) 133; (478) 67
Ataxin-1, (468) 171
Atelectasis, (467) 7
ATF-2, (483) 114
Atherosclerosis, (467) 217; (468) 159; (470) 20; (471) 45, 75; (472) 1; (473) 249, 345; (478) 95; (483) 155; (485) 122; (486) 159
Atomic force microscopy, (475) 43; (480) 106
ATP hydrolysis, (483) 1
ATP synthase, (472) 34; (476) 113; (483) 1
ATP synthesis, (467) 101; (478) 34; (483) 1
ATPase, (465) 74; (467) 101; (469) 47; (476) 18; (477) 151; (478) 267
ATPase activity, (466) 59
ATPase cycle, (477) 278
ATP-binding cassette protein, (478) 89
ATP-dependent HslVU protease, (477) 224
ATPγS, (476) 155
δ-Atracotoxin, (470) 293
Atrial natriuretic factor, (467) 1
Aurine-tricarboxylic acid, (475) 71
Autocrine bone morphogenetic protein signaling, (469) 83
Autoinhibition, (472) 148
Autonomic nervous system, (474) 223
Autophosphorylation, (467) 61
Avidin-biotin technology, (467) 31
Axin, (474) 189
Axon guidance, (486) 68
*Azotobacter*, (478) 192; (482) 149
*Azotobacter vinelandii* rhodanese, (472) 307

# B


7B2, (473) 135
B16 melanoma, (476) 198
B16BL6, (467) 211
B99, (481) 57
Ba/F3 cell, (468) 120
*Bacillus subtilis*, (485) 76
Bacillus thuringiensis, (473) 227
Bacterial adhesin, (469) 155
Bacterial conjugation, (466) 389
Bacterial expression, (476) 266
Bacterial leaf blight (*Xanthomonas oryzae* pv. *oryzae*), (484) 7
Bacteriochlorophyll *a*, (465) 107
Bacterioferritin, (480) 213
Bacteriorhodopsin, (480) 123
Baculovirus, (465) 2; (471) 182; (482) 59
Baculovirus expression system, (479) 67
Baker's yeast, (475) 43
BAP31, (484) 202
Barrier, (476) 258
Barrier function, (477) 268
Base excision repair, (476) 73
Baseline $K^+$ channel, (471) 137
Basic fibroblast growth factor, (468) 6
Basic helix-loop-helix PAS, (466) 80
Basic pancreatic trypsin inhibitor, (470) 11
Basolateral membrane, (473) 173
Batrachotoxin, (465) 18
Bax, (471) 113, 235
Bcl-2, (466) 6; (471) 93; (476) 118; (478) 72; (481) 122; (485) 7, 104
Bcl-2 homolog, (482) 6
Bcl-2 homology 3 domain, (481) 122
Bcl-3, (485) 53
BCR/ABL, (466) 367
Benzoate, (476) 312
Benzo[*c*]chrysene, (486) 163
Bgs2p, (478) 105
Bicarbonate, (470) 375
BID, (471) 93
Bid, (472) 293
Bile salt, (474) 242; (482) 109
Binding, (467) 81
Binding affinity, (466) 75; (470) 183
Binding protein, (467) 165
Binding proteins for lipophilic substance, (478) 299
Binding site, (465) 18; (477) 263
Binding specificity, (480) 49; (482) 154
Binding stoichiometry, (468) 215
Bioactive peptide, (473) 157
Biochemical engineering, (478) 276
Bioenergetics, (470) 147
Bioinformatics, (480) 42; (486) 267
Biological network, (480) 32
Bioluminescence, (481) 19
Biophysical, (470) 167
Biosynthesis, (478) 9
Biotic stress, (467) 206
Biotin, (479) 93
Biotin synthase, (466) 372
Biotinyl protein ligase, (479) 93
BiP/GRP78, (469) 123
Bipolar pulse pair–longitudinal encode/decode, (465) 148
Bisdioxopiperazine resistance, (480) 201
Bi-substrate inhibitor, (480) 244
Bladder cancer, (480) 2
Blastic crisis, (466) 367
Bleaching herbicide, (480) 301
Blood cell, (486) 237
Blood coagulation, (475) 135
Blood substitute, (472) 221
Blue light effect, (476) 171
BmK abT, (479) 136
Bombesin, (473) 207
Bone, (485) 13
Bone marrow stroma, (481) 193
Bone morphogenetic protein receptor type IA, (468) 215
Bone morphogenetic protein-2, (468) 215; (470) 29
Bone morphogenetic protein-4, (469) 83
Bone resorption, (473) 161
*Bordetella hinzii*, (485) 40
*Bordetella pertussis*, (477) 8
Botulinum neurotoxin, (482) 119; (484) 129
Bovine, (478) 295
Bovine chromaffin cell, (482) 131
Bovine endothelial cell, (485) 57
Bovine heart submitochondrial particle, (466) 323
Bovine pancreatic trypsin inhibitor, (473) 183
Bovine serum albumin, (475) 251
Bovine species, (472) 276
Bradykinin, (473) 10; (479) 51
*Bradyrhizobium japonicum*, (470) 7
Brain, (470) 1
Brain capillary, (466) 219
Brain region, (486) 203
Brain-type creatine kinase, (475) 22
*Brassica*, (473) 139; (481) 189
*Brassica napus*, (468) 243; (484) 65; (486) 155
Breast cancer, (472) 9
Breast cancer cell, (478) 109, 209
Breath, (486) 10
Brefeldin A, (470) 83; (478) 9
Brevinin-1, (483) 135
Bromophenacyl bromide, (466) 135
Brønsted correlation, (478) 197
Brugada syndrome, (467) 12; (479) 29
Brush border peptidase, (482) 49
Butterfly oviposition, (478) 299
*tert*-Butylhydroperoxide, (482) 19
Butyrate, (474) 175


# C


C gene deletion, (478) 127
*c* subunit ring, (470) 244
C1 domain, (483) 27
C2, (470) 131
C2 domain, (480) 249; (482) 269
C2C12, (484) 37
C2C12 myoblast, (482) 97
C2C12 myotube, (473) 10
C2PA, (480) 249
C310T1/2 mouse fibroblast, (467) 123
C-A base pair, (472) 247
$Ca^{2+}$, (466) 305; (469) 88; (470) 273; (477) 33; (479) 46
$Ca^{2+}$ channel, (467) 65
$Ca^{2+}$ release, (472) 73
$Ca^{2+}$ release channel, (471) 256
$Ca^{2+}$ release channel/ryanodine receptor, (469) 179
$Ca^{2+}$ sensitivity, (482) 85
$Ca^{2+}$ sensitization, (475) 197
$Ca^{2+}$ signaling, (471) 256
$Ca^{2+}$ store, (476) 234
$Ca^{2+}$ uptake, (476) 145
$Ca^{2+}$/calmodulin-dependent protein kinase II, (475) 107
$Ca^{2+}$/calmodulin-dependent protein kinase IV, (481) 147
$Ca^{2+}$-activated protein phosphatase, (466) 130
$Ca^{2+}$-ATPase, (482) 225
$Ca^{2+}$-binding protein, (466) 192; (472) 208; (473) 323
$Ca^{2+}$-dependent interaction, (465) 129
$Ca^{2+}$-desensitization, (479) 83
$Ca^{2+}$-induced secretion, (474) 66
CAAT-box, (483) 93
c-Abl tyrosine kinase, (469) 72
Caco-2 cell, (470) 341
Cadherin 6B, (469) 67

Cadmium toxicity, (478) 147
*Caenorhabditis elegans*, (470) 70; (486) 107
Caged glutamate, (475) 278
Calcineurin, (483) 119
Calcitonin gene-related peptide, (471) 156; (486) 320
Calcitonin receptor-like receptor, (471) 156; (486) 320
Calcium, (471) 201; (479) 51; (480) 89, 298; (481) 240; (483) 52; (484) 199; (486) 257
Calcium channel, (466) 54, 125, 228; (467) 201; (469) 147; (470) 189; (474) 93; (478) 166; (481) 73, 235, 245; (482) 131; (485) 127
Calcium channel inhibitor, (483) 67
Calcium imaging, (478) 166
Calcium influx, (478) 237
Calcium ion, (478) 29
Calcium mobilization, (477) 199
Calcium oscillation, (477) 253
Calcium pump, (483) 99
Calcium-activated, (474) 99
Calcium-binding epidermal growth factor-like module, (475) 135
Calcium-binding protein, (486) 112
Calmodulin, (471) 229; (472) 148; (473) 280, 323; (480) 298; (482) 225; (483) 99
Calmodulin binding site, (471) 133
Calmodulin isoform, (471) 133
Calmodulin protein kinase, (481) 255
Calnexin, (476) 38
Calnexin/calreticulin, (476) 32
μ-Calpain, (475) 17
m-Calpain, (475) 17
Calpastatin degradation, (475) 17
Calsepa, (477) 190
Calsequestrin, (472) 73
Calumenin, (465) 129
*Calystegia*, (477) 190
cAMP, (469) 142; (470) 113; (477) 273; (484) 69; (486) 310
cAMP phosphodiesterase, (477) 213
cAMP response element binding protein, (486) 281
cAMP-dependent GTP exchange factor, (477) 213
cAMP-dependent phosphorylation, (466) 130
cAMP-dependent protein kinase, (476) 272
cAMP-response element binding protein, (482) 75; (486) 291
cAMP-specific phosphodiesterase of the type 4 family, (477) 213
Cancer, (469) 24; (473) 85; (478) 77; (484) 77
Cancer marker, (480) 95
Cancer prevention, (476) 213
*Candida boidinii*, (476) 150
*Candida parapsilosis*, (467) 145
Cannabinoid, (466) 300; (470) 151; (483) 52
Cannabinoid ligand, (471) 12
Capacitative $Ca^{2+}$ entry, (474) 107
Capacitative calcium entry, (470) 269; (485) 127
Capsaicin, (481) 131; (483) 52
Capsanthin capsorubin synthase, (485) 168
Capsid-like particle, (481) 169
Capsid-targeted viral inactivation, (481) 169
Capsite Hunting, (466) 264
CAR, (484) 149
Carbamate kinase, (484) 261
Carbamoyl phosphate synthesis, (484) 261
Carbohydrate recognition domain, (467) 70
Carbohydrate-binding motif, (482) 231
Carbon dioxide, (479) 19
Carbon monoxide, (466) 259
Carbonic anhydrase, (482) 237
Carbonic anhydrase B, (486) 131
*S*-(2-Carboxy-(2*S*)-propyl)-L-cysteine, (466) 45
γ-Carboxyglutamate, (470) 139
Carboxyl tail, (477) 161
Carboxylic residue, (476) 93
Carboxy-terminus, (480) 231
Carcinoembryonic antigen, (475) 11
Carcinogenesis, (486) 163
Carcinoma, (470) 198; (484) 194
Cardiac arrest, (470) 1
Cardiac ion channel, (481) 73
Cardiac muscle, (467) 12
Cardiac myocyte, (467) 1
Cardiac troponin C, (469) 168
Cardiac troponin I, (469) 168
Cardiolipin, (466) 323; (478) 290
Cardiomyocyte differentiation, (476) 218
Cardiomyopathy, (468) 1
Carnitine octanoyltransferase, (466) 183
Carnitine palmitoyltransferase I, (478) 19
L-Carnitine, (478) 19
β-Carotene, (471) 125
Carotenoid, (484) 280; (485) 168
Carrot cell, (480) 208
Cartilage degradation, (478) 241
Cartilage oligomeric matrix protein, (478) 52
Casein, (467) 239
Casein kinase, (471) 151
Casein kinase-2, (466) 363; (481) 63
Caspase, (467) 150, 155; (471) 93; (478) 19, 67; (480) 193, 197; (481) 13; (482) 6; (484) 253; (486) 281
Caspase-1, (470) 249
Caspase-2, (470) 360
Caspase-2S, (470) 360
Caspase-3, (470) 249; (475) 139; (485) 122
Caspase-3-like protease, (474) 11
Caspase-7, (466) 143
Caspase-8, (470) 249; (477) 229
Caspase cleavage, (484) 202
Catalase, (475) 35, 117, 121; (486) 10
Catalytic Cys-His-$X_{b\&O}$ triad, (470) 249
Catalytic dyad, (465) 145
Catalytic mechanism, (484) 224
Catalytic nucleophile, (474) 33
Catalytic triad, (483) 139
Cataract, (478) 295
Catechin, (471) 51
Cathepsin, (469) 29
Cathepsin B, (482) 91
Cathepsin G, (473) 154; (484) 184
Cathepsin inhibitor, (485) 67
Cation binding, (470) 139
Cation channel, (485) 127
Cationic cholesterol amphiphile, (473) 341
Cationic liposome, (473) 341
Cationic polymer, (480) 106
*Caulobacter crescentus*, (484) 29
Caveola, (466) 219
Caveolae, (467) 326
Caveolin, (466) 219; (467) 326
Caveolin-1 isoform, (465) 119
Caveolin-3, (473) 10
$CB_2$ receptor, (466) 300
*cbb*$_3$-type oxidase, (470) 7
Cbl, (466) 96; (470) 273
CCAAT/enhancer binding protein, (474) 201
c-Cbl, (475) 31
CCK-A receptor promoter, (466) 264
CD4 degradation, (482) 220
CD4/gp120, (471) 169
CD8α, (480) 226
CD11/CD18 antigen, (486) 89
CD14 antigen, (470) 281
CD26, (477) 123
CD28-B7, (476) 266
CD44, (476) 240
CD44v6, (476) 240
CD45, (468) 68
CD63, (469) 52
CD95, (472) 271
CD95/Fas, (473) 27
Cdc15, (468) 142
*cdc15*, (481) 105
Cdc25, (466) 91
Cdc37, (467) 111
Cdc42, (484) 275
CDC6, (477) 43
CDE, (484) 77
Cdh1, (468) 142
Cd(II), (473) 67
Cd(II) binding, (467) 189
CD-loop, (470) 331

cDNA, (466) 239; (468) 59
cDNA array hybridisation, (486) 149
cDNA cloning, (466) 249; (469) 33; (482) 37
cDNA microarray, (480) 95
cDNA sequence, (469) 173; (477) 237; (479) 136
Cecropin-transgenic rice, (484) 7
β-Cell, (478) 233; (480) 101
Cell adhesion, (466) 381; (469) 1; (477) 84
Cell adhesion kinase β, (474) 179
Cell compartment, (473) 292
Cell cycle, (467) 291, 348; (470) 161, 211; (471) 141; (473) 212; (476) 78; (477) 193; (481) 57; (483) 43, 160; (484) 77, 108; (486) 305
Cell cycle arrest, (474) 58
Cell cycle checkpoint, (466) 91
Cell cycle control, (484) 17
Cell cycle homology region, (471) 29
Cell cycle progression, (486) 275
Cell cycle-dependent element, (471) 29
Cell death, (471) 235; (472) 137; (473) 177, 285, 311; (485) 94
Cell differentiation, (472) 143; (475) 201; (482) 257; (485) 117
Cell division, (470) 70; (477) 224; (478) 13
Cell division cycle, (482) 125
Cell envelope, (466) 389; (477) 268
Cell growth, (474) 38; (476) 55
Cell injury, (473) 311
Cell migration, (473) 217
Cell polarity, (468) 84
Cell process, (465) 34
Cell proliferation, (481) 271
Cell surface molecule, (470) 350
Cell survival, (465) 69
Cell–cell contact, (486) 237
Cell-free system, (480) 165
Cell-free system from plant, (480) 208
Cellobiose dehydrogenase, (477) 79
Cellular activation, (470) 350
Cellular location, (473) 254
Cellular prion protein, (482) 257
Centrosome, (472) 208
Ceramide, (472) 143; (475) 247
C-fos, (477) 89
c-*fos* serum response element, (477) 244
CFTR, (473) 149
cGMP, (475) 71
CgtA, (484) 29
Channel-former, (466) 333
Channel-forming property, (469) 93
Chaperone, (473) 199; (477) 224; (481) 91
Chaperone activity, (482) 175
Chaperone complex, (465) 98
Chaperone protein, (466) 19
Chaperonin, (470) 365; (471) 211; (477) 278
*Chara*, (475) 139
Checkpoint, (467) 311
Chemical modification, (483) 47
Chemical shift, (470) 11
Chemical shift assignment, (482) 25
Chemical shift deviation mapping, (470) 125
Chemokine receptors, (477) 123
Chemosensory reception, (478) 299
Chestnut cystatin, (467) 206
Chiasma, (485) 35
Chick embryo wing bud cell, (480) 189
Chick spinal cord, (475) 97
Chicken, (484) 229
Chimeric receptor, (466) 255
Chinese hamster, (479) 79
Chinese hamster ovary cell, (468) 79
Chinese hamster ovary cell mutant, (476) 42
Chinese medicine, (486) 291
Chitin, (478) 84, 123
Chitin deacetylase, (476) 194
Chitin oligomer, (478) 119
Chitin synthase III activity, (478) 84
Chitinase, (476) 194; (478) 119, 123
Chitosan, (466) 292
Chk1, (466) 91
Chk2, (471) 141
Chk2/Cds1, (485) 35
*Chlamydomonas*, (466) 225
*Chlorella kessleri*, (468) 225
Chloride channel, (466) 346
Chlorophyll, (486) 243
Chlorophyll biosynthesis, (474) 133; (480) 306; (483) 47
Chlorophyll fluorescence, (471) 71
Chloroplast, (467) 97, 245; (480) 255
Chloroplast biogenesis, (474) 133
Chloroplast development, (485) 178
Chloroplast nucleoid, (468) 15
Chloroplast RNA polymerase, (481) 47
Chloroplast signal, (469) 61
Chloroquine, (477) 95
CHO cells, (465) 141
Cholesterol, (478) 113
Cholesterol efflux, (484) 275
Cholinergic nerve, (474) 223
Chondrocyte, (468) 43; (474) 58
Chondrogenesis, (480) 189
Chondrogenic differentiation, (469) 83
Choroid plexus, (483) 93
CHR, (484) 77
Chromaffin, (480) 184
Chromaffin cell, (481) 235
Chromatin remodeling, (476) 68
Chromatin-associated protein, (467) 169
Chromophore, (469) 9; (470) 107; (480) 123
Chromosomal, (471) 78
Chromosomal movement, (470) 70
Chromosome, (472) 302
Chromosome 14q11.2, (473) 285
Chromosome 21, (468) 59
Chronic myeloid leukemia, (466) 367
Chronobiology, (486) 315
Chymase, (467) 141
Cigarette smoking, (471) 45
Ciglitazone, (484) 37
Circadian rhythm, (465) 79; (477) 106; (486) 315
Circular aggregate, (480) 73
Circular dichroism, (467) 87; (468) 11, 48; (476) 287; (484) 98, 241
*Cis*/*trans* isomer, (478) 39
*Cis*/*trans* isomer specificity, (478) 39
Cisplatin adduct, (466) 49
Cisplatin resistance, (465) 153
*cis*-Prenyltransferase, (477) 170
CitG, (483) 165
Citrate lyase, (483) 165
Citrate synthase, (486) 131
*Citrus*, (469) 173
CitX, (483) 165
C-jun, (477) 89
Class C-type $Ca^{2+}$ channel, (477) 161
Class I aldolase, (475) 205
Class switching, (467) 268
Clathrin, (478) 43
Claudin, (476) 258
ClC chloride channel, (466) 26
ClC-2 channel, (479) 10
Cleavage, (475) 52
*Clethrionomys glareolus*, (478) 147
Clock resetting, (486) 315
Clofibrate, (473) 85
Cloning, (471) 99; (475) 291; (484) 229
Clostridial neurotoxin, (481) 177
*Clostridium botulinum*, (467) 179
*Clostridium perfringens* enterotoxin, (476) 258
Cluster formation, (468) 161
Clustering, (468) 234; (480) 17
c-Mos, (474) 233
*c-myc*, (474) 23; (475) 209
c-Myc, (477) 43
$CO_2$ concentration, (470) 375
Co-activator glucocorticoid receptor interacting protein-1, (481) 213
Coagulation, (468) 115
Coatomer, (484) 82
Coatomer protein complex, (472) 230
Cobalt prophyrin, (472) 221

Codeine, (470) 309
Co-evolution, (473) 139
Coexpression, (466) 225
Cofactor, (468) 84
Cofactor exchange, (472) 114
Cold acclimation, (477) 141
Cold inducible RNA binding protein, (482) 37
Coleopteran, (473) 227
Colipase, (482) 109
Collagen, (466) 197; (470) 178; (473) 119, 237; (475) 89
Collagen fibrillogenesis, (470) 178
Collagen XVIII, (486) 247
Collapse, (486) 68
Collapsin response mediator protein (CRMP), (480) 283
Co-localization, (471) 215
Colostrum, (473) 165
Combinatorial library, (468) 73
Combinatorial synthesis, (466) 125
Compensatory mechanism, (478) 84
Competitive inhibition, (478) 119
Complement, (467) 201; (470) 131
Complex I, (479) 1; (485) 1
Complex II, (466) 1
Compound I, (484) 139
Compound II, (484) 139
Conantokin-R, (470) 139
Conductance, (477) 161
Cone arrestin, (470) 336
Cone photoreceptor, (470) 336
Confocal, (479) 131
Confocal laser microscopy, (480) 239
Confocal microscopy, (474) 66
Conformation, (468) 101; (473) 157; (481) 249
Conformational change, (470) 125; (472) 208; (473) 106; (477) 157; (484) 102, 291
Conformational stability, (465) 169; (472) 27; (484) 144
Congo red, (468) 23
Conifer, (477) 237
Conjugated linoleic acid, (468) 33
Connective tissue growth factor, (474) 58
Connexin null mutation, (466) 112
Connexin26, (466) 112
Conotoxin, (476) 287
ω-Conotoxin MVIIC, (466) 125; (469) 147
Conserved region 2, (469) 88
Constitutive activity, (469) 142; (470) 183
Constitutive MAPK activation, (465) 69
Control analysis, (476) 47
Control coefficient, (475) 145
*Conus* toxin, (474) 208
Convergence–divergence duality, (470) 249
*Copg*, (482) 31
COPI, (486) 2
Copper metabolism, (485) 19
Copper,zinc-superoxide dismutase, (485) 163
Coproporphyrin, (480) 213
Core binding factor, (470) 167
Core binding factor β, (470) 167
Coreceptor, (473) 15
Coronary artery, (482) 85
Coronin, (485) 147
Cortical granule, (482) 242
Co-stimulation, (476) 266
Coupling, (476) 93
Covalent flavin, (466) 1; (481) 109
Covalent modification, (468) 231
Covalently bound flavin, (474) 165
Coxsackievirus, (484) 149
CpG MTase, (469) 101
CPI-17, (475) 197
CPP32-like protease, (472) 39
c-Propeptide, (479) 123
Craving for ethanol, (486) 49
Cre/*loxP* recombination, (470) 263
Creatine, (486) 225
CREB, (465) 79; (477) 213
CREC protein family, (465) 129
*Crithidia fasciculata*, (470) 319
Crosslinking, (484) 235; (486) 57
Cross-reactivity, (484) 43
Cross-species transfer, (472) 22
Cross-talk, (478) 100, 109; (486) 143
Cross-tolerance, (482) 19
Crotonyl-ACP, (484) 65
Crotonyl-coenzyme A, (484) 65
Crustacean hyperglycemic hormone, (472) 122
Cruzipain, (469) 29
Cry toxin, (473) 227
Cryo-electron microscopy, (477) 278
Cryptomonad, (471) 191
Crystal structure, (475) 61; (480) 73
α-Crystallin, (482) 175
αB-Crystallin, (484) 98
ζ-Crystallin, (478) 295
Crystallography, (467) 285
c-Src, (472) 117
C-terminal motor, (470) 70
C-terminal-type kinesin, (475) 47
C-terminus, (472) 312; (481) 197
C-terminus structure, (468) 225
C-type inactivation, (474) 111
Cu,Zn-superoxide dismutase, (467) 57; (479) 25; (483) 21
CUB domain, (475) 97
*Cucumis sativus*, (481) 183
Cu(I) binding, (467) 189
Culture, (466) 187
Cultured cell, (479) 79
Current fluctuation, (476) 224
CV-1, (480) 239
Cyanide, (466) 259
Cyanobacterium, (468) 231; (469) 9; (476) 282; (479) 72; (483) 169
Cyanoepithioalkane, (467) 296
Cybrid, (467) 175
Cycle, (466) 75
Cyclic AMP, (477) 213; (484) 189
Cyclic AMP-dependent protein kinase, (477) 213
Cyclic AMP-responsive element binding protein, (482) 44
Cyclic lipodepsinonapeptide, (478) 26
Cyclic nucleotide-gated ion channel, (471) 133; (478) 246
Cyclin D2, (478) 209
Cyclin degradation, (468) 142
Cyclin dependent protein kinase, (485) 87
Cyclin-dependent kinases 4 and 6, (470) 161
Cyclization mechanism, (466) 63
Cycloamylose, (486) 131
Cycloheximide, (486) 305
Cyclooxygenase-2, (465) 103; (475) 242
Cyclopentenone formation, (466) 63
Cyclosporin A, (466) 219; (483) 119
*Cynops ensicauda*, (472) 267
Cys–disulfide exchange, (484) 133
Cysteine, (469) 57; (471) 125
Cysteine modification, (472) 225
Cysteine protease, (465) 145; (481) 289
Cysteine proteinase inhibitor, (471) 67
Cysteine reactivity, (476) 155
Cysteine scanning, (482) 144
Cysteine to alanine mutation, (486) 89
Cysteine-rich peptide, (480) 147
Cysteine-sulfinic acid, (465) 173
Cystic fibrosis, (473) 149, 154; (475) 291
Cystic fibrosis transmembrane conductance regulator, (475) 291
Cystine motif, (474) 208
Cytochalasin D, (466) 355
Cytochrome *b*, (466) 1
Cytochrome *c*, (466) 6; (471) 93, 235; (472) 5; (475) 263; (476) 118; (480) 193; (482) 6, 25; (483) 119
Cytochrome *c* oxidase, (466) 130, 323; (470) 7; (475) 263; (485) 19
Cytochrome *c* release, (472) 293; (473) 27
Cytochrome oxidase, (468) 239
Cytochrome P450, (486) 173
Cytochrome $P450_{cam}$, (477) 157; (479) 149
Cytokine, (467) 259; (468) 120; (472) 203; (481) 3
Cytokine production, (465) 28; (477) 84
Cytokine signaling, (478) 100
Cytokinesis, (481) 105

Cytomegalovirus, (474) 213
Cytoplasmic granule, (486) 112
Cytosine methylation, (467) 41
Cytoskeletal protein, (466) 29
Cytoskeleton, (466) 346, 355; (468) 125; (470) 93, 198; (473) 71, 280; (482) 81
Cytosolic $Ca^{2+}$ concentration, (482) 85
Cytosolic glutamine synthetase, (477) 237
Cytosolic phospholipase A2, (471) 83; (477) 244
Cytotoxic T lymphocyte-associated antigen 4, (475) 225
Cytotoxicity, (478) 113

# D

D amino acid, (479) 6
$D_1$ agonist, (481) 217
D1-like receptor, (470) 183
D3-phosphoinositide, (484) 184
Dark reversion, (470) 107
Darwinian evolution, (480) 55
Database, (474) 83
De novo design, (482) 154
Deamino-NADH, (467) 105
Death domain, (473) 285
Death receptor, (468) 134; (485) 135
Decapod, (481) 19
Decorin, (470) 178
Defensin, (486) 185
Degenerin, (471) 205; (481) 77
Degradation, (478) 109; (481) 245
Dehydration, (480) 179
Dehydroascorbate reductase, (466) 107
Dehydrodolichyl diphosphate synthase, (477) 170
Dehydroepiandrosterone, (475) 61
Delayed fluorescence, (475) 103
Deletion analysis, (478) 183
Deletion mutation, (472) 93
Delivery vector, (482) 265
Deltamethrin, (470) 135
Demembranated sperm chromatin, (480) 208
Dementia, (483) 6
Denaturation, (473) 183
Dendritic cell, (481) 245; (486) 261
Denitrification, (470) 216
1-Deoxy-D-xylulose 5-phosphate, (481) 221
1-Deoxy-D-xylulose 5-phosphate reductoisomerase, (473) 328
1-Deoxy-D-xylulose 5-phosphate reductoisomerase gene, (481) 221
1-Deoxy-D-xylulose 5-phosphate synthase gene, (481) 221
Deoxyribonuclease II, (467) 231
Deoxyuridine, (472) 312
Deoxyuridine 5′-triphosphate nucleotide hydrolase, (472) 312
Deoxyxylulose, (465) 157
Desensitization, (470) 15; (484) 211; (486) 208
Desethylamiodarone, (481) 213
Design, (470) 173
*Desulfovibrio*, (480) 213
Detergent, (470) 244
Detoxification, (486) 163
Deuterium shift, (472) 263
Development, (481) 285
Dexamethasone, (478) 141
Dexamethasone-induced apoptosis, (478) 34
Diabetes, (479) 89; (481) 0
Diabetes mellitus, (479) 41
Diacylglycerol acyltransferase, (481) 189
Diacylglycerol kinase, (472) 225
Dialysis, (470) 355
Diarrhea, (479) 111
Diastrophic dysplasia, (477) 118
3,5-Dibutyl-4-hydroxytoluene, (473) 203
Di-cluster ferredoxin, (468) 161
*Dictyostelium discoideum*, (473) 323; (474) 16; (475) 47; (484) 125
Dietary phytochemical, (476) 213
Differential display, (465) 153; (466) 367; (469) 208; (475) 97; (477) 106, 135
Differential scanning calorimetry, (468) 48
Differentiation, (467) 341; (470) 281; (472) 50; (473) 42, 212; (474) 175, 201; (476) 198, 240; (481) 193; (486) 121, 149
Diffusely-adherent *Escherichia coli*, (479) 111
Diffusion, (465) 148
Diffusion weighted spectroscopy, (486) 225
Digestive proteolysis, (471) 67
Dihydrocodeine, (470) 309
Dihydroflavonol-4-reductase, (467) 316
Dihydroorotate dehydrogenase, (467) 27
Dihydropyrimidinase, (480) 283
1,4-Dihydropyridine, (467) 65
2,3-Dihydroxybenzoic acid, (470) 47
2,5-Dihydroxybenzoic acid, (470) 47
Dimer, (471) 240; (477) 62
Dimer formation, (478) 127
Dimerization, (467) 226; (484) 235
Dimethylallyl diphosphate, (473) 328, 337
Dioxin antagonist, (476) 213
Dipeptidyl peptidase IV, (466) 155
Diphenyl-1-pyrenylphosphine, (474) 137
Diploid cells, (472) 254
Dipolar broadening, (466) 341
Disease gene, (474) 83
Disease resistance, (484) 7
Dishevelled, (474) 189
Disintegrin and metalloproteinase thrombospondin, (478) 241
Disintegrin metalloproteinase, (473) 275
Disruption, (467) 7
Dissociation, (482) 159
Disulfide bond, (466) 101, 125; (477) 62; (480) 175; (484) 133; (486) 89
Disulfide exchange reaction, (477) 21
Disulfide linked peptide, (476) 287
Dithiocarboxysarcosine, (471) 187
Dithiothreitol, (472) 67
Divalent cation blockade, (478) 246
DMAP-85, (483) 37
DNA, (470) 355; (473) 154; (481) 164
DNA array, (470) 77
DNA bending, (466) 49
DNA binding, (466) 80; (473) 47; (476) 190; (477) 129
DNA binding domain, (476) 312
DNA condensation, (480) 106
DNA damage, (467) 311; (472) 14; (476) 73; (481) 122
DNA double-strand break repair, (478) 67
DNA glycosylase, (476) 73
DNA gyrase, (471) 173
DNA hybridization array, (480) 37
DNA methylation, (467) 47; (476) 203
DNA microarray, (470) 156
DNA polymerase α, (475) 209
DNA polymerase δ, (486) 14
DNA repair, (470) 77; (478) 133; (486) 14
DNA replicase, (473) 363
DNA replication, (466) 287
DNA replication (bacteriophage λ), (472) 217
DNA replication-related element, (483) 71
DNA strand exchange, (473) 53
DNA synthesis, (469) 163; (470) 281; (473) 33, 363
DNA topoisomerase, (476) 174
DNA topoisomerase I, (486) 126
DNA topology, (471) 147; (476) 174
DNA transfection, (473) 341
DNA unwinding, (477) 129
DNA unwinding factor, (466) 287
DNA-binding activity, (468) 11
DNA-binding protein, (468) 15; (473) 363; (482) 19; (484) 118
DNA-binding site, (475) 170
DNA-damaging agent, (465) 124
DNA-dependent protein kinase, (478) 67
*dnaA* gene (*Escherichia coli*), (472) 217
DnaK, (478) 133, 271
DNase, (473) 154
DNase I affinity, (476) 155
*Dnmt1*, (469) 101

Dolichyl monophosphate, (480) 197
Domain 4 segment 6, (465) 18
Domain architecture, (486) 107
Domain requirement, (481) 159
Dopamine, (470) 183
Dopamine inhibition, (465) 59
Dorsal root ganglion neuron, (473) 265
Double barrel, (479) 10
Double bond shift, (469) 9
Double-stranded RNA, (479) 79
Double-stranded RNA-dependent protein kinase, (484) 153
Down syndrome, (468) 59
DP, (486) 73, 79
Dp71, (482) 209
DRB1*0101, (481) 249
drFP583, (479) 127
drFP593, (479) 127
*Drosophila*, (465) 165; (471) 156; (472) 187; (474) 189; (479) 79; (483) 37; (486) 99
*Drosophila melanogaster*, (467) 337; (468) 194; (482) 13; (483) 71
*Drosophila* metallothionein, (467) 189
*Drosophila para*-subunit, (470) 135
Drought, (467) 245
*DroVav*, (472) 99
DRP2, (471) 229
Drug–DNA interaction, (465) 148
*dsbA*, (466) 317
*dsbC*, (466) 317
Dual specificity phosphatase, (465) 8
Duchenne muscular dystrophy, (482) 13
Dun1p, (471) 141
Duodenal mucosa, (466) 295
Duodenase, (466) 295
Durum wheat, (470) 88
*dxr*, (481) 221
*dxs*, (481) 221
Dynamical property, (483) 17
Dynamics, (469) 168
Dynorphin, (481) 131
Dystrobrevin, (482) 13
Dystroglycan, (468) 79; (482) 13; (484) 194
Dystrophin, (482) 13
Dystrophin-associated protein, (471) 229
Dystrophin–glycoprotein complex, (468) 79

# E

E1B-55K, (476) 248
E2F, (466) 310; (470) 211; (484) 77; (486) 73, 79
Early and late replication mode (bacteriophage λ), (472) 217
Early Golgi compartment, (469) 151
Ectodomain chimera, (479) 15
Ecto-enzyme, (483) 104, 149
Edg family, (468) 189
EDG1, (476) 55
EDG2, (478) 159
EDG4, (478) 159
EDG7, (478) 159
Effective concentration, (480) 175
EF-hand, (473) 323; (486) 112
EF-hand $Ca^{2+}$ binding motif, (469) 33
EF-hand motif, (472) 208
EF-loop, (470) 331
$EF_oEF_1$, (472) 34
EH domain, (480) 55
Eicosanoid, (480) 239
eIF4G cleavage, (480) 151
Elastase, (473) 154
Elastic fiber, (484) 164
Electrical potential, (476) 113
Electrode, (475) 43
Electrolyte secretion, (475) 291
Electromechanical fusion, (465) 141
Electron acceptor, (466) 209
Electron donor, (466) 209
Electron microscopy, (468) 23; (469) 105; (472) 217; (479) 141
Electron paramagnetic resonance, (466) 341; (474) 228
Electron spin echo envelope modulation, (477) 113
Electron spin resonance spectroscopy, (473) 58; (481) 42
Electron transfer, (466) 209
Electron transport, (485) 173
Electrophysiology, (467) 12; (470) 189; (472) 83; (479) 29, 35; (481) 73, 137
Electroporation, (486) 29
Electrospray, (475) 131
Electrospray ionization mass spectrometry, (473) 349
Electrostatic interaction, (482) 154
Elicitin, (466) 213
Embryoid bodies, (476) 218; (478) 151
Embryonal carcinoma, (472) 53
Embryonic development, (470) 70; (479) 106
Embryonic stem cell, (476) 218
Embryonic stem-derived cardiac cells, (478) 151
EmrE, (476) 93; (480) 127
*ENA1* (*PMR2*), (481) 77
ENaC, (481) 77
Encapsidation, (485) 25
Endocannabinoid, (468) 176
Endocytosis, (466) 135; (470) 15; (478) 43; (484) 179
Endogenous inhibitor, (478) 1
Endoplasmic reticulum, (465) 145; (470) 83; (475) 27; (476) 32, 38; (480) 118; (483) 32; (484) 202
Endoplasmic reticulum-associated degradation, (483) 32
Endoplasmin, (471) 151
Endopolygalacturonase, (467) 333
Endosome, (481) 261
Endosome fusion, (466) 135
Endostatin, (486) 247
Endothelial apoptosis, (474) 213
Endothelial cell, (467) 299; (472) 1; (479) 63; (486) 159, 237, 252
Endothelial cell differentiation gene family, (478) 159
Endothelial monocyte-activating polypeptide II, (466) 143
Endothelial nitric oxide synthase enzyme activity, (471) 45
Endothelial nitric oxide synthase polymorphism, (471) 45
Endothelial protein C receptor, (477) 208
Endothelin-converting enzyme 1, (466) 310
Endothelium, (466) 346
Endotoxin, (465) 87; (471) 187; (477) 8; (485) 40
Endotoxin shock, (470) 151
δ-Endotoxins, (473) 227
Energy conservation, (479) 1
Energy conversion, (470) 375
Energy transduction, (476) 113
Enhanced green fluorescent protein, (473) 42
Enolase, (473) 47
Enoyl reductase, (484) 65
*Entamoeba histolytica*, (486) 112
Enteroaggregative *Escherichia coli*, (479) 111
Enteroaggregative *Escherichia coli* heat-stable enterotoxin 1 gene, (472) 22
*Enterococcus faecalis*, (479) 6
*Enterococcus faecium*, (479) 6
Enterohemorrhagic *Escherichia coli*, (472) 22
Enzymatic oligosaccharide synthesis, (466) 40
Enzyme, (468) 59
Enzyme activation, (465) 173
Enzyme assay, (485) 142
Enzyme inactivation, (466) 45; (468) 199
Enzyme inhibition, (480) 217; (483) 131
Enzyme mechanism, (468) 199; (484) 175
Enzyme regulation, (469) 137; (473) 280
Enzyme–substrate complex, (471) 61
Eosinophil, (486) 217
Epidermal growth factor, (482) 169
Epidermal growth factor receptor, (466) 160; (484) 235
Epidermal growth factor receptor phosphorylation, (474) 195
Epidermis, (474) 201; (486) 149
(−)-Epigallocatechin-3-*O*-gallate, (483) 131
Epigene, (486) 200
Epigenotype, (486) 200

Epilepsy, (480) 137
Epinephrine, (484) 199
Episomal DNA, (471) 147
Episomal vector, (472) 173
Epithelial cell, (478) 113
Epithiospecifier protein, (467) 296; (468) 243
Epitope conformation, (481) 127
Epitope mapping, (476) 296
Epitope tagging, (474) 87
Epoxysuccinyl peptide, (482) 91
Epstein–Barr virus, (472) 173; (484) 153
Epstein–Barr virus-encoded small RNA, (484) 153
Equilibrium binding, (482) 180
Equine infectious anemia virus, (472) 312
eRF1, (472) 213
ERGIC-53, (476) 32
ER–Golgi intermediate compartment, (476) 32
Ergosta-5,7,22,24(28)-tetraen-3β-ol, (470) 83
Ergosterol, (470) 83, 102
ERp57, (476) 38
Erythrocyte, (468) 115, 125
Erythrocyte ghost, (473) 89
*Escherichia coli*, (466) 317; (468) 220; (469) 61; (470) 345; (472) 88; (473) 67, 254, 337; (476) 229; (479) 131; (481) 281; (482) 215; (483) 21, 165; (484) 280; (485) 153; (486) 297
*Escherichia coli* RNA polymerase, (484) 43
Esterification, (486) 243
17β-Estradiol, (486) 143
β-Estradiol, (475) 251
Estrogen, (472) 9
Estrogen receptor, (466) 49; (472) 9; (480) 55; (486) 143
Estrogen receptor α, (477) 15; (478) 109
Estrogen-responsive element, (472) 9
Ethanol, (468) 239
Ethanol-induced neuropathy, (474) 223
Ether linkage, (473) 341
Ether phosphatidylethanolamine, (466) 228
Ether triglyceride, (466) 228
Ethylene signal transduction, (474) 29
ETS, (466) 310
Eubacterium, (468) 73
*Euglena gracilis*, (482) 247
Eukaryote, (471) 147; (472) 213
Eukaryotic initiation factor 2α, (477) 229
Eukaryotic initiation factor 4G, (477) 229
Eukaryotic initiation factor (eIF)2B, (476) 262
Eutheria, (477) 49
Evolution, (468) 181; (473) 6
EWS/WT1, (474) 121
EXAFS, (467) 221
Exchange factor, (480) 287
Exchange protein directly activated by cAMP, (477) 213
Excitation energy transfer, (471) 89
Excitation-contraction coupling, (474) 93; (486) 178
Excited state absorption, (465) 107
Exocytosis, (470) 61; (474) 66; (480) 184; (482) 269; (484) 129
Exogenous NADH, (472) 5
Exon, (473) 169
Exon shuffling, (480) 79
Experimental liver metastasis, (466) 381
Expressed sequence tag, (471) 245
Expression, (465) 2; (469) 39; (472) 302; (474) 5; (475) 22, 291; (479) 15; (484) 229
Expression in *Saccharomyces cerevisiae*, (478) 281
Expression in the gonad, (466) 249
Expression pattern, (467) 206; (474) 99
Expression profile, (471) 245
Extra efficient enzyme, (483) 17
Extracellular ATP, (486) 217
Extracellular matrix, (470) 178, 305; (478) 241; (480) 169; (482) 257; (484) 164
Extracellular regulated kinase, (476) 262
Extracellular regulated kinase 1 and 2 (ERK), (468) 53
Extracellular regulated protein kinase, (472) 129
Extracellular signal-regulated kinase, (467) 184
Extracellular signal-regulated kinase 1/2, (485) 94; (486) 291
Extracellular-superoxide dismutase, (486) 159
Extra-retinal photoreceptor, (468) 181

# F

$F_oF_1$ ATPase, (478) 34
$F_oF_1$-ATP synthase, (470) 244
$F_1F_0$ ATP synthase, (482) 163; (486) 297
σ Factor, (481) 47, 281
FAD, (477) 62
Familial adenomatous polyposis, (476) 203
Fanconi's anemia, (468) 125
Farnesol, (467) 291
Farnesyltransferase inhibitor, (481) 205
Fas, (466) 279; (468) 129, 134
Fas ligand, (466) 279
Fas/Fas ligand, (472) 137
Fasting, (482) 71
Fat deposition, (466) 264
Fatty acid, (471) 75, 108; (484) 61
Fatty acid hydroperoxide lyase, (481) 183
Fatty acid oxidation, (475) 163
Fatty acid-CoA ligase, (467) 263
Fatty acyl-CoA synthetase, (467) 117
Fc, (473) 349
FcγRI, (484) 179
Feedback inhibition, (476) 47
Female-attracting pheromone, (472) 267
Fe-protein, (468) 231; (478) 192
Ferritin, (484) 271
Ferroxidase, (472) 283
Ferryl–oxo, (474) 238
Fet3, (472) 283
Fetal, (483) 160
Fetuin-binding lectin, (468) 19
FGD1 gene, (478) 216
Fiber, (478) 173
Fibrate, (482) 71
Fibril, (470) 55
Fibrinogen, (475) 89
Fibrinolysis, (480) 169
Fibroblast, (466) 327; (469) 163; (473) 33
Fibroblast growth factor-2, (478) 209
Fibroblast growth factor 10, (481) 53
Fibromodulin, (470) 178
Fibronectin, (484) 69
Filament formation, (466) 267
Filipin–cholesterol complex, (478) 137
Fish, (481) 266
Fission yeast, (468) 84
FK506, (483) 119
FKBP, (480) 118
FKBP12-rapamycin-associated protein, (467) 61
Flavanone 3β-hydroxylase, (467) 353
Flavin monooxygenase, (483) 131
Flavin-containing enzyme, (476) 150
Flavonoid, (473) 145; (476) 213
Flavonoid biosynthesis, (467) 353
Flavonol glycoside, (468) 166
Flavopiridol, (469) 47
Flow cytometry, (469) 186; (478) 166, 290
Flt-1, (469) 14; (473) 161
Fluorescence, (484) 98
Fluorescence energy transfer, (484) 98
Fluorescence excitation spectrum, (480) 123
Fluorescence imaging, (478) 72
Fluorescence lifetime microscopy, (479) 131
Fluorescence microscopy, (477) 161
Fluorescence spectroscopy, (467) 87
Fluorescent chromophore, (473) 249
Fluorescent dye-labeled oligonucleotide, (473) 53
Fluorescent probe, (474) 137; (475) 218
Fluorescent quenched substrate, (484) 285
Fluorogenic chitobioside, (476) 194
Flupirtine, (481) 42
fMet-tRNA binding, (471) 128
FMN, (485) 1

Fms, (466) 96
Focal adhesion kinase, (486) 275
Focal contact, (466) 29
Folding, (470) 173
Foot-and-mouth disease L proteinase, (480) 151
Foot-and-mouth disease virus, (474) 87
Force spectroscopy, (476) 124
Forkhead, (470) 29
Forkhead homology-associated domain, (485) 35; (486) 285
Forkhead-associated domain, (471) 141
Forskolin, (465) 79; (477) 213; (484) 189
Four-helix bundle, (473) 195; (477) 99
Four-α-helix bundle $(A\alpha_2)_2$, (478) 61
Fourier transform infrared spectroscopy, (473) 259; (474) 238; (475) 278; (477) 151
Fragment, (475) 52
Fragment complementation, (476) 296
Frame-shift, (482) 102
Free radical reductase, (473) 145
Frog, (466) 249
Frog oocyte, (475) 145
From structure to function, (476) 8
Frontotemporal dementia, (484) 265
FRTL-5, (483) 93
FRTL-5 cell, (475) 27
Fructose-2,6-bisphosphatase, (480) 261
Fructose-2,6-bisphosphate, (480) 261
FtsH, (478) 271
FtsK, (478) 13
Fugu, (476) 3
Fumarate reductase, (466) 1
Function, (473) 269
Function prediction, (476) 98
Functional assay, (480) 287
Functional cloning assay, (478) 34
Functional complementation, (467) 337
Functional genomics, (476) 98
Functional size, (468) 211
Functional state, (486) 200
Fungal alternative oxidase, (481) 141
Fungizone, (465) 83
Funnel-web spider toxin, (470) 293
Furin, (473) 135; (480) 169
FUSE binding protein, (470) 207
Fusion activity of HIV-2 envelope glycoprotein, (474) 246
Fusion peptide, (477) 145
Fv, (476) 266
Fyn, (474) 179

# G

G protein, (466) 300; (467) 22; (469) 159; (472) 297; (473) 101; (480) 184; (483) 109; (484) 199; (485) 183
G protein activation, (470) 183
G protein coupling, (470) 331
G protein-coupled receptor, (468) 189; (470) 183, 336; (473) 76, 259, 280; (484) 133, 229; (485) 183
G protein-coupled receptor kinase, (473) 280
G1/S cell cycle control, (486) 73
G1/S phase, (483) 43
G1/S transition, (486) 79
G2 phase-specific, (481) 57
$G\alpha_{12}$, (472) 297
$G\alpha_{12}$ protein, (478) 173
GABA, (469) 159
Gag, (466) 233
Gal2, (471) 103
Galactose induction, (484) 48
Galactose transport, (471) 103
β-Galactosidase, (470) 370; (471) 7; (473) 165; (474) 87
Galactosylation, (473) 165, 349
β1,4-Galactosyltransferase, (473) 165
Galectin-3, (470) 227; (473) 311
Galiellalactone, (484) 1
Gallbladder, (478) 113
Galloyl ester, (483) 131
Gamma subunit, (470) 189
Ganglion, (479) 106
Ganglioside binding site, (482) 119
Ganoderma, (486) 291
Gap junction channel, (466) 112
Gapped DNA, (486) 14
Gas1, (481) 159
*gas1* product, (481) 152
Gastrin-releasing peptide preferring receptor, (473) 207
GATA, (466) 310; (467) 341
Gating, (473) 188
Gβ subunit, (476) 208
Gβγ, (472) 297
GD1α-replica peptide, (466) 381
GDP/GTP exchange, (467) 75
GDP/GTP exchange factor, (474) 16
Gelsolin, (473) 71
Gender difference, (473) 173
Gene, (471) 78, 161; (484) 199
Gene delivery, (475) 7; (480) 106
Gene duplication, (482) 31
Gene expression, (467) 263; (469) 173; (477) 15; (479) 146; (480) 17; (483) 71
Gene expression profile, (480) 2
Gene family, (471) 245; (477) 237
Gene fusion, (470) 300
Gene knockout mouse, (481) 53
Gene mapping, (477) 237
Gene organization, (469) 33; (472) 122
Gene promoter, (482) 49
Gene regulation, (468) 6; (478) 141; (480) 84; (483) 87
Gene silencing, (467) 41, 47
Gene structure, (473) 303; (476) 3; (483) 93
Gene targeting, (472) 133
Gene targeting mouse, (476) 306
Gene therapy, (472) 173
Gene transfer, (486) 29
Gene–environment interaction, (471) 45
General acid catalyst, (474) 33
Genetic network, (486) 200
Genetic polymorphism, (467) 231
Genetic redundancy, (475) 237
Genetically modified organism, (481) 164
Genistin, (475) 127
Genome, (470) 65
Genomic context, (480) 42
Genomic integration, (485) 29
Genomic methylation pattern, (469) 101
Genomics, (480) 25, 37, 42, 63
Gentisic acid, (470) 47
Geranylgeranyl diphosphate, (481) 68
Germinal center kinase family kinase, (469) 19
Germination, (467) 206; (473) 292; (484) 55
Germline sex transformation, (465) 165
GFP-labeled $\alpha_{1C}$ subunit, (477) 161
Gγ subunit, (476) 208
Ghrelin, (486) 213
*Ginkgo biloba*, (471) 1; (478) 123
GLAST-1, (485) 13
GLC4 cell, (474) 107
Glial fibrillary acidic protein, (486) 203
Glioma cell, (471) 187
*Gloeothece*, (468) 231
GLT-1, (484) 74
α-1,4-Glucan, (471) 219
1,3-β-Glucan synthase, (478) 105
Glucoamylase, (471) 251
Glucocorticoid, (465) 103
Glucocorticoid modulatory element binding protein, (468) 203
Glucocorticoid receptor, (485) 195
Gluconeogenesis, (475) 163; (479) 89; (480) 277
Glucose, (481) 209
Glucose 6-phosphate dehydrogenase activity, (466) 139
Glucose 6-phosphate dehydrogenase deficiency, (466) 139

Glucose absorption, (474) 223
Glucose autoxidation, (470) 47
Glucose metabolism, (469) 77; (473) 24
Glucose transport, (471) 103; (472) 153
Glucose transporter, (481) 261, 266
Glucose-6-phosphate dehydrogenase, (475) 145, 257
β-Glucosidase, (468) 166
Glucosylceramidase, (472) 17
Glucosyltransferase, (469) 173
Glucuronidation, (471) 1; (475) 131
Glucuronide, (470) 309
Glutamate, (478) 147; (485) 13
Glutamate receptor, (475) 278
Glutamate release, (473) 265
Glutamate transporter, (484) 74
γ-Glutamylcysteine synthetase, (467) 337
*S*-Glutathiolation, (482) 237
Glutathione, (467) 337; (469) 47; (470) 211; (473) 145; (475) 65; (476) 253
Glutathione peroxidase, (475) 121; (486) 19
Glutathione transferase, (465) 169
Glutathione transferase Pi, (486) 163
Glycan phosphoinositide anchor, (473) 89
Glycation, (481) 0
Glycerol, (472) 159
Glycerol transport, (475) 291; (481) 293
Glycine decarboxylase complex, (484) 12
Glycine transport, (470) 51
Glycine transporter 2, (480) 283
Glycogen phosphorylase, (466) 121
Glycogen synthase, (466) 121
Glycogen synthase kinase-3, (476) 262; (485) 87; (486) 38
Glycogen synthase kinase-3β, (465) 34; (485) 99
Glycogen synthesis, (475) 145
Glycohydrolase, (473) 89
Glycolysis, (480) 261
Glycopeptide, (473) 237; (483) 32
Glycoprotein, (473) 165; (476) 38
*O*-Glycoprotein, (473) 358
Glycosaminoglycan, (477) 249; (482) 154
Glycosidase, (484) 175
β-Glycosidase, (467) 195
Glycosome, (484) 82
Glycosphingolipid, (475) 247
Glycosyl phosphatidylinositol, (483) 32
Glycosyl transfer, (466) 40
Glycosylation, (468) 79; (473) 349; (476) 179; (478) 276; (486) 320
*O*-Glycosylation, (469) 24
Glycosyl-phosphatidyl inositol anchor, (480) 142
Glycosyltransferase, (472) 105; (476) 186
GM-CSF, (477) 55
Golgi, (476) 32
Golgi apparatus, (470) 25; (471) 151; (484) 202; (486) 2
Gonadotropin-releasing hormone, (472) 241
Gonococcus, (478) 260
gp41, (477) 145
gp120, (477) 123
gp130, (468) 120; (470) 15
GPI anchor, (481) 159
GPI-anchored protein, (481) 152
Granulocyte, (469) 52; (475) 39
Grayanotoxin, (465) 18
Grb2, (472) 129; (480) 113
Grb7, (467) 91
Green fluorescent protein, (466) 327; (470) 83, 263; (471) 235; (479) 127, 131; (482) 209; (485) 29
Green fluorescent protein fusion protein, (466) 101
Green fluorescent protein targeting, (470) 147
Greening, (474) 133; (486) 243
GroEL, (466) 75; (477) 151
GroES, (466) 75; (471) 211
Group X secretory phospholipase $A_2$, (478) 187
Growth, (475) 257
Growth arrest, (477) 67
Growth arrest-specific gene 6, (466) 197
Growth factor, (481) 3
Growth hormone, (472) 276; (486) 213
Growth hormone secretagogue, (486) 213
Growth inhibition, (481) 152
GRP94, (471) 151
GS-GOGAT, (476) 282
GTP binding, (472) 117
GTP binding domain, (484) 29
GTP hydrolysis, (484) 29
GTPase, (467) 184; (470) 61
GTPase activating protein, (469) 88; (477) 99
GTP-binding protein, (466) 148; (468) 84
GTP-γS, (479) 46; (483) 109
Gtse-1, (481) 57
Guanidine hydrochloride, (473) 183
Guanidine thiocyanate, (473) 183
Guanine nucleotide exchange, (484) 29
Guanine nucleotide exchange factor, (477) 213
Guanosine 3′,5′-cyclic mononucleotide, (478) 246
Guanosine-triphosphate, (478) 253
Guanylyl cyclase, (483) 143
Guard cell, (486) 93
Gut-enriched Krüppel-like factor, (473) 95; (476) 203; (477) 67

# H

$H^+/Ca^{2+}$ antiport, (482) 225
$H^+$-pyrophosphatase, (468) 211
$H^+$-transport, (480) 265
$H_2$-forming methylenetetrahydromethanopterin dehydrogenase, (485) 200
HaCaT cell, (474) 195
HaCaT keratinocyte, (467) 326
*Haematococcus*, (473) 337
Hair follicle, (481) 53
Half-met, (474) 228
*Haloarcula marismortui*, (470) 216
*Halobacterium salinarum*, (466) 67
Halophilic archaeon, (470) 216
Halothane, (478) 61
Halotolerance, (471) 224
Hammerhead ribozyme, (473) 106
Hamster, (476) 179
HA-tagging, (480) 255
HCN channel, (479) 35
hCNT1, (481) 137
Heat shock, (474) 5; (480) 165
Heat shock factor, (472) 271
Heat shock protein, (465) 98; (470) 232; (472) 14, 271; (475) 283; (478) 133; (485) 153
Heat shock response, (478) 271
Heat stress, (470) 365
HEK-293, (473) 132
HEK-293 cell, (478) 166
*Helicobacter pylori*, (469) 155; (481) 96
Helix, (472) 148
α-Helix, (466) 341
Hemagglutinin, (467) 179
Hematopoietic cell, (469) 14
Heme, (477) 95
Heme biosynthesis, (480) 213
Heme metabolism, (471) 61
Heme oxygenase, (471) 61
Heme protein, (470) 203
Hemochromatosis, (484) 271
Hemofiltrate, (480) 147
Hemoglobin, (472) 221
Hemozoin, (477) 95
Hen lysozyme, (480) 175
Heparan sulfate proteoglycan, (486) 159
Heparin, (468) 115; (477) 199; (480) 169
Heparin cofactor II, (484) 87
Hepatitis B virus, (478) 127
Hepatitis B virus capsid, (481) 169
Hepatitis B virus X protein, (483) 114

Hepatocyte, (466) 135; (469) 208; (474) 175; (481) 209; (483) 160
Hepatocyte doublet, (466) 112
Hepatocyte growth factor, (470) 325
Hepatocyte isolation, (466) 187
Hepatocyte nuclear factor 4α, (479) 41
Hepatoma cell, (465) 64
Heredity, (486) 200
HERV-K, (472) 191
HERV-K cORF, (468) 65
Heterochoromatin protein 1, (467) 17
Heterocyst, (476) 282
Heterodimer, (475) 187
Heterologous expression, (473) 132; (481) 8, 293
Heteronuclear single quantum coherence, (468) 149
Heterotrimeric G protein, (470) 25; (476) 208
*Hevea brasiliensis*, (478) 119
Hexokinase, (475) 145; (484) 61
HFE, (484) 271
hFKBP12, (478) 39
Hic-5, (474) 179
High affinity binding, (479) 15
High mobility group protein, (485) 47
High molecular weight isoform, (468) 6
High osmolarity glycerol pathway, (472) 159; (483) 87
High pressure nuclear magnetic resonance, (470) 11
High-affinity, (484) 74
High-affinity choline transporter, (484) 92
High-affinity transporter, (475) 65
High-density filter array, (480) 95
Higher plant, (481) 240
High-performance liquid chromatography, (473) 349
Hippocampus, (467) 263; (469) 159; (470) 269; (479) 106
Hirudin, (477) 199
Histamine, (466) 148
Histamine H1 and H2 receptor, (473) 345
Histidine kinase, (478) 227
Histidine residues, (476) 190
Histidine-containing phosphotransfer domain, (478) 227
Histone, (467) 169
Histone acetylation, (467) 169
Histone deacetylase 1, (476) 248
Histone deacetylation, (478) 77
Histone variant, (467) 169
HIV-1, (469) 191; (471) 169; (477) 145
HIV-1 reverse transcriptase, (484) 43
HL-60, (475) 39; (476) 240
HL-60 cell, (470) 281
HMG box, (481) 147
$^1$H NMR spectroscopy, (468) 161; (478) 147; (484) 169
Holoenzyme, (484) 48
Homeobox protein, (475) 170
Homocysteine, (486) 159
Homologous pairing, (477) 129
Homologous recombination, (485) 29
Homology model, (475) 11
Homology modeling, (482) 119
Homotetramer, (482) 113
*Hordeum*, (480) 306
*Hordeum distichum*, (473) 292; (484) 55
Hormone, (478) 141
Hormone nuclear receptor, (479) 41
Housefly, (470) 135
Hox11, (475) 170
HPLC, (486) 243
HPV-16 E6, (470) 221
HPV-16 E7, (470) 221
H-*Ras* P21, (477) 151
HslU ATPase, (477) 224
HSP47, (466) 19
Hsp70, (467) 348
*HSP70*, (474) 5
HSP70, (485) 153
Hsp90, (467) 111
HT-29 cell, (474) 107; (477) 67
Human, (467) 231, 321; (468) 33; (471) 205; (472) 276; (474) 66, 175; (484) 199
Human α2-macroglobulin, (467) 235
Human adipocyte, (475) 150
Human annexin I, (484) 241
Human cathepsin B, (475) 157
Human chromosome, (475) 167
Human c-Kit, (482) 54
Human cytomegalovirus, (471) 215
Human endogenous retrovirus, (472) 191
Human endothelial cell, (485) 122
Human erythrocyte, (473) 89
Human erythrocyte spectrin, (485) 81
Human ether-à-go-go-related gene (HERG), (474) 111
Human galectin-3, (470) 305
Human genome, (468) 109
Human immunodeficiency virus, (473) 15; (475) 232
Human immunodeficiency virus type 1, (466) 233; (481) 63
Human immunodeficiency virus type 1 transactivator of transcription, (485) 163
Human immunodeficiency virus type 1 transcription, (469) 118
Human immunodeficiency virus-1, (485) 47
Human insulin receptor, (481) 8
Human neuroblastoma, (473) 233; (481) 271
Human *Per* gene, (486) 315
Human prostacyclin receptor–green fluorescent protein, (484) 211
Human protein disulfide isomerase, (466) 317
Human respiratory syncytial virus, (467) 279
Human rhinovirus 2A proteinase, (480) 151
Human sphingosine kinase, (473) 81
Human topoisomerase II α, (480) 201
Human tyrosine hydroxylase type 1, (465) 59
Human umbilical vein endothelial cell, (466) 148; (470) 113
Humulon, (465) 103
HUP1, (468) 225
Hxt2, (471) 103
Hydration, (465) 173
Hydrogen exchange, (472) 27
Hydrogen peroxide, (466) 213; (474) 53; (475) 121; (477) 175; (479) 25; (486) 10
Hydrogen sulfide, (476) 8
Hydrogenase, (485) 200
Hydroperoxidase, (475) 117
Hydrophobicity, (484) 144
Hydrostatic pressure, (470) 370; (475) 283
4-Hydroxy-2-nonenal, (473) 249; (481) 117; (486) 270
8-Hydroxy-2′-deoxyguanosine, (472) 109; (473) 85
*p*-Hydroxybenzoate hydroxylase, (483) 131
α-Hydroxyl fatty acid, (478) 26
Hydroxyl radical, (477) 79; (486) 10
Hydroxylamine, (478) 133
*p*-Hydroxyphenylpyruvate dioxygenase, (480) 301
Hydroxysteroid sulfotransferase, (475) 61
Hydroxytyrosol, (468) 159; (470) 341
Hyperfine sublevel correlation spectroscopy, (474) 228
Hyperglycemia, (473) 207
Hyperoxia, (476) 253
Hyperprocessing, (472) 187
Hypersensitive site, (467) 268
Hyperthermophile, (467) 101
*Hyphantria cunea* lectin, (467) 70
Hypochlorous acid, (483) 155
Hypomethylation drug, (467) 47
Hypoxia, (468) 53; (482) 125
Hypoxia-inducible factor-1 (HIF-1), (468) 53

# I

IBB domain, (484) 291
Ich-1S-binding protein, (470) 360
Icosahedron, (482) 261
Idebenone, (467) 105
IgA, (467) 268
IgA1 protease, (472) 287
IgE, (467) 239
IgE-binding, (484) 102

IGF-1, (469) 57
IκB, (485) 53
IκB kinase, (472) 196
IKK, (474) 141
IL-2, (477) 55
IL-6 signaling, (484) 1
Iloprost, (484) 211
Image analysis, (475) 218
Imaging, (474) 137; (476) 145
Immaturity, (467) 7
Immediate early gene, (474) 213; (484) 189
Immune surveillance, (467) 211
Immunocytochemistry, (466) 29; (484) 285
Immunodetection, (484) 194
Immunofluorescence, (474) 93
Immunoglobulin G, (473) 349
Immunoglobulin gene, (467) 268
Immunohistochemistry, (480) 2
Immunoisolation, (469) 151
Immunolocalization, (482) 125
Immunomodulation, (467) 316
Immunoprecipitation, (480) 137; (482) 189
Immunoreceptor tyrosine-based activation motif, (472) 235
Immunoregulation, (483) 149
Immunostaining, (473) 222
Immunotherapy, (465) 39; (476) 266
Immunotoxin, (472) 241
Implicit solvent, (470) 257
Importin, (467) 169
Importin α, (468) 171
Importin β, (484) 291
Imprinting, (472) 230
In situ hybridization, (480) 137; (484) 229
In vitro binding assay, (486) 178
In vitro protein synthesis, (482) 185
In vitro reconstitution, (486) 281
Inactivation, (477) 161; (483) 125
Indo-1, (486) 257
Induced helix, (482) 154
Inducible gene expression, (467) 123
Inducible nitric oxide synthase, (472) 203; (478) 95; (483) 78
Inequivalence, (476) 113
Inflammation, (468) 176; (469) 52; (470) 1; (472) 259; (485) 53; (486) 217
Inflammatory cytokine, (465) 23
Inflammatory signal transduction pathway, (477) 219
Influenza virus, (473) 195; (481) 113
In-frame stop codon, (482) 102
Inhibition, (470) 285; (471) 173; (475) 263
Inhibition kinetics, (469) 203; (475) 1
Inhibition of protein synthesis, (480) 151
Inhibitor, (467) 81, 141; (473) 135; (476) 78; (477) 219; (482) 91; (484) 1
Inhibitor of apoptosis protein, (481) 13
Inhibitor protein of mitochondrial ATPase, (482) 163
Inhibitory kinetics, (466) 183
Initiation of DNA replication, (484) 108
Initiation of translation, (480) 151
Initiator element (Inr), (466) 310
Initiator tRNA, (472) 247
Innate immunity, (467) 160; (486) 185
Inner membrane, (475) 213
Inorganic pyrophosphate, (486) 155
Inosine-5′ monophosphate dehydrogenase, (478) 253
Inositol 1,4,5-trisphosphate receptor, (466) 29
Inositol phosphate, (468) 28
Inositol polyphosphate multikinase, (468) 28; (486) 300
Inositol(1,4,5)trisphosphate, (481) 240
Inositol-1,4-bisphosphate, (467) 321
INS-1E cell, (474) 66
Insect, (471) 67; (482) 189
Insect immunity, (467) 70
Insect sodium channel, (483) 175
Insecticidal toxin, (483) 175
Insertion sequence, (472) 22
In-situ hybridization, (481) 73
$InsP_6$, (468) 28
Insulin, (466) 121; (467) 184, 226; (469) 163; (473) 24, 33; (479) 89; (480) 101; (481) 261
Insulin receptor, (469) 57; (475) 31; (479) 15
Insulin receptor kinase, (479) 67
Insulin receptor substrate, (472) 153; (482) 200
Insulin release, (479) 46
Insulin resistance, (469) 77; (472) 153
Insulin signaling, (472) 153
Insulin-like growth factor, (467) 226; (477) 27
Integral membrane protein, (472) 78
Integrase, (471) 169
Integrin, (468) 234; (469) 52; (475) 89, 225; (486) 89
Integrin α4β1, (471) 182
Integrin promoter, (474) 201
Intein, (468) 155; (480) 221
Interaction, (474) 48; (479) 99; (480) 226
Intercalation, (470) 355
Intercellular communication, (466) 112
Interferon, (474) 38; (480) 132
Interferon-β, (466) 179
Interferon-γ, (472) 259
Interleukin-1, (477) 73
Interleukin-1 receptor type I, (477) 73
Interleukin-1 receptor-associated kinase-1, (477) 73
Interleukin-4, (485) 122
Interleukin-6, (470) 15; (485) 53; (486) 143
Interleukin-9, (482) 200
Interleukin-10, (480) 132
Interleukin-12, (486) 261
Interleukin-18, (481) 245
Intermolecular nuclear Overhauser effect, (482) 109
Intermolecular thiol-disulfide exchange reaction, (471) 177
Internal dynamics, (470) 11
Intersectin, (478) 43
Interstitial telomere motif, (483) 43
Intersubunit contact, (483) 17
Intestinal absorption, (475) 127
Intestinal metabolism, (475) 127
Intracellular adhesion molecule-1, (470) 20
Intracellular $Ca^{2+}$, (485) 94
Intracellular calcium, (484) 285
Intracellular membrane, (476) 234
Intracrine activity, (468) 6
Intracytoplasmic membrane, (482) 215
Intron, (473) 169; (474) 23
Intronless, (469) 39
Invariant chain, (485) 67
Invasin, (479) 111
Inverse agonist, (485) 157
Inverse $Na^+$/glucose cotransport, (469) 98
Inverted repeat, (467) 41
Inward rectifier K channel, (466) 327
Inwardly rectifying K channel, (466) 115
2′Iodo-6-isopropyl-3-methyl-2′,4,4′-trinitrodiphenylether, (486) 191
Ion channel, (466) 26; (476) 129, 234
Ion channel reconstitution, (476) 224
Ion cluster, (468) 48
Ion pump, (471) 99
Ion selectivity, (466) 115
Ion transport, (472) 78; (475) 291
Ion-coupled transporter, (476) 93
Ionic pore, (481) 131
Iron, (466) 135; (480) 161; (483) 11
Iron binding site, (471) 191
Iron homeostasis, (472) 283; (476) 134
Iron metabolism, (484) 271
Iron regulation, (485) 113
Iron stress, (485) 173
Iron–sulfur center, (466) 1
Iron–sulfur cluster, (466) 372; (479) 1
Iron–sulfur flavoenzyme, (473) 63
Irreversible neutral-pH inactivation, (475) 157
Isa/IscA protein, (476) 134
Ischemia/reperfusion, (485) 7
Islet amyloid polypeptide, (470) 55
Isochore, (471) 161; (472) 302
Isoflavone, (468) 166; (475) 127
(Iso)flavonoid, (469) 47
Isoform, (466) 249
β Isoform, (475) 107

Isomerization, (469) 9
Isopenicillin N synthase, (485) 142
Isopentenyl diphosphate, (473) 328
Isopentenyl diphosphate isomerase, (473) 328
Isoprenoid, (477) 170
Isoprenoid biosynthesis, (473) 328, 337; (481) 221
Isoprostane, (468) 33; (470) 1
Isoproterenol, (486) 310
3-Isopropylmalate dehydrogenase, (468) 48

# J

Jacalin, (477) 190
JAK/STAT pathway, (477) 219
Jak/STAT signaling, (470) 15
Japanese eel, (465) 12; (469) 39
Japanese encephalitis virus, (465) 74
Jasmonate, (467) 296
Junctin, (486) 178
Jurkat T lymphocyte, (469) 196
Jurkat T-cell, (475) 121

# K

$K^+$ channel, (466) 351; (473) 188
$K^+$ inward rectifying current, (474) 43
$K^+$-channel, (486) 117
K-562 cell, (470) 281
Kaempferol, (471) 1
Kainate receptor, (469) 159
K(Ca) channel gene, (469) 196
KcsA, (477) 37
170 kDa cytoplasmic linker protein, (465) 53
KDR/Flk-1, (473) 161
KDWK domain, (468) 203
Keratin 4 promoter, (473) 95
Keratin 5 promoter, (470) 263
Keratinocyte, (474) 201
Keratinocyte cytotoxicity, (475) 71
Keratinocyte proliferation, (475) 78
Ketone body, (466) 239
Kidney, (466) 26; (486) 213
Kinase, (468) 37, 134; (477) 151
5-Kinase, (476) 160
Kinase activation loop, (469) 72
Kinase activity, (475) 107
Kinesin, (466) 59
Kinesin-like protein, (470) 70; (486) 285
Kinesin-related protein, (475) 47
Kinetic deuterium isotope effect, (481) 289
Kinetic model, (476) 113
Kinetic parameter, (476) 113
Kinetics, (467) 221; (473) 106
Kininogen, (467) 165
Kir2.1, (466) 115
Kir7.1, (466) 115
'Knockdown' resistance (*kdr*, *super-kdr*), (470) 135
Knowledge representation, (480) 42
Kringle domain, (474) 151
Ku, (467) 311; (481) 81
Kv1.5, (473) 188

# L

α-Lactalbumin, (473) 269
β-Lactam biosynthesis, (485) 142
β-Lactamase, (470) 285
β-Lactamase gene, (481) 164
Lactase phlorizin hydrolase, (468) 166
Lactoferrin, (469) 5
Lacz, (486) 29
LamB, (476) 129
Laminin, (470) 305; (482) 257
Laminin cleavage, (465) 2
Lamin-like protein, (480) 165
LAN-5 cell, (475) 17
Last step of the chlorophyll biosynthetic pathway, (486) 243
Late embryogenesis abundant protein, (480) 118
LC-MS, (469) 173
Leader peptidase, (476) 229
Leader sequence, (484) 33
Leaderless secretion, (481) 245
Lectin, (469) 24; (474) 76; (476) 32; (477) 190
Lectin-like oxidized low-density lipoprotein receptor, (467) 217
Legumain, (466) 244
*Leishmania donovani*, (473) 203
Lens, (478) 295
Leptin, (466) 264; (475) 150
Leptin receptor, (486) 33
Leucine zipper, (479) 15; (481) 147
Leucine-rich acidic nuclear protein, (468) 171
Leucine-rich repeat sequence, (481) 19
Leukemia, (467) 291; (477) 203
Leukocyte activation, (477) 84
Leukocyte recruitment, (466) 143
Leukocyte-function-associated antigen-1, (468) 234
Leukotriene C4, (474) 242
Lewy body, (474) 116
LFER, (475) 1
LHCI-730 heterodimer, (471) 89
Library, (480) 63
Library screening, (480) 32
Licensing factor, (484) 17
Lichen, (480) 301
Life cycle, (473) 212
Life span extension, (474) 159
Ligand, (466) 169; (484) 235
Ligand binding, (467) 87, 226; (472) 312
Ligand binding domain, (476) 62; (484) 159
Ligand specificity, (479) 118
Ligand-binding domain, (479) 118
Ligandin function, (465) 169
Ligand–protein interaction, (476) 62
Light harvesting complex, (471) 71; (475) 103
Light-dependent, (483) 47
Light-harvesting complex, (471) 89
Light-harvesting complex II, (466) 385
Lignin biodegradation, (477) 79
Limb-girdle muscular dystrophy, (482) 13
Limonoid, (469) 173
Linoleic acid hydroperoxide, (466) 63
Lipase, (483) 139
Lipid A, (465) 87
Lipid bilayer, (469) 179
Lipid mediator, (478) 187
Lipid metabolism, (473) 333
Lipid peroxidation, (468) 33; (473) 145, 249; (474) 137; (481) 0, 117; (486) 49, 270
Lipid phase transition, (480) 123
Lipid raft, (467) 326
Lipid second messenger, (476) 160
Lipid–protein interaction, (480) 123
Lipoamide dehydrogenase, (472) 57; (484) 12
Lipolysis, (469) 77; (475) 150

Lipophilic peptide, (475) 71
Lipopolysaccharide, (467) 160; (469) 5; (473) 113, 345; (478) 221; (483) 57; (485) 53
Lipopolysaccharide binding, (467) 70
Lipopolysaccharide low responder, (478) 221
Lipoprotein, (467) 57
Lipoprotein(a), (478) 95
Liposome, (466) 381; (467) 52; (472) 293
Lipoxygenase, (468) 176; (474) 48; (480) 239
15-Lipoxygenase-1, (467) 341
Liquid chromatography–mass spectrometry, (471) 1
LIS1, (479) 57
Lithium, (465) 34; (467) 321
Liver, (466) 200, 239; (480) 132, 147
Liver mitochondrion, (472) 5
Liver regeneration, (470) 325
Liver transport, (474) 242
Liver X receptor, (484) 159
Localization, (477) 190; (478) 9
Long QT syndrome, (481) 197
Long terminal repeat, (472) 191
Loop exchange, (469) 57
Loricrin, (481) 53
Lovastatin, (484) 108
Low density lipoprotein, (472) 1
Low density lipoprotein oxidation, (470) 47
Low-abundance protein, (469) 155
Low-affinity $Ca^{2+}$-binding, (466) 11
Low-affinity EF-hand, (465) 129
Low-density lipoprotein, (465) 83; (473) 249
Low-density lipoprotein receptor, (479) 118
loxP/Cre recombinase, (485) 29
LPA, (484) 69
L-type, (481) 73
L-type current, (483) 125
Luciferase, (465) 98; (467) 117
Luciferase assay, (467) 231
Luciferin, (481) 19
Lumican, (470) 178
Lung, (486) 310
Luteal immune cell, (472) 137
Luteal regression, (466) 279
Luteolysis, (472) 137
LY294002, (465) 69
Ly-GDI, (467) 75
Lymphocyte, (466) 148
Lymphocyte-oriented kinase, (468) 234
Lysine rich peptide, (482) 154
Lysophosphatidic acid, (468) 189; (478) 159
Lysophosphatidylcholine, (467) 217
Lysosomal α-mannosidase, (484) 175
Lysosomal cysteine protease, (469) 29
Lysosome, (470) 35
Lysosome stability, (485) 104
Lysosomotropic detergent, (470) 35
Lysozyme, (486) 131
Lytic transglycosylase, (466) 389

# M

M1 RNA, (472) 187
M2 protein, (473) 195
M2 proton channel, (473) 195
M13 bacteriophage, (480) 231
M210, (467) 285
$M_3$ muscarinic receptor, (477) 253
Macrolide, (476) 186
Macrophage, (465) 93; (467) 155, 160, 211; (470) 35; (471) 75; (478) 178, 221; (483) 57, 78; (485) 147
Macrophage colony-stimulating factor, (466) 96
Macrophage colony-stimulating factor receptor, (480) 113
Macrophages, (466) 292
Magic angle spinning $^1$H NMR, (486) 225
Magic-angle spinning, (480) 127
*Magnaporthe grisea*, (481) 141
Magnetic field, (478) 133
Main immunogenic region, (481) 127
Maintenance of sexual identity, (465) 165
Maize ribulose 1,5-bisphosphate carboxylase/oxygenase small subunit, (481) 164
Major histocompatibility complex, (478) 178
Major house dust mite allergen, (484) 102
Major intrinsic protein, (481) 293
Malaria, (471) 165; (476) 84; (484) 246
Male germ line, (475) 7
Malignant cell transformation, (466) 11
Malondialdehyde, (466) 165
Malonyl-coenzyme A, (466) 183
Mammalian target of rapamycin, (486) 310
Manganese complex, (477) 113
Manganese peroxidase, (477) 79
Manganese stabilizing protein, (467) 137
Mannose 6-phosphate receptor, (476) 32
MAP kinase, (467) 1; (486) 275, 291
MAP kinase-activated protein kinase 1, (482) 44
MAP3K, (474) 141
MAPEG, (471) 78
MAPK, (471) 83
MAPK kinase, (480) 113
MAPKinase, (474) 29
Marine bacterium, (474) 165
Marsupial, (477) 49
Mash-1, (472) 53
Mass assay, (475) 57
Mass spectrometry, (484) 175; (485) 40
Mast cell, (467) 259; (470) 61
Mating type, (477) 193
Matrix, (475) 213
Matrix metalloproteinase, (478) 52
Matrix metalloproteinase-2, (481) 31
Matrix metalloproteinase-19, (478) 52
Matrix metalloproteinase-20, (478) 52
Matrix-assisted laser desorption ionisation mass spectrometry, (477) 8; (484) 65
Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, (472) 27
Maturation, (469) 39; (473) 254; (486) 2
Maturity-onset diabetes of the young, (479) 41
Maurocalcine, (469) 179
MC3T3-E1 osteoblastic cell, (479) 123
MC3T3-E1 osteoblast-like cell, (477) 27
MCT4, (479) 89
MDCK cell, (473) 76, 297
Mdm2, (472) 93
MDM2, (478) 183
Mechano-sensitivity, (471) 137
*MECP2* gene, (481) 285
Medaka, (483) 143
Mediator, (484) 48
Mediterranean diet, (468) 159
MEF2, (472) 53
Mei2, (472) 254
Meiosis, (472) 254
MEK-independent Raf signaling, (467) 1
Melanocyte, (476) 198; (480) 156
α-Melanocyte stimulating hormone, (476) 198
Melanogenesis, (478) 57
Melanoma, (473) 27; (480) 156; (483) 11
Melanoma cell, (473) 241
Melanosomal pH, (478) 57
Melanotransferrin, (483) 11
Membrane, (476) 22, 27; (477) 249; (479) 89; (481) 96
Membrane assembly, (476) 42
Membrane association, (484) 125
Membrane attachment, (476) 208
Membrane binding, (484) 241
Membrane biogenesis, (476) 277
Membrane cytoskeleton, (482) 1
Membrane domain, (469) 52
Membrane fusion, (467) 52; (477) 145

Membrane interaction, (472) 17
Membrane microdomain, (473) 89
Membrane permeabilization, (478) 123
Membrane potential, (475) 267; (480) 265
Membrane protein, (467) 195; (472) 225; (476) 229; (482) 215; (483) 99; (486) 267
Membrane targeting signal, (471) 23
Membrane traffic, (476) 32
Membrane trafficking, (470) 51
Membrane translocation, (482) 265
Membrane type matrix metalloproteinase 1, (481) 227
Membrane-type 4 matrix metalloproteinase, (480) 142
Membrane-type 6 matrix metalloproteinase, (480) 142
Menadione, (472) 57
Ménage à trois1, (484) 17
Meprin, (465) 2
MerC, (472) 78
4-Mercaptoimidazole, (486) 19
Mercury inhibition, (465) 110
Mercury resistance, (472) 78
MerF, (472) 78
MerT, (472) 78
Mesenchymal condensation, (469) 83
Mesenchyme forkhead-1, (470) 29
Mesothelial cell, (480) 95
Mesothelioma, (480) 95
Metabolic control analysis, (475) 145
Metabolic regulation, (476) 47
Metabolism, (475) 263
Metabolite variation, (484) 169
Metabonomics, (484) 169
Metabotype, (484) 169
Metal cation binding, (473) 269
Metal exchange, (467) 221
Metal ion binding, (476) 190
Metal substitution, (465) 173
Metal–ion binding site, (470) 331
Metallo-β-lactamase, (467) 221
Metalloprotease, (478) 13, 267; (481) 91
Metalloproteinase, (473) 275
Metallothionein, (479) 146
Metastasis, (467) 211
[1-$^{14}$C]Methacrylic acid, (466) 45
*Methanobacterium thermoautotrophicum*, (485) 200
*Methanococcus jannaschii*, (471) 99; (472) 213; (485) 200
Methanogenic archaea, (485) 200
*Methanopyrus kandleri*, (485) 200
Methoxyacetaldehyde, (476) 306
Methyl methanesulfonate, (469) 123
Methylammonium, (467) 273
*N*-Methyl-D-aspartate receptor, (470) 139
Methylarginine, (478) 1
Methylated oligogalacturonate, (467) 333
Methylerythritol, (465) 157
2-Methoxyethanol, (476) 306
Metzincin, (484) 224
Mevalonic acid, (473) 328
MHC, (485) 67
MIC-1, (470) 77
Micelle, (482) 109; (484) 280
Microarray, (480) 2, 17
Microbody, (484) 82
Microcalorimetry, (480) 261
Microdomain, (477) 249
Microfluorescence, (477) 33
Microgravity, (477) 135
Microinjection, (473) 363; (475) 139
Microspore-derived culture, (481) 189
Microtubule, (465) 34; (466) 59; (468) 84; (483) 37
Microtubule assembly, (484) 265
Microtubule dynamic, (470) 93
Microtubule-associated protein, (483) 37
Microtubule-interacting protein, (473) 19
Microvillus, (467) 179
Migration, (477) 258; (486) 252
*Min* mouse, (476) 203
Minichromosome maintenance 7, (484) 17
Minor coat protein, (480) 231
Minor groove binder, (471) 173
Misfolded protein, (483) 32
Missense mutation, (478) 216; (481) 285
Misshapen/NIKs-related kinase, (469) 19
Mitochondria, (480) 265
Mitochondrial, (486) 297
Mitochondrial disease, (467) 175
Mitochondrial DNA, (474) 1
Mitochondrial DNA conformation, (480) 161
Mitochondrial DNA synthesis, (474) 129
Mitochondrial electron transport, (481) 141
Mitochondrial hydroxymethylglutaryl-CoA synthase, (475) 163
Mitochondrial import, (476) 301
Mitochondrial localization, (470) 319
Mitochondrial membrane potential, (468) 43; (469) 186; (478) 290
Mitochondrial permeability transition, (473) 177
Mitochondrial permeability transition pore, (484) 61
Mitochondrial protein import, (465) 135; (468) 101
Mitochondrial T3 receptor, (482) 71
Mitochondrial transcription, (480) 161
Mitochondrial translation, (483) 62
Mitochondrial transmembrane potential, (465) 47; (475) 218
Mitochondrial tRNA, (467) 175
Mitochondrion, (466) 6, 305; (467) 27, 155; (468) 239; (469) 186; (470) 35, 365; (471) 108, 113, 201, 235; (472) 293; (473) 27, 177; (474) 1; (475) 139, 218, 267; (476) 22, 27, 118, 134; (477) 141; (478) 4, 72, 89, 267, 290; (480) 193, 197; (481) 42, 91; (482) 6, 71; (483) 119; (484) 253; (485) 19; (486) 257
Mitogen, (466) 200
Mitogen activated protein kinase, (472) 45
Mitogen- and stress-activated protein kinase 1, (482) 44
Mitogen-activated protein kinase, (468) 37; (469) 19, 163; (472) 50, 159; (473) 33; (474) 146, 169, 217; (478) 100; (482) 169; (484) 55; (486) 230
Mitogen-activated protein kinase p38, (483) 57
Mitogen-activated protein kinase phosphatase, (484) 189
Mitogen-activated protein kinase phosphatase 1, (474) 146
Mitogenesis, (467) 184
Mitogenic activity, (475) 97
Mitogillin, (466) 87
Mitotic exit, (468) 142
Mitotic spindle, (475) 47; (478) 281
MK571, (474) 107
*mnn2*, (475) 111
Modeling, (473) 127; (479) 141; (486) 2
Modular domain, (471) 229
Modular evolution, (479) 1
Moesin phosphorylation, (466) 70
Molecular biology, (465) 39; (469) 196
Molecular biology database, (480) 42
Molecular chaperone, (467) 111; (470) 93; (475) 27; (476) 38
Molecular cloning, (466) 54
Molecular diversity, (470) 189
Molecular dynamics, (465) 8; (470) 257; (473) 195; (477) 37
Molecular evolution, (467) 189; (473) 303; (480) 55; (486) 167
Molecular modeling, (481) 68, 141; (482) 175; (483) 131
Molecular packing, (482) 242
Molecular phylogeny, (470) 300
Molecular recognition, (470) 239; (476) 62; (479) 93
Molecular repertoire, (480) 49
Mollusc, (486) 185
'Molten globule' structure, (467) 137
Molybdenum, (470) 216; (482) 149
Mona, (480) 113
Mono carboxylate transporter 1 (MCT1), (479) 89
Monoclonal antibody, (468) 225; (469) 24; (473) 222; (481) 127; (484) 43
Monocot mannose-binding lectin, (468) 19
Monocyte, (471) 75
Monomer, (471) 240; (482) 159
Monomeric structure, (467) 353
MOR-1, (466) 337
Morphine, (466) 337; (470) 309
Morphine-6β-glucuronide, (466) 337
Morphogenetic movement, (482) 37
Morphology, (486) 203
Mosaic particle, (478) 127
Mössbauer spectrum, (479) 149

mot-2, (474) 159
Motility, (466) 59; (484) 69
Motor, (480) 293
Motor neuron disease, (486) 99
Motor protein, (474) 16
Mouse embryo, (467) 263
Mouse macrophage, (478) 95
Mouse testis, (481) 147
MPM-2, (483) 37
3.1 mRNA, (479) 146
mRNA damage, (472) 14
mRNA export, (468) 28
mRNA processing, (480) 156
mRNA slot-blot quantitation technique, (465) 115
mRNA stability, (483) 57
mRNA stabilization, (475) 283
mRNA subtraction, (469) 67
mRNA variant, (465) 119
mSin3A, (476) 248
MSSP, (475) 209
Mts1, (475) 187
Mucin, (470) 305
Mucin secretion, (478) 113
Multidrug resistance, (466) 219; (469) 47; (470) 156; (480) 127
Multidrug resistance protein, (474) 107
Multidrug resistance protein 1, (469) 47
Multigene family, (481) 47
Multi-ion pore, (466) 115
Multiple alignment, (473) 1
Multiple EF-hand, (466) 11
Multiple native conformer, (480) 235
Multiple PDZ domain containing protein, (482) 54
Multiple sclerosis, (475) 205
Multisubstrate inhibitors, (483) 181
Multiwavelength anomalous diffraction, (467) 37
Muscle, (480) 293; (481) 266
Muscle atrophy, (477) 135
Muscle development, (474) 71
Muscle regeneration, (474) 71
Muscular dystrophy, (474) 71
Mussel, (486) 185
Mutagenesis, (482) 113; (484) 144
Mutagenesis of iron-sulfur cluster ligand, (466) 372
Mutant, (467) 285; (474) 151
Mutant π (bacteriophage λ), (472) 217
Mutant αA-crystallin, (480) 79
Mutant KcsA, (472) 83
Mutant recombinase, (471) 147
Mutation, (465) 53; (472) 22; (473) 149; (479) 35; (480) 201
Mxi2, (474) 169
Myc, (474) 146
myc intron binding polypeptide, (474) 23
Mycobacterium, (473) 358; (480) 221; (486) 126
Myelin basic protein kinase, (484) 55
Myelin transcription factor 2, (473) 363
Myelopeptide, (470) 281
Myeloperoxidase, (484) 139, 280
Myoblast differentiation, (472) 297
Myocarditis, (472) 109
Myocardium, (485) 7
Myocyte-specific enhancer binding factor 2C, (477) 135
MyoD, (467) 123; (474) 233
Myofilament, (480) 298
Myogenesis, (467) 123; (474) 233
Myogenic factor, (467) 123
Myoglobin, (470) 203
MyoM, (474) 16
Myosin, (466) 267; (474) 16; (480) 293
Myosin I, (484) 125
Myosin light chain kinase, (466) 346; (472) 148; (480) 298
Myosin light chain phosphatase, (466) 346
Myosin light chain phosphorylation, (466) 70
Myosin phosphatase, (475) 197; (484) 113
Myosin phosphatase target subunit 1, (484) 113
Myotonic dystrophy protein kinase, (475) 273
Myotube formation, (472) 297
Myristilation, (480) 226
Myrosinase, (467) 296; (468) 243
Myticin, (486) 185
Mytilin, (486) 185

# N

$Na^+$ channel, (465) 18; (471) 205; (473) 265
$Na^+$ pump, (474) 165
$Na^+/H^+$ exchanger, (473) 203
$Na^+$-translocating NADH-quinone reductase, (474) 165
Na,K-ATPase, (481) 217; (482) 144
NADH:quinone reductase, (467) 105
NADH:ubiquinone oxidoreductase, (479) 1
NADH–ubiquinone oxidoreductase, (485) 1
NADPH oxidase, (467) 253; (472) 1; (476) 52, 218; (486) 252
NAD(P)H redox state, (478) 29
NADPH:protochlorophyllide oxidoreductase, (483) 47
NADPH:protochlorphyllide oxidoreductase, (480) 306
NAD(P)H-(disulfide)-oxidoredeductase, (467) 105
NADPH-protochlorophyllide oxidoreductase, (474) 133
NADP-malate dehydrogenase, (471) 240
Naive $CD4^+$ T cell, (465) 28
Nano-electrospray mass spectrometry, (485) 99
NAP-1, (467) 169
1,4-Naphthoquinone, (467) 27
Nascent peptide, (482) 185
NC1, (486) 247
Ncx, (475) 170
NDH-2, (467) 105
NDST-1, (467) 7
Necrosis, (470) 35
Nedd4, (466) 377
Nef, (466) 233
Neighbourhood, (476) 8
Neoxanthin synthase, (485) 168
Nephrogenic diabetes insipidus, (466) 101
Nephrotoxicity, (478) 147
Nerve growth factor, (472) 143; (482) 169
Nervous system, (482) 189
*netrin 1*, (480) 63
Neuraminic acid synthesis, (470) 315
Neurite outgrowth, (482) 257
Neuroblastoma, (480) 156; (486) 281
Neurodegeneration, (476) 89; (481) 227
Neurodegenerative disorder, (474) 116
Neurogenesis, (470) 198; (472) 53
Neurohypophysis, (482) 131
Neurokinin A, (486) 43
Neuron, (478) 9; (486) 121
Neuronal cell, (469) 118
Neuronal ceroid lipofuscinosis (Batten disease), (468) 1
Neuronal differentiation, (480) 283; (486) 291
Neuropeptide Y, (475) 150; (484) 229
Neuropeptide Y $Y_1$ receptor, (475) 150
Neuropilin, (486) 68
Neurotensin, (483) 109
α-Neurotoxin, (473) 303
Neurotransmitter receptor, (482) 189
Neurotransmitter reuptake, (470) 51
Neurotrophin, (470) 113
Neutral salt, (472) 67
Neutrophil, (469) 5; (473) 217
Neutrophil activation, (469) 52
Neutrophil elastase, (484) 184
NF-AT, (470) 273
NF-κB, (465) 23, 64; (468) 129, 134; (472) 203; (485) 7
*N*-Glycan, (472) 105; (473) 349
*N*-Glycosidase, (470) 239
*N*-Glycosylation, (478) 246
$NH_3$ permeability, (465) 110
Niacin, (475) 237
*Nicotiana tabacum*, (468) 15; (479) 19
Nicotinamide, (474) 11

Nicotinic acetylcholine receptor, (476) 287
[NiFe] hydrogenase, (473) 254; (479) 1
[NiFe]-hydrogenase, (466) 259; (485) 1
*nifH*, (478) 192
*nifHDK*, (482) 149
Nitrate reductase, (468) 89; (470) 216; (480) 217
Nitrate transport, (466) 225
Nitric oxide, (465) 93; (467) 155; (468) 89, 176; (474) 175; (475) 93, 257, 263; (476) 253; (477) 258; (478) 95, 221; (479) 25; (483) 78; (484) 207, 253
Nitric oxide synthase, (466) 187; (473) 58; (475) 35; (478) 1; (482) 65
Nitrile, (465) 173
Nitrite, (468) 89; (475) 93, 263
Nitrite production, (475) 35
Nitrogen assimilation, (468) 89; (476) 282
Nitrogen fixation, (470) 7
Nitrogen regulation, (467) 273
Nitrogenase, (468) 231; (478) 192; (482) 149
3-Nitrotyrosine, (484) 207
Nitroxide, (471) 187
Nitroxide spin label, (471) 187
NK cell, (483) 78
NK-1 receptor, (486) 43
N-linked glycosylation, (466) 179; (473) 233
NM31, (479) 146
NMR spectroscopy, (478) 137; (479) 93
nNOS inhibition, (485) 109
Nociception, (473) 157
Nociceptor, (481) 131
Nodulin 26, (465) 110
Noise analysis, (476) 224
*N*-Oligosaccharide, (475) 111
Non-clathrin coat protein γ-COP, (482) 31
Non-competitive antagonist, (481) 131
Non-exchangable nucleotide, (476) 155
Non-glycosylated mutant, (467) 31
Non-homologous end joining, (467) 311
Non-Michaelian profile, (471) 219
Non-photochemical quenching, (471) 71
Non-radioactive calmodulin overlay assay, (471) 133
Non-sorted secretion, (473) 297
Non-specific binding, (467) 31
Non-steroidal anti-inflammatory drug, (480) 193
Non-structural viral protein, (469) 191
Non-symbiotic hemoglobin, (482) 125
Nordihydroguaiaretic acid, (470) 25
Normal cell, (482) 193
Normal human diploid fibroblast, (474) 159
Novel protein, (470) 227
NRK cell, (466) 160
NS3 protein, (465) 74
$^{15}N$ spin relaxation, (470) 11
NT2 cell, (486) 121
N-terminal domain, (466) 385
N-terminal fusion, (485) 29
N-terminus, (465) 59
Nuclear distribution, (471) 215
Nuclear export, (468) 65
Nuclear factor I, (484) 118
Nuclear factor κB, (465) 93; (467) 160, 299; (472) 45, 109, 196; (481) 3; (485) 195
Nuclear factor of activated T cell, (472) 235
Nuclear factor Y, (480) 84
Nuclear import, (484) 291
Nuclear localization, (482) 209
Nuclear localization signal, (467) 150; (468) 171; (484) 118
Nuclear magnetic resonance, (465) 157; (466) 333; (468) 101, 149; (469) 168; (472) 247; (473) 106, 157; (475) 157; (476) 287; (477) 8; (482) 25, 109; (484) 241; (485) 81
Nuclear magnetic resonance spectroscopy, (470) 125; (479) 118; (480) 127; (485) 76
Nuclear magnetic resonance structure determination, (482) 220
Nuclear matrix, (467) 359; (472) 62
Nuclear pore complex, (476) 145
Nuclear protein, (465) 153
Nuclear protein import, (468) 171
Nuclear receptor, (465) 12; (476) 62
Nuclear receptor coactivator, (469) 118; (485) 195
Nuclear reconstitution, (480) 208
Nuclear retention signal, (484) 22
Nuclear transcription factor-κB, (473) 113
Nuclear translocation, (477) 106
Nucleolus, (480) 25
Nucleomorph, (471) 191
Nucleophile, (484) 175
Nucleoside, (481) 137
Nucleoside analog, (474) 129
Nucleoside kinase, (474) 129
Nucleosome, (480) 208
Nucleosome mobility, (476) 68
Nucleotide, (466) 75; (475) 287; (477) 151
Nucleotide analogues, (483) 181
Nucleotide binding, (483) 1
Nucleotide excision repair, (465) 161; (476) 174
Nucleotide substrate specificity, (466) 363
Nucleus, (476) 145, 234; (477) 27, 73; (482) 205; (486) 230
NUDE, (479) 57
NUDF, (479) 57

# O

$O_2^-$ production, (467) 253
O4, (478) 276
Obg, (484) 29
Okadaic acid, (472) 153
Ole e 8, (466) 192
Oleandomycin, (476) 186
Olfactory neuron, (483) 143
Oligodendrocyte, (486) 121
Oligodendrocyte progenitor cell, (478) 276
Oligodeoxynucleotide, (486) 126
Oligomer, (482) 159
Oligomerization, (467) 279; (469) 105; (481) 37; (483) 99
Oligosaccharide, (471) 219
Olive oil, (468) 159; (470) 341
Olive pollen allergen, (466) 192
OmpT, (468) 220
Oncogene, (474) 184
Oncogenic c-Kit, (482) 54
Oncogenic transformation, (466) 160
Onconase, (477) 203
One-electron reduction potential, (471) 125
Oocyte, (469) 98; (483) 27; (484) 285; (486) 14
OPC-21268, (466) 255
Opioid, (473) 157
κ-Opioid, (477) 273
Opioid dependence, (485) 157
Opioid receptor, (470) 309
δ-Opioid receptor, (480) 156
κ-Opioid receptor, (473) 101
Opsin, (468) 181; (486) 167
Optical bistability, (482) 247
Optical trap, (480) 293
Oral keratinocyte, (477) 268
Organ bath, (476) 253
Organic cation transporter, (473) 173
Organization, (473) 303
Oriented lipid bilayer, (482) 220
Origin of life, (476) 8
*Oryza*, (471) 201
*Oryza sativa* L., (471) 245
Oscillation, (477) 33
Osmoregulation, (483) 87; (485) 127
Osmotic shock, (469) 123
Osmotic stress, (472) 159; (474) 179, 217; (481) 240
Osmotic water permeability, (475) 291
Osteoblast, (465) 103; (470) 29; (475) 201
Osteoblast maturation, (471) 119
Osteoclast, (473) 161
Osteoclastogenesis, (486) 23

Osteoporosis, (471) 119
Outer membrane protein, (468) 220
Oval cell, (470) 325
Ovarian tumor, (465) 165
Overexpression, (471) 99; (482) 215
Ovothiol, (486) 19
Oxidation, (465) 83
Oxidation rates, (472) 221
Oxidative balance, (473) 311
Oxidative damage, (485) 142
Oxidative folding, (480) 175
Oxidative phosphorylation, (468) 239; (475) 84; (480) 265
Oxidative stress, (466) 187; (467) 245; (468) 43; (470) 1; (472) 14; (473) 24; (477) 175; (478) 29; (481) 42; (482) 19, 237; (483) 149; (485) 104
Oxidized LDL, (467) 217
Oxidized low density lipoprotein, (466) 70; (471) 34; (472) 1; (483) 155
2-Oxoglutarate, (481) 117
2-Oxoglutarate-dependent dioxygenase, (467) 353
Oxygen, (480) 179
Oxygen deprivation, (471) 201
Oxygen electrode, (486) 10
Oxygen evolution, (480) 271
Oxygen free radical, (469) 5
Oxygen radical, (476) 8; (477) 175; (486) 217
Oxylipin, (466) 63
Oxysterol, (478) 113
Oyxgenase, (485) 142

# P

12p12, (473) 233
$^{31}$P, (480) 127
P protein, (467) 279
P2, (468) 11
P2Y receptor, (475) 39
$P2Y_{11}$, (475) 39
$P2Y_2$, (475) 39
P5abc, (466) 273
$p15^{INK4b}$, (470) 161
$p15^{Ink4b}$, (483) 160
$p16^{INK4a}$, (470) 161
$p18^{INK4c}$, (470) 161
P19 cell, (473) 19
$p19^{INK4d}$, (470) 161
$p21^{Cip1}$, (483) 160
$p21^{WAF}$, (472) 50
$p21^{waf1}$, (470) 211
$p27^{kip1}$, (472) 50
p38, (474) 169
p38 MAP kinase, (465) 23
p38 Mitogen-activated protein kinase, (467) 253; (476) 198; (485) 94, 117; (486) 23
p42 Mitogen-activated protein kinase, (478) 39
p53, (465) 124; (470) 77, 221; (474) 213; (477) 67; (478) 183; (485) 7
p53 Conformation, (472) 93
p53 Protein, (481) 152, 159
p53-Binding protein 2, (465) 124
p53-Inducible gene, (481) 57
$p56^{lck}$, (480) 226
$p57^{Kip2}$, (483) 160
p85, (466) 96
p97 ATPase, (466) 287
p130, (471) 29
p190 RhoGAP, (472) 117
P450 content, (466) 187
Paclitaxel, (478) 221
PA-FABP, (486) 149
Pain, (467) 249; (481) 131
Pairing, (485) 35
Palmitoylation, (468) 231; (478) 173
Palmitoylcarnitine, (478) 19
Palytoxin, (482) 144
Pancreas, (477) 33; (480) 101
Pancreatic acinus, (484) 129; (486) 63
Pancreatic β-cell, (479) 41, 46
*Pandinus imperator*, (471) 165
Panicum mosaic virus, (485) 25
Pantetheinase, (483) 149
Papain family, (469) 203
*Para*-bromophenylalanine, (467) 37
Parallel β-helix, (470) 173
Paralogous gene, (470) 300
*Paramecium*, (469) 203
Parkinson's disease, (474) 116
Parotid acinar cell, (477) 253
Partially folded intermediate, (471) 177
Particulate vaccine carrier, (481) 169
Patch clamp, (466) 351; (480) 89
Patch-clamp recording, (479) 136
Patch-clamp technique, (469) 196
Pathogenic gene, (476) 42
Pathogenic *Neisseria* species, (472) 287
Pathway, (480) 32
Pattern discovery, (480) 17
PAX4, (480) 101
PB2, (481) 113
Pb(II), (473) 67
PC12 cell, (472) 39, 143; (477) 273; (482) 169, 257; (484) 189
PD 153035, (474) 195
PDGF-Rβ, (471) 51
PDZ domain, (480) 55, 249; (482) 54, 65
*Peg1/Mest*, (472) 230
Penetratin, (482) 265
Pentose phosphate pathway, (475) 145; (480) 261
Pepstatin, (481) 101
Peptaibol, (466) 333
Peptide, (466) 75
Peptide binding, (469) 168; (481) 249
Peptide conformation, (470) 139
Peptide hormone receptor, (469) 142
Peptide hormone receptor activation, (470) 331
Peptide nucleic acid, (473) 241
Peptide synthetase, (467) 117
Peptide YY, (475) 150
Peptide-binding domain, (465) 98
Peptide–lipid interaction, (477) 145
Peptidyl-prolyl *cis/trans* isomerase, (478) 39
Per, (477) 106
Per1, (465) 79
Per2, (465) 79
Perfusion, (477) 89
Peribacteroid membrane, (465) 110
Peripheral blood monocyte/macrophage lineage, (473) 345
Peripheral mononuclear cell, (476) 240
Peripheral nerve, (467) 249
Permeability transition, (481) 42
Permeability transition pore, (466) 305; (472) 293; (478) 29; (480) 89
Peroxidase, (471) 245
Peroxidation, (466) 165
Peroxide, (476) 52
Peroxin, (476) 42
Peroxisomal enzyme, (476) 150
Peroxisomal membrane protein, (471) 23
Peroxisomal membrane targeting, (471) 23
Peroxisomal protein import, (476) 42
Peroxisome, (466) 183; (471) 23
Peroxisome proliferator, (473) 85; (478) 4
Peroxisome proliferator-activated receptor, (471) 34; (473) 333; (475) 201; (478) 4; (482) 71; (486) 261
Peroxisome proliferator-activated receptor activation, (471) 119
Peroxisome proliferator-activated receptor δ agonist, (473) 333
Peroxisome proliferator-activated receptor-α null mouse, (475) 163
Peroxyacetic acid, (479) 149
Peroxyl radical, (484) 139
Peroxynitrite, (466) 187; (468) 89; (475) 93; (484) 207; (486) 19
Peroxyzome proliferator-activated receptor, (467) 259
Pertussis toxin, (477) 273; (483) 109
Pervanadate, (467) 61
*Petunia hybrida*, (467) 353
PEX11, (484) 82

PGE synthase, (471) 78
P-glycoprotein, (466) 219
*PGY1/MDR1*, (475) 181
pH, (466) 351; (476) 113
pH gating, (473) 195
pH stability, (469) 29
pH translocation pathway, (480) 271
Phage display, (471) 229; (475) 225; (476) 296; (480) 49, 55, 231
Phage lambda, (476) 129
Phage-displayed random peptide library, (466) 381
Phagocytosis, (467) 253; (485) 147
Phagosome, (478) 178
*Phanerochaete chrysosporium*, (477) 79
Pharmacology, (483) 175
Phenobarbital, (471) 78
Phenol, (468) 159
Phenotype, (484) 169
Phenotypic modulation, (469) 67
Phenylalanine replacement, (467) 37
Phenylalanyl-tRNA synthetase, (467) 37
Phenylpropanoid metabolism, (467) 117
Pheromone signaling, (467) 111
Philadelphia$^+$-acute lymphoblastic leukemia, (466) 367
PhoA, (478) 13
Phorbol 12-myristate 13-acetate, (473) 42; (477) 244
Phorbol ester, (473) 113
Phosducin-like protein, (480) 184
Phosphatase, (467) 321; (468) 37
Phosphate starvation, (486) 155
Phosphatidic acid, (476) 160
Phosphatidyl serine, (465) 47
Phosphatidylcholine, (479) 51; (484) 280; (486) 63
Phosphatidylethanol, (486) 63
Phosphatidylethanolamine, (476) 277; (481) 0
Phosphatidylinositol, (479) 51
Phosphatidylinositol 3-kinase, (466) 355; (472) 45, 203; (473) 113, 217, 222; (476) 218; (485) 147; (486) 38
Phosphatidylinositol 3,4,5-trisphosphate, (473) 217
Phosphatidylinositol 3,4-$P_2$, (473) 222
Phosphatidylinositol 4-phosphate 5-kinase, (476) 160
Phosphatidylinositol 5-phosphate, (475) 57
Phosphatidylinositol phosphate, (473) 280
Phosphatidylserine, (482) 205
3′-Phosphoadenosine 5′-phosphate, (467) 321
Phosphodiesterase, (480) 277
Phosphoenolpyruvate carboxykinase, (481) 209; (483) 114
6-Phosphofructo-2-kinase, (480) 261
Phosphoinositide, (486) 230
Phosphoinositide 3-kinase, (484) 184; (485) 62
Phospholamban, (481) 255
Phospholipase, (483) 109
Phospholipase $A_2$, (466) 135, 292; (471) 34; (475) 242; (478) 187; (484) 61
Phospholipase $A_2$ inhibitor, (485) 76
Phospholipase $A_2$ receptor, (478) 187
Phospholipase C, (466) 228; (469) 44; (481) 240; (486) 230
Phospholipase Cγ1, (470) 273; (472) 45; (486) 136
Phospholipase D, (467) 326; (473) 10; (475) 242; (479) 51; (486) 63
Phospholipid, (471) 34; (477) 249; (486) 57
Phospholipid flip-flop, (476) 277
Phosphorelay in *Escherichia coli*, (470) 118
Phosphorothioate, (473) 106
Phosphorylation, (465) 34; (466) 267; (467) 17, 279; (471) 83, 151; (472) 117; (474) 233; (475) 111, 131; (477) 106; (478) 183; (479) 83; (480) 25, 226; (482) 44; (484) 265; (485) 99; (486) 230, 270
Phosphorylation site, (467) 239
Phosphotyrosine phosphatase inhibitors, (478) 233
Photo-activated affinity modification, (477) 263
Photoactive yellow protein, (486) 52
Photoaffinity labeling, (486) 43
Photoconversion, (480) 306
Photocycle, (466) 67; (472) 263; (482) 247
Photoinduced destabilization, (467) 52
Photoinhibition, (483) 169; (486) 191
Photoisomerization, (482) 252
Photopigment, (473) 316
Photoprotection, (481) 101
Photoreaction, (476) 171
Photoreceptor, (470) 107; (482) 247
Photosynthesis, (467) 285; (469) 9; (477) 113; (479) 72
Photosynthetic antenna complex, (480) 73
Photosynthetic gene, (479) 19
Photosynthetic oxygen evolution, (477) 113
Photosynthetic reaction center, (472) 114
Photosystem, (483) 169
Photosystem I, (471) 89; (479) 72; (485) 173
Photosystem II, (467) 137; (475) 103; (477) 113; (480) 271
Phototransduction, (470) 336
Phycobilin lyase, (469) 9
Phycobiliprotein, (469) 9
Phycocyanin, (483) 169
Phylogenetic analysis, (473) 139; (482) 31
Phylogenetic relationship, (476) 3
Phylogeny, (473) 316
Physiological function, (484) 169
Phytase, (472) 169
Phytochrome, (469) 9; (470) 107; (482) 252
Phytoestrogen, (468) 166
Phytosulfokine-α, (470) 97
Phytotoxin, (480) 301
PI 3′-K, (471) 51
PI 3-kinase, (465) 69; (484) 179
*Pichia pastoris*, (468) 137
Picornain 2A, (481) 289
Picornavirus, (480) 151
Picosecond time-resolved fluorescence, (477) 157
Pigment biosynthesis, (486) 243
Pim-1, (467) 17
Pineal, (468) 181; (473) 316
Pineal organ, (483) 143
*Pinus*, (477) 237
Pituitary adenylate cyclase activating polypeptide, (469) 142; (484) 189
p$K_a$ value, (477) 21
PKC, (484) 179
Placental alkaline phosphatase, (469) 163
Plant, (471) 161; (472) 302; (475) 139; (476) 78, 145; (480) 255; (483) 43; (486) 73
Plant mitochondria, (474) 53
Plant mitochondrion, (470) 88; (475) 213
Plant telomerase regulation, (467) 305
Plasma, (475) 52
Plasma desorption mass spectrometry, (465) 87
Plasma membrane, (482) 225; (484) 125
Plasma membrane calcium pump, (483) 99
Plasmid R1, (466) 389
Plasmin, (474) 151
Plasminogen, (474) 151
Plasminogen activation, (476) 166
Plasminogen activator inhibitor 1, (475) 192
Plasminogen activator inhibitor type 2, (482) 75
*Plasmodium*, (471) 165
*Plasmodium falciparum*, (476) 84; (484) 246
Plasticity, (477) 99
Platelet, (466) 197, 355; (467) 201; (468) 189; (470) 113; (473) 119; (475) 57, 89; (484) 199
Platelet activation, (471) 12; (477) 199; (484) 184
Platelet aggregation, (483) 155
Platelet shape change, (466) 70
Platelet-activating factor, (469) 44; (479) 57, 63
Platelet-activating factor acetylhydrolase, (479) 57
Platelet-derived growth factor, (477) 27
Platelet-derived growth factor receptor, (472) 129
Platelet-derived growth factor/vascular endothelial growth factor family, (475) 97
PLC-γ1, (471) 51
Pleckstrin homology domain, (478) 216, 253
Pleiotropic drug resistance, (470) 156
Plexin, (486) 68
Plipastatin, (485) 76
Pmp22p, (471) 23
Point mutation, (472) 14
Pokeweed antiviral protein, (472) 241
Pol, (466) 233
Polo kinase, (483) 37
Poly(ADP-ribose) polymerase, (474) 11
Polyamine oxidase, (476) 150

Polyene macrolide, (478) 137
Polymer statistic, (466) 283
Polymerization, (476) 155
Polymorphism, (466) 264; (473) 149; (486) 163
Polymorphonuclear leukocyte, (467) 253; (474) 137
Polymyxin B, (470) 151
Polyoma virus enhancer binding protein 2α, (470) 125
Polyomavirus, (467) 359
Polyomavirus VP1, (478) 281
Polypeptide release factor, (472) 213
Polyphenol, (470) 341
Pore, (485) 57
Pore structure, (482) 144
Porin, (469) 93; (476) 129
Positron emission tomography, (467) 211
Posttranscriptional gene silencing, (467) 41
Post-transcriptional modification, (467) 175
Post-translational modification, (465) 173; (473) 292, 358; (475) 131
Potassium, (480) 179
Potassium channel, (474) 99; (477) 37; (480) 137; (481) 197; (482) 59
Potassium ion, (477) 37
Potassium transport, (486) 93
Potato carboxypeptidase inhibitor, (472) 27
Potato leafroll polerovirus, (484) 33
Potentiometric stain, (475) 218
Poxvirus, (475) 1
PPAR, (484) 37
PPR motif, (480) 255
PRAME, (466) 367
Preadipocyte, (469) 77
Precoupling, (485) 157
Prediction, (486) 267
Prenyltransferase, (481) 68
Presenilin, (465) 53
Pressure, (477) 89
Pressurization, (470) 370
Pre-steady-state kinetics, (472) 312
pre-tRNA, (472) 179
Primary hepatocyte, (478) 141
Primary quinone, (472) 114
Primary response, (465) 28
Primary structure, (474) 76
Primate, (475) 167
β-Prism II fold, (468) 19
Prk, (481) 205
Proadrenomedullin N-terminal 20 peptide, (473) 207
Procalcitonin, (466) 155
Processed gene, (473) 233
Processivity, (467) 333
Procollagen, (466) 19
Procyanidin, (465) 93
Product specificity, (481) 68
Proenteropeptidase activation, (466) 295
Progesterone, (466) 279
Progestin, (465) 12
Programmed cell death, (476) 118
Prohormone convertase 1 and 2, (473) 135
Prohormone sorting, (481) 37
Prolamellar body, (480) 306
Proliferation, (477) 258; (478) 166; (482) 200; (486) 252
Proline, (472) 148
Proline isomerization, (480) 235
Prolyl 4-hydroxylase, (466) 19
Prolyl isomerase, (480) 118
Promoter, (467) 231; (471) 29
Promoter activity, (483) 71
Promoter region, (480) 84
Promoter sequence, (480) 17
Promoter–reporter construct, (482) 49
Pronephros, (482) 37
Pro-opiomelanocortin, (481) 37
*N*-Propanoylmannosamine, (478) 276
*N*-Propanoylneuraminic acid, (478) 276
Propeptide, (469) 203
Prostacyclin receptor, (484) 211
Prostaglandin, (468) 33; (470) 1; (471) 78; (473) 76; (475) 242
Prosthetic group, (483) 165
Protease, (471) 169; (475) 1
Protease activated receptor, (477) 199
Protease-activated receptor-2, (484) 285
Proteasome, (472) 62; (477) 193; (478) 109
Proteasome β-subunit, (466) 213
14-3-3 Protein, (473) 292; (474) 48; (480) 217
Protein, (466) 283
Protein array, (480) 32
Protein carbonyl, (473) 85
Protein chimera, (485) 189
Protein complex, (476) 8
Protein crystallography, (475) 205
Protein design, (484) 144
Protein disulfide isomerase, (466) 19; (475) 89; (484) 246
Protein domain, (473) 1; (479) 93; (484) 164
Protein engineering, (467) 31, 37
Protein evolution, (466) 283
Protein expression, (480) 226
200-Protein family, (474) 38
Protein fluorescence, (484) 144
Protein folding, (465) 169; (466) 283; (470) 203; (471) 7, 177; (472) 67; (473) 199; (476) 38; (480) 118
Protein fusion, (482) 209
Protein identification, (480) 25
Protein import, (480) 271
Protein interaction, (465) 53; (472) 88; (484) 164
Protein interaction module, (480) 49, 55
Protein kinase, (466) 200; (471) 141, 151; (475) 213; (477) 258; (480) 244; (481) 63; (485) 35
Protein kinase A, (466) 130; (474) 146; (486) 310
Protein kinase B, (478) 253; (482) 200; (486) 38
Protein kinase C, (469) 159; (470) 315; (472) 45; (473) 265; (483) 27; (484) 113; (486) 136
Protein kinase C α, (482) 97
Protein kinase C δ, (469) 111
Protein kinase C ζ, (472) 153
Protein kinase CK2, (466) 363
Protein kinase inhibitor, (473) 265
Protein kinase phosphatase, (470) 350; (475) 213
Protein kinase specificity, (466) 91
Protein ligation, (468) 155
Protein monolayer, (471) 56
Protein motion, (470) 257
Protein nitration, (466) 187; (473) 119
Protein oligomer, (466) 35
Protein oxidation, (482) 237
Protein P19, (466) 389
Protein phosphatase, (475) 213; (481) 217
Protein phosphatase 1, (466) 121; (484) 113; (485) 87
Protein phosphatase-2A, (485) 87
Protein phosphorylation, (466) 200; (475) 213; (480) 217; (481) 63; (483) 104
Protein processing, (484) 194
Protein regulation, (470) 51
Protein S, (475) 135
Protein sequencing, (477) 263
Protein solubilization, (476) 208
Protein sorting, (475) 175; (482) 1
Protein splicing, (476) 301; (480) 221
Protein stability, (475) 22
Protein structure, (472) 78
Protein synthesis, (468) 73; (470) 281; (471) 128; (477) 229
Protein synthesis inhibition, (486) 305
Protein targeting, (476) 22, 27
Protein translocase, (476) 18
Protein translocation, (466) 389; (472) 88; (476) 22, 27; (486) 57
Protein translocation/targeting/export, (469) 61
Protein transport, (467) 97; (470) 232
Protein turnover, (478) 271
Protein tyrosine phosphatase, (465) 8; (468) 68
Protein tyrosine phosphatase α, (484) 235
Proteinaceous inhibitor, (475) 1
Proteinase, (486) 247
Proteinase 3, (473) 154
Protein–carbohydrate interaction, (469) 155
Protein–peptide interaction, (472) 208
Protein–protein interaction, (466) 377; (468) 68; (473) 1, 37; (475) 232; (478) 227; (480) 25, 55, 217; (484) 17
Proteoglycan, (478) 52; (482) 242

Proteoliposome, (482) 225
Proteolysis, (466) 385; (471) 7
Proteolysis susceptibility, (480) 235
Proteome, (480) 2
Proteomics, (469) 155; (480) 25, 37; (486) 149
Prothymosin α, (467) 150
Proton cotransport, (466) 225
Proton pump, (469) 137; (485) 1; (486) 155
Proton pumping, (470) 7
Proton transfer, (470) 375
Proton translocation, (468) 211; (476) 93
Protonation-induced conformational change, (481) 101
Proton-motive force, (468) 239
Protonophoric effect, (471) 108
PSE-4, (470) 285
P-selectin, (477) 84
Pseudogene, (468) 109; (478) 89
Pseudoknot, (470) 345
*Pseudomonas*, (476) 312; (483) 139
*Pseudomonas aeruginosa*, (470) 285
*Pseudomonas syringae*, (478) 26
*Pseudonaja textilis*, (473) 303
PSP24, (468) 189
P-type ATPase, (471) 99
P-type ATPase ZntA, (473) 67
P-type ion-motive ATPase, (482) 144
PTZ 17, (479) 146
Purification of silefrin, (472) 267
Purinoceptor, (475) 287; (486) 217
PY motif, (466) 377
Pyranine, (482) 225
Pyrethroid, (470) 135
Pyrimidine, (467) 27
Pyrimidine synthesis, (484) 261
*Pyrococcus furiosus*, (484) 261; (486) 195
*Pyrococcus horikoshii*, (467) 195
*Pyrodictium*, (467) 101
Pyruvate, (481) 117
Pyruvate dehydrogenase complex, (484) 12
Pyruvate formate-lyase, (466) 45
Pyruvate regulation, (481) 141

# Q

Quality control, (476) 32
Quantum yield, (475) 103
Quaternary protein structure, (482) 189
Quaternary structure, (469) 93
Quercetin, (471) 1
Quinone reductase, (466) 1

# R

Rab escort protein, (468) 155
*Rab1*, (477) 49
Rab3A, (474) 66
Rab7, (468) 155
*RAB18*, (474) 43
Rabbit masseter, (481) 255
RabGGTase, (468) 155
Rac, (482) 139; (486) 68
Rac1, (475) 273; (476) 52
Rad9, (481) 122
Rad24, (472) 254
Rad53p, (471) 141
Radial diffusion assay, (468) 137
Radiation inactivation, (468) 211
Radical enzyme, (466) 45
Raf-1, (475) 273
Rainbow trout model system, (465) 115
*Ralstonia eutropha*, (466) 259
Ramachandran plot, (465) 8
Raman spectroscopy, (471) 128
Random mutagenesis, (479) 127
Rap1, (467) 184; (477) 213
Rapeseed, (467) 296
Ras, (469) 88; (474) 184; (477) 99; (481) 205; (482) 169; (485) 183
*ras* oncogene, (481) 31
Rat, (466) 239; (475) 127; (482) 131
Rat brain, (481) 177; (486) 136
Rat brain α-subunit, (470) 135
Rat brain membrane, (467) 81
Rat corpus luteum, (472) 137
Rat hepatoma, (484) 74
Rat islet, (474) 66
Rat kidney, (473) 173
Rat liver, (466) 183; (482) 205, 237
Rat liver mitochondrion, (478) 29; (480) 89
Rat pheochromocytoma cells, (474) 184
Rate constant, (472) 312
Rational mutagenesis, (486) 173
Raw starch hydrolysis, (471) 251
*Rbp9*, (465) 165
Reaction center, (466) 209; (467) 285
Reactive oxygen intermediate, (472) 133
Reactive oxygen species, (466) 165, 323; (468) 125; (470) 88, 211; (473) 6; (476) 218, 253; (485) 94; (486) 191, 252
Real-time PCR, (477) 89
RecA, (477) 129; (480) 221; (482) 159
RecA mutant, (477) 129
RecA protein, (473) 53
RecA–oligonucleotide complex, (473) 53
Receptor, (467) 226; (468) 120; (470) 131; (484) 149; (486) 213
Receptor activator of necrosis factor-κB ligand, (486) 23
Receptor activity modifying protein, (471) 156; (486) 320
Recognition site, (466) 385
Recombinant APN, (467) 81
Recombinant chimeric toxin, (472) 241
Recombinant collagen, (469) 132
Recombinant DNA, (486) 200
Recombinant expression, (466) 244; (468) 137
Recombinant light-harvesting complex II, (466) 385
Recombinant production, (466) 192
Recombinant protein, (471) 7; (474) 87
Recombinant protein expression, (476) 179
Recombinant protein production, (469) 61
Recombinant synthesis, (467) 189
Recombination, (477) 129
Reconstitution, (473) 101; (484) 61
Recycling, (486) 2
Red fluorescent protein, (479) 127, 131
Redox, (470) 20; (472) 196; (476) 52
Redox cycling, (472) 57
Redox potential, (477) 21
Redox reaction, (471) 61
Redox regulation, (475) 121
Redoxal, (467) 27
Reducing subcellular environment, (467) 316
Refolding, (486) 131
Refolding barrier, (475) 157
Regulation, (484) 235
Regulation of gene expression, (466) 148
Regulation of glycogen synthase kinase-3, (469) 111
Regulation of transcription, (472) 191
Regulatory domain, (465) 59
Regulatory function, (479) 67
Regulatory protein, (480) 137
Reh cell line, (466) 169
Rehydration, (484) 55
Reinitiation, (468) 73
Renal tubular acidosis, (478) 147
Reoxygenation injury, (477) 175
RepA, (482) 180
Repair, (467) 311

Repeat sequence, (475) 167
Repeated motif, (470) 300
Repetitive sequence, (473) 127
Replication, (486) 14
Reporter gene, (481) 19
Reptile prion protein, (469) 33
Rer2p, (477) 170
Resensitization, (484) 211
γδ Resolvase, (471) 147
Resonance Raman, (474) 238; (482) 252
Respiratory chain, (474) 165; (475) 84; (479) 1; (483) 62
Respiratory control, (466) 130
Respiratory distress syndrome, (467) 7
Respiratory gene, (471) 201
Response regulator, (478) 227
Restin, (465) 53
Restrictocin, (466) 87
Retina, (473) 316
Retinal photoreceptor cell, (483) 143
Retinoblastoma, (486) 73
Retinoblastoma protein family, (471) 29
Retinoic acid, (469) 118; (473) 19
Retinoid X receptor, (483) 114
Retinol, (486) 49
Retinopathy, (468) 1
Retrotransposon, (468) 109
Retrovirus, (475) 7
Rev, (481) 63
Rev protein binding element RNA, (485) 47
Reverse cholesterol transport, (484) 275
Reverse transcriptase, (471) 169
Reverse transcriptase polymerase chain reaction, (484) 194
Reverse transcription-polymerase chain reaction, (476) 203
Reversible neurotoxin, (474) 208
Rev-like NES, (468) 65
RFX1, (474) 23
Rheumatoid arthritis, (465) 23
Rhinovirus protease, (481) 289
ρ0, (474) 1
Rho, (477) 99; (481) 205; (482) 139; (484) 69; (485) 183
Rho GTPase, (480) 287
RhoA, (473) 10; (482) 97
Rho-activated kinase, (473) 217
Rhodamine, (472) 143
Rhodanese, (470) 147
*Rhodnius prolixus*, (477) 95
*Rhodobacter sphaeroides*, (480) 73; (486) 52
*Rhodopseudomonas acidophila*, (480) 73
Rhodopsin, (473) 259
Rhodopsin phosphorylation, (470) 336
Rhodopsin-like protein, (482) 247
*Rhodospirillum molischianum*, (480) 73
Rho-GDI, (467) 75
Rho-GTPase, (466) 70
Rho-kinase, (466) 70; (475) 197
Rho-type GTPase, (474) 16; (475) 273
RIA for silefrin, (472) 267
Ribonuclease, (466) 35
Ribonuclease A, (468) 199; (471) 177; (472) 67; (477) 203
Ribonuclease mimic, (481) 277
Ribonucleotide reductase, (473) 212
Ribosomal protein, (484) 22; (486) 195
Ribosomal protein L2, (485) 153
Ribosomal S6 kinase 1, (486) 38
Ribosome, (476) 22
Ribosome assembly, (484) 22
Ribosome inactivating protein, (470) 239; (471) 169
Ribotoxin, (466) 87
Ribozyme, (466) 273; (472) 187; (485) 71
Rice, (466) 107
Rice 1Cys-peroxiredoxin, (486) 103
Ricin super family, (482) 231
*Riftia pachyptila*, (473) 237
RIP, (468) 134
RNA, (470) 355; (472) 93
RNA binding, (483) 62; (485) 47; (486) 195
RNA binding protein, (485) 153
RNA cleavage, (481) 277
RNA folding, (477) 49
RNA helicase, (465) 74
RNA interference, (479) 79
RNA phage Qβ, (482) 261
RNA polymerase, (478) 271; (481) 281; (485) 178
RNA splicing, (465) 153
RNA structure, (475) 181
RNA-binding activity, (480) 255
RNA-cleaving DNA enzyme, (481) 113
RNA-mediated interference, (485) 35
RNA–protein interaction, (477) 49
RNA–riboprotein complex, (470) 319
RNase 65, (472) 179
RNase A, (466) 35
RNase activity, (468) 11
RNase P, (472) 187; (485) 71
Rnd1, (467) 91
Rod, (480) 106
Rod opsin, (469) 39
Rodent cell, (472) 173
Rod-like structure, (482) 261
Rolipram, (477) 213
Root expression, (475) 65
Rotation, (470) 244; (472) 34; (483) 1
5S rRNA, (485) 153; (486) 195
rRNA, (472) 187
RTX toxin, (470) 173
R-type current, (481) 235; (483) 125
Rubisco, (481) 164
Rubredoxin, (471) 191
Runt domain, (470) 125
Runx1, (470) 167
Ruthenium red, (486) 257
Ryanodine receptor, (472) 73; (486) 178
Ryanodine receptor type 3, (471) 256

# S

10Sa RNA, (470) 345
S100 protein, (475) 187
S100B, (486) 203
S631C, (474) 111
SAAS granin, (473) 135
*Saccharomyces cerevisiae*, (467) 22, 111; (469) 137, 151; (470) 102; (471) 224; (475) 43, 111; (476) 134, 277, 301; (478) 26; (480) 265; (481) 8; (482) 25; (483) 62; (484) 48
Salicylate, (470) 47
Salicylic acid, (466) 213
Saliva, (475) 232
*Salmonella enterica*, (482) 81
Salt effect, (468) 199
Salt stress, (481) 240
Sampling, (470) 257
*Saponaria officinalis*, (470) 239
Saposin C, (472) 17
α-Sarcin/ricin loop, (466) 87
Sarcoglycan, (482) 13
Sarcolemmal binding, (482) 65
Sarcoplasmic reticulum, (472) 73; (481) 255; (486) 178
Satellite RNA, (485) 25
Satellite virus, (485) 25
Scaffold, (475) 225
Scatchard analysis, (466) 169
Scattering, (475) 11
Schiff base, (472) 263
*Schistosoma*, (466) 244; (470) 131
Schizosaccharomyces, (472) 254
*Schizosaccharomyces pombe*, (478) 105; (481) 105, 122
*Scilla campanulata* agglutinin, (468) 19
Scintillation proximity assay, (484) 159
*SCN5A*, (467) 12; (479) 29
Sco1p, (485) 19

Scorpine, (471) 165
Scorpion, (483) 175
Scorpion toxin, (469) 179; (470) 293; (486) 117
Scramblase, (475) 232
Scrambled protein, (473) 183
Sec system, (467) 97
SecA, (476) 18; (486) 57
Second site mutation, (478) 192
Secondary structure, (465) 59; (485) 81
Secondary structure prediction, (470) 65
Secretase, (483) 6
Secretion, (466) 197; (476) 18; (482) 131; (484) 129
Secretory leukocyte protease inhibitor-binding protein, (475) 232
Secretory lysosome, (481) 245
Secretory pathway, (466) 11; (475) 175
Secretory phospholipase $A_2$, (478) 187
SecYEG, (476) 18
Sed5p, (469) 151
Seed dormancy, (486) 103
L-Selectin, (469) 5
Selectivity, (476) 62
Selenium, (466) 359
Selenocysteine, (466) 359
Self-assembly, (482) 261
Self-incompatibility, (473) 139; (482) 102
Self-oligomerization, (482) 269
Semaphorin cd100, (469) 208
Senescence, (472) 14; (474) 159; (479) 19
Septum formation, (481) 105
Sequence, (483) 175
Sequence alignment, (482) 119
Sequence analysis, (470) 147
Sequence comparison, (484) 43
Sequence conservation, (477) 49
Serine, (486) 230
D-Serine, (474) 63
Serine autophosphorylation, (479) 67
Serine base-exchange, (482) 205
Serine palmitoyltransferase, (474) 63
Serine protease, (466) 295; (468) 220
Serine protease inhibitor, (468) 137, 194
Serine/threonine phosphorylation, (472) 153
Serology, (485) 40
Serotonin, (471) 56
Serotonin transporter, (486) 136
Serotonin transporter–drug interaction, (471) 56
Serpin, (468) 194; (473) 297; (484) 87
Ser–Thr phosphatase, (470) 211
Serum albumin, (475) 251
Serum amyloid A, (472) 259
Serum amyloid P component, (465) 129; (473) 199
Sex hormone, (473) 173
SGLT1, (469) 98
SH2, (467) 91
SH2-B, (469) 72
SH2-SH3, (472) 45
SH3 domain, (480) 49, 55
Shc, (472) 129; (480) 113
Shear stress, (477) 89
Shedding, (475) 52
β-Sheet, (470) 55, 173
Shibata shift, (480) 306
Shiga toxin, (485) 94
Shrimp, (472) 122
Sickle, (480) 179
SigB, (485) 178
Sigma factor, (485) 178
Signal peptide, (467) 97; (476) 18; (481) 152; (484) 7
Signal sequence, (478) 89; (486) 57
Signal transducer, (472) 99
Signal transducer and activator of transcription, (478) 100
Signal transducer and activator of transcription 3, (486) 143
Signal transducer and activator transcription factor, (480) 132
Signal transduction, (465) 64; (466) 200; (467) 22; (468) 37, 120; (469) 19, 142; (470) 350; (472) 235; (473) 259; (474) 169; (476) 52, 145, 160; (477) 27, 55; (479) 51; (481) 159, 177, 205, 271; (482) 1; (483) 87; (485) 183; (486) 33, 275, 281
Signaling, (473) 27; (474) 146; (478) 260; (480) 25
Signaling complex, (486) 275
Signaling pathway, (467) 253; (478) 209; (486) 315
Silefrin, (472) 267
Silkmoth chorion protein, (479) 141
Sim, (466) 80
Simian immunodeficiency virus, (473) 15
Single molecule, (472) 34; (476) 124; (480) 293
Single-chain Fv, (475) 11
Single-chain variable fragment, (467) 316
Single-stranded DNA, (482) 180
Singlet oxygen, (484) 280
Site-directed mutagenesis, (465) 59, 145; (466) 183, 300, 363; (468) 48; (469) 142; (471) 240; (472) 169, 283, 307; (474) 33, 151; (475) 22, 192; (477) 118; (481) 68; (483) 139; (484) 102, 224
Site-specific recombination, (471) 147
SixA phosphatase, (470) 118
Skeletal muscle, (466) 26; (474) 93; (477) 141; (481) 255; (482) 65
Skeletal muscle mitochondrion, (475) 84
Skin, (473) 127; (480) 156; (481) 53
Skin fibroblast, (469) 1
SLG, (482) 102
Sm32, (466) 244
Smad anchor for receptor activation, (486) 107
Small angle X-ray scattering, (482) 159
Small conductance $Ca^{2+}$-activated $K^+$ channel, (469) 196
Small G protein, (484) 275
Small GTPase, (477) 213
Small heat shock protein, (480) 79; (482) 175; (483) 169
Small intestine, (471) 205
Small proline-rich protein, (477) 268
Small-angle scattering, (471) 211
SMCX, (471) 17
Smooth muscle, (467) 65; (469) 67; (475) 197; (479) 83; (482) 85
Smooth muscle cell, (466) 29; (481) 193
Snake venom toxin mediation, (466) 11
SNARE protein, (470) 51
SNI-2011, (477) 253
SNS, (467) 249
Sodefrin homologue, (472) 267
Sodium azide, (468) 239
Sodium channel, (467) 12, 249; (470) 135, 293; (473) 132; (479) 29
Sodium channel-ligand, (479) 136
Sodium compartmentation, (471) 224
Sodium/proton antiporter, (471) 224
*Solanum tuberosum*, (467) 245
Solid-phase extraction, (481) 0
Solid-state nuclear magnetic resonance, (482) 220
Solt–Farber model, (470) 325
Soluble MHC class II, (481) 249
Soluble receptor, (471) 182
Soluble urokinase receptor, (486) 237
Solution structure, (478) 137; (485) 76
Solvation effect, (478) 197
Somatostatin, (465) 115
Somatostatin analog, (481) 271
Somatostatin receptor, (481) 271
Somatotrophic receptor, (472) 276
Son of sevenless, (482) 169
Sorcin, (471) 197
Sox, (481) 147
Sox9, (466) 249
*SP11/SCR*, (473) 139
Species difference, (466) 255
Specific DNA binding, (470) 125
Specificity, (466) 87; (469) 203
Spectrin, (466) 341
Spectrin repeat, (476) 124
Spectroscopy, (470) 107
Sperm capacitation, (475) 251
Sperm maturation, (465) 12
Spermatogenesis, (480) 249
Spermatogenic cell, (475) 251
Spermiation, (465) 12
Sphingolipid, (474) 63; (475) 247; (478) 260; (482) 85
Sphingolipid α-hydroxylation, (478) 26
Sphingomyelin, (469) 44; (472) 143; (475) 247; (478) 9
Sphingomyelinase, (469) 44; (475) 247
Sphingomyelinase activation, (478) 233

Sphingosine 1-phosphate, (468) 189; (473) 81; (476) 55; (482) 97
Sphingosine kinase, (476) 55
Spider, (474) 208
Spider venom, (474) 208
Spin trap, (473) 58
Spinal cord-derived growth factor, (475) 97
Spinal muscular atrophy, (470) 207; (486) 99
Spin-trapping, (471) 187
Splice variant, (467) 128; (485) 13
Splicing, (466) 337
Sporulation, (478) 105
Spot method, (479) 99
SR protein, (465) 153
Src family kinase, (478) 260
*SRK*, (473) 139
SRK, (482) 102
Ssn6, (473) 37
Stability, (475) 192; (481) 249
Stability in vivo, (476) 171
Stabilized intermediate, (472) 67
*Staphylococcus aureus*, (479) 6
*Staphylococcus aureus* nuclease, (481) 169
Staphylokinase, (474) 151
Starch, (480) 277; (482) 113
Statin, (478) 205
Stch, (467) 348
Ste2, (467) 22
Ste4, (467) 22
Ste11, (467) 111
STE20/p21-activated kinase family, (468) 234
Steady state, (475) 121
Steady-state fluorescence, (477) 157
Steady-state kinetics, (476) 194
Stearyl-Nle$^{17}$-VIP, (475) 78
Stellate cell, (479) 146
Stem cell, (475) 7; (486) 149
Stereochemistry, (465) 157
Steroid, (486) 49
Steroid conjugate, (474) 242
Sterol C-24(28) reductase, (470) 83
Sterol isomerase, (470) 102
Sterol regulatory element-binding protein, (467) 326
Sterol uptake, (470) 102
Stoichiometry, (482) 180
Stopped-flow mixing, (470) 203
Stopped-flow spectroscopy, (484) 139
Store-operated calcium channel, (478) 237
Store-operated channel, (470) 269
Streptolysin-O, (484) 179
*Streptomyces lividans*, (477) 37
*Streptomyces olivaceoviridis*, (482) 231
*Streptomyces seoulensis*, (472) 57
Streptozotocin, (478) 141
Stress-activated protein kinase, (469) 19
Striated skeletal muscle, (472) 73
Structural domain, (467) 226
Structural genomics, (476) 98
Structural prediction, (473) 127
Structure, (465) 87; (471) 182; (472) 225; (473) 237, 269; (477) 8; (485) 40
Structure classification, (476) 98
Structure prediction, (475) 11; (476) 98
Structure/function relationship, (469) 93
Structure–activity relationship, (475) 1
Structure-function, (467) 22
Styl MAPK, (486) 305
Subconductance, (479) 10
Submitochondrial particle, (468) 211
Substance P, (486) 43
Substituent effect, (478) 197
Substrate access channel, (477) 157
Substrate binding, (477) 157
Substrate binding pocket, (476) 93
Substrate recognition, (471) 103; (486) 173
Subtelomeric interspersed repeat, (475) 167
α1 Subunit, (481) 235; (483) 125
β Subunit, (481) 235; (483) 125
β1-Subunit, (473) 132
β6 subunit, (472) 62
βγ subunit, (484) 179
γ$_2$ Subunit, (481) 235
Subunit, (467) 65
Subunit 6, (486) 297
Subunit c, (472) 34
Subunit interaction, (465) 169
Succinate dehydrogenase, (470) 365
Sucrose, (471) 219
Sucrose sensor, (485) 189
Sucrose transporter, (485) 189
Sudden cardiac death, (479) 29
Sugar recognition, (474) 76
Sugar regulation, (479) 19
Sugar transport, (468) 225; (476) 224
SulA, (477) 224
Sulfate transport, (475) 65
Sulfate transporter, (477) 118
Sulfation, (475) 61
Sulfhydryl oxidase, (477) 62
Sulfhydryl reactivity, (482) 237
Sulfobromophthalein, (474) 242
*Sulfolobus solfataricus*, (468) 11
Sulfonylurea receptor, (482) 59
Sulfur donor substrate, (472) 307
Sulfur metabolism, (473) 63
Sulfurtransferase, (472) 307
Superoxide, (468) 89; (471) 187; (472) 39; (475) 93; (484) 139
Superoxide dismutase, (483) 17, 21; (485) 113
Superoxide radical anion, (472) 57
Supply–demand analysis, (476) 47
Suppression subtractive hybridization, (467) 299
Suppressive, (473) 149
Suppressor of cytokine signal, (480) 132
Suppressor of cytokine signaling, (478) 100; (486) 33
Suppressor of cytokine signaling 1, (472) 235
Suprachiasmatic nucleus, (477) 106
Surface plasmon resonance, (470) 151; (472) 73; (481) 281
Surface plasmon resonance spectroscopy, (469) 24
Surface pressure, (471) 56
Surface property, (479) 118
Survival, (468) 129, 134
Survival motor neuron, (470) 207; (486) 99
Swelling, (471) 108
SWI/SNF, (476) 68
Sword-tailed newt, (472) 267
Syk, (472) 235
Synapomorphic disulfide bond, (477) 203
Synapse, (482) 189
Synaptic vesicle, (482) 269
Synaptosome, (473) 265; (481) 177; (486) 136
Synaptotagmin, (482) 269
Synchronisation, (476) 78
*Synechococcus* sp. PCC 7942, (473) 337; (485) 173
*Synechocystis*, (479) 72; (483) 47
*Synechocystis* PCC6803, (473) 337
Synpolydactyly, (473) 233
Syntaxin, (470) 51
Syntenin, (467) 299
Synthase, (476) 253
Synthetic ATPase inhibitor peptide, (482) 163
Synthetic peptide, (469) 179; (479) 99
Synthetic SSR(1–62), (468) 11
Synthetic steroid RU 486, (467) 123
Syntrophin, (482) 13
α-Syntrophin, (482) 65
Syringomycin E, (478) 26
Systemic acquired resistance, (466) 213
Systems modelling, (480) 42

# T


T cell antigen receptor, (472) 235
T cell receptor, (486) 38
T cell receptor signaling, (470) 273
T lymphocyte, (470) 350; (472) 259
T8993G, (486) 297
TAB1, (474) 141
TAK1, (467) 160; (474) 141
Talin, (466) 29
Tandem mass spectrometry, (475) 131
Tangier disease, (484) 275
Targeted gene disruption, (476) 84
Targeted RNA cleavage, (472) 179
Targeted toxin, (466) 87
Targeting, (473) 76; (477) 161
Tat, (469) 118
TATA-box, (483) 93
TATA box-binding protein, (468) 149; (483) 71
Tau, (465) 34; (485) 99
14-3-3-τ, (467) 61
Tau assembly, (486) 270
Tau phosphorylation, (469) 111
Tau protein, (476) 89
Tau protein mutation, (484) 265
TBP-associated factor, (468) 149
T-$Ca^{2+}$ channel, (475) 251
Tcm62p, (470) 365
T-DNA, (467) 41, 47
Technical application of bacteriorhodopsin, (476) 171
Teleost fish, (468) 181; (473) 316; (486) 14
Telokin, (479) 83
Telomerase, (473) 241
Telomerase inhibition, (467) 305
Telomere, (470) 20; (473) 241; (475) 167; (481) 81
Telomere-binding protein, (467) 305
Temperature, (466) 59
Temporin A, (479) 6
Tenascin-C, (480) 189
Terpenoid biosynthesis, (465) 157
Tertiary interaction, (466) 273
*t*-Test, (470) 65
Testis, (486) 225
Tetanus neurotoxin, (482) 119
Tetanus toxin, (484) 129; (486) 136
Tetracycline, (477) 263
12-*O*-Tetradecanoyl phorbol-13-acetate, (467) 184
Tetrahydrobiopterin, (473) 58; (475) 35; (485) 109
*Tetrahymena*, (466) 273
Tetramerization, (472) 83
Tetramerization region, (485) 81
Tetraphenylphosphonium, (480) 127
Tetrapyrrole, (482) 252
Tetratricopeptide repeat motif, (473) 37
TGF-β, (474) 71
Th1/Th2, (465) 28
Thalassemia, (466) 139
Thapsigargin, (479) 51
Thermal denaturation, (476) 171
Thermal stability, (466) 59; (472) 83; (473) 237; (476) 296; (483) 99
Thermophilic archaea, (484) 261
Thermophilic archaeon, (467) 195
*Thermoplasma acidophilum*, (477) 278
Thermosome, (477) 278
Thermostability, (468) 48; (470) 65
Thermostable enzyme, (467) 195
Thermotolerance, (483) 169
Thermus thermophilus, (476) 140
*Thermus thermophilus* HB8, (482) 159
Thiamine, (475) 237
Thiazolidinedione, (471) 119; (484) 37
Thioglucoside glucohydrolase (EC 3.2.3.1 myrosinase), (468) 243
Thioglucoside (glucosinolate), (468) 243
Thiol, (472) 225
Thiol addition, (469) 9
Thiol metabolism, (484) 246
Thiol potentiation, (484) 133
Thiol-disulfide oxidoreductase, (477) 21
Thioredoxin, (467) 245; (471) 240; (472) 109; (477) 21
Thiosulfate:cyanide sulfurtransferase, (470) 147
Thiouracil, (485) 109
Three-dimensional, (473) 127
Three-dimensional structure, (472) 169; (476) 287; (479) 118
D,L-*Threo*-1-phenyl-2-decanoylamino-3-morpholino-1-propanol, (474) 107
Thrombin, (466) 197; (468) 115; (472) 297; (475) 57; (484) 87
Thrombin receptor, (477) 199; (478) 173
Thrombomodulin, (477) 199
Thrombosis, (483) 155
Thromboxane, (467) 201
Thylakoid membrane, (470) 375; (471) 71
Thymidine phosphorylase, (483) 181
Thyroglobulin, (485) 67
Thyroid hormone, (474) 242
Thyroid hormone receptor, (481) 213
Thyroid-stimulating hormone, (475) 27
TIF2, (468) 203
Tight intermembrane contact, (465) 141
Tight junction, (476) 258
Tight junction strand, (476) 258
Tilapia, (474) 5
Time-resolved spectroscopy, (471) 89
Tissue factor, (477) 208
Tissue factor pathway inhibitor-2, (481) 31
Tissue inhibitor of metalloproteinase, (473) 275; (481) 227
Tissue inhibitor of metalloproteinases-1, (485) 117
Tissue prokallikrein, (467) 165
Tissue-type plasminogen activator, (482) 75
*Tityus cambridgei*, (486) 117
tmRNA, (470) 345
Tn antigen, (469) 24
Tn5-B21 mutagenesis, (482) 149
TNF related apoptosis inducing ligand, (482) 193
TNF related apoptosis inducing ligand induced apoptosis, (482) 193
TNF related apoptosis inducing ligand receptor, (482) 193
TNFR-associated factor, (468) 129
Tobacco, (466) 213; (467) 41, 47; (474) 11, 217
Tobacco mosaic virus, (466) 305
Tobacco protoplast, (480) 165
α-Tocopherol, (473) 24, 145
Toll-like receptor, (467) 160
TOM5, (468) 101
Top-down elasticity analysis, (475) 84
Topoisomer-like pattern, (473) 363
Topology, (478) 13; (486) 267
Topology of interaction, (471) 197
Toroid, (480) 106
Torque, (476) 113
Toxic thyroid nodule, (486) 208
Toxin, (470) 239
Toxin binding, (467) 179
Trace metal, (483) 155
TRAMP, (485) 135
Transacetylase, (479) 63
Transactivation, (470) 77; (483) 114
Transactivation response region RNA, (485) 47
Transaldolase, (475) 205
Transcription, (466) 80; (468) 109; (470) 102, 167; (472) 53; (473) 37; (474) 23; (476) 68; (481) 105; (482) 75; (484) 48; (486) 73, 143
Transcription activation, (474) 121
Transcription factor, (467) 341; (473) 169; (478) 141; (480) 84; (484) 118
Transcription factor IIA, (468) 149
Transcription repressor protein TetR(D), (477) 263
Transcriptional activator, (476) 312
Transcriptional modulator, (468) 203
Transcriptional regulation, (465) 103; (467) 87; (472) 9; (476) 62; (478) 77; (482) 49
Transcriptional regulator ZntR, (473) 67
Transcriptional repression, (471) 29; (473) 47; (484) 77
Transducin, (473) 259
Transduction, (485) 163

Trans-expression of Vpr, (469) 191
Transfection, (467) 231; (480) 239
Transferrin, (466) 135; (483) 11
Transferrin receptor, (483) 11; (484) 271
Transformant, (484) 280
Transformation, (484) 153
Transformation inhibitor, (476) 213
Transformation suppressor gene, (481) 31
Transforming growth factor α, (474) 195
Transforming growth factor β signaling pathway, (486) 107
Transforming growth factor β superfamily, (468) 215
Transforming growth factor-β, (466) 160; (479) 123
Transgenic, (480) 63; (486) 29, 99
Transgenic fish, (483) 143
Transgenic mouse, (466) 112; (470) 263; (479) 106; (482) 49
Transgenic plant, (469) 132; (479) 19
Transgenic rice 1Cys-peroxiredoxin tobacco, (486) 103
Transglutaminase, (477) 268
Transient absorption anisotropy, (465) 107
Transient receptor potential, (485) 127
Transit peptide, (471) 191; (481) 47
Translation, (470) 345; (483) 57; (484) 33
Translation termination, (472) 213
Translational control, (467) 61
Translational pausing, (482) 185
Translocase, (476) 27
Translocation, (477) 73; (479) 63; (484) 118
Translocon, (476) 229
Transmembrane, (478) 13
Transmembrane helix, (477) 118
Transmembrane transport, (472) 159
Transmitter-gated channel, (475) 287
Transplantation, (486) 121
Transport, (470) 341; (483) 32
Transporter, (471) 56; (475) 237; (483) 52; (485) 13
Transposon mutagenesis, (477) 193
Transrepression, (470) 77
*trans*-Translation, (470) 345
Trap vector, (480) 63
β-Trefoil, (482) 119
TRF2, (481) 81
*Trichinella spiralis*, (483) 104
Triglyceride synthesis, (475) 163
Triiodothyronine, (478) 4
Trimethylamine *N*-oxide, (484) 265
2,4,6-Trinitrotoluene, (478) 295
2′-(5″-Triphosphoribosyl)-3′-dephospho-CoA, (483) 165
Triple helix assembly, (469) 132
Triplex DNA, (470) 355
TrkA-interacting protein, (469) 72
tRNA, (466) 359; (481) 277
tRNA identity, (472) 247
tRNA specificity, (476) 140
tRNA structure, (466) 359
tRNA-dependent amidation, (476) 140
3′ tRNase, (472) 179
Troglitazone, (484) 37
Tropomyosin, (473) 71
Troponin, (479) 99
Troponin I inhibitory peptide, (469) 168
Trout, (481) 266
*Trypanosoma brucei*, (473) 212
*Trypanosoma cruzi*, (469) 29
*Trypanosoma cruzi* surface protein, (470) 305
Trypanosome, (484) 82
Tryptase, (468) 176
Tryptic digestion, (468) 225
Tryptic fragment, (482) 252
Tryptic hydrolysate, (467) 235
Tryptophan, (471) 125; (484) 144
TSH receptor, (486) 208
T-type, (478) 166; (481) 73
Tuberculosis, (473) 358
$\beta_{III}$-Tubulin, (470) 198
Tubulin folding cofactor, (470) 93
Tubulin interaction, (478) 281
Tumor cell trafficking, (467) 211
Tumor invasion, (481) 31
Tumor necrosis factor, (467) 299; (468) 129, 134; (472) 196; (473) 285; (478) 221; (485) 195; (486) 23
Tumor necrosis factor α, (465) 93; (472) 287; (473) 345; (477) 84; (481) 227; (483) 57
Tumor necrosis factor α converting enzyme, (473) 345
Tumor necrosis factor receptor, (469) 77
Tumor necrosis factor-related apoptosis-inducing ligand, (471) 93
Tumor regression, (483) 78
Tumor suppressor p53, (474) 159
Tumorigenesis, (476) 203
Tumorigenicity, (471) 51
Tunicamycin, (469) 123; (486) 320
Tup1, (473) 37
TWEAK, (485) 135
Twin-arginine translocase, (467) 97; (480) 271
Twin-arginine translocation pathway, (472) 88
Two P domain $K^+$ channel, (471) 137
Two-component system, (478) 227
Two-dimensional crystallization, (469) 105
Two-dimensional gel electrophoresis, (480) 2
Two-dimensional nuclear magnetic resonance, (465) 148
Two-dimensional phosphopeptide mapping, (485) 99
Two-domain lectin, (468) 19
Two-hybrid, (467) 316; (480) 32
Two-hybrid assay, (471) 133
Two-hybrid interaction, (480) 37
Two-hybrid screen, (470) 227
Two-hybrid system, (468) 68; (475) 187; (484) 164
Two-photon, (479) 131
Type 2 diabetes, (473) 24
Type 3 copper protein, (474) 228
Type I and III collagen, (469) 1
Type I transforming growth factor-β receptor (ALK-5), (467) 128
Type II phosphatidylinositol phosphate kinase, (475) 57
Type II pneumocyte, (467) 7
Type XIII xylan-binding domain, (482) 231
Type XVI collagen, (469) 1
Typical fold, (466) 283
Tyrosinase, (474) 228
Tyrosinase activation, (478) 57
Tyrosine, (471) 125; (472) 117
Tyrosine hydroxylase, (477) 273
Tyrosine kinase, (466) 169; (472) 129; (474) 121; (475) 31; (477) 55; (482) 54
Tyrosine phosphorylation, (474) 179; (481) 8
Tyrosine repressor, (467) 87
Tyrosine *O*-sulfation, (470) 97
Tyrosylprotein sulfotransferase, (470) 97

# U

U937, (473) 345; (478) 72
Ubiquinone, (467) 105; (480) 89
Ubiquitin, (471) 17; (477) 193
Ubiquitin conjugating enzyme, (471) 17
Ubiquitination, (466) 377; (475) 31
Ubiquitin-dependent proteolysis, (468) 142
Ubiquitin-like, (469) 123
Ubiquitin-like gene, (467) 348
UCP, (484) 37
UDP-*N*-acetylglucosamine-2-epimerase/*N*-acetylmannosamine kinase, (470) 315
UDP-Gal, (473) 165
UDP-glucose:ceramide glucosyltransferase-1, (475) 247
UDP-glucuronosyltransferase 1A9, (471) 1
Ultrastructure, (474) 1
Ultraviolet B, (474) 195
Ultraviolet visual pigment, (486) 167
UNC104 subfamily, (486) 285
Unc-33, (480) 283
Unc-33 like phosphoprotein (Ulip), (480) 283
Unconventional myosin, (484) 125

Uncoupler, (478) 237
Uncoupling, (470) 244; (471) 108; (474) 53
Uncoupling protein, (467) 145; (470) 88; (480) 265
Uncoupling protein 3, (465) 135
Unfolded protein response, (469) 123
Unfolding, (473) 183
Unfolding intermediate, (473) 183
Unfolding intermediate state, (476) 124
Unit loop contour length, (466) 283
5′-Untranslated region, (473) 42; (476) 272
uPAR, (470) 40
Upstream stimulatory factor, (474) 146
Uptake, (478) 260; (482) 265
Urea, (473) 183; (474) 175
Urinary tract infection, (479) 111
Urine, (475) 52; (486) 10
Urokinase, (466) 317; (476) 166
Urokinase receptor, (476) 166; (486) 237
Urokinase-type plasminogen activator receptor, (475) 52
3′-UTR, (477) 49
Utrophin, (471) 229
UvrB protein, (465) 161
UvrB-C interaction, (465) 161
UV-vis spectroscopy, (467) 221

# V

VacA cytotoxin, (481) 96
Vaccine antigen, (476) 84
Vaccinia virus, (466) 179
Vacuolar type $H^+$-ATPase, (486) 155
Vacuolar type $H^+$-pyrophosphatase, (486) 155
Vacuole, (469) 137; (470) 232
Vaginal discharge protein, (476) 179
Vanilloid, (483) 52
Vanillyl-alcohol oxidase, (481) 109
Vanin, (483) 149
Vascular biology, (473) 58
Vascular endothelial growth factor, (469) 14; (473) 161; (474) 195; (477) 258
Vascular smooth muscle, (467) 128
Vascular smooth muscle cell, (467) 217; (481) 3
Vasoactive intestinal peptide, (475) 71, 78
Vasodilator-stimulated phosphoprotein, (473) 119
Vasopressin, (475) 175
Vasopressin V1a receptor, (466) 255
Vasopressin V2 receptor, (466) 101
V-ATPase, (469) 137
*vav*, (467) 75
Vav, (472) 99
VDAC, (466) 6
Vein graft, (470) 370
Ventricular fibrillation, (467) 12; (479) 29
Ventricular myosin light chain 2 promoter, (478) 151
Vertebrate, (486) 167
Vertebrate ancient opsin, (473) 316
Vertebrate genome, (476) 3
Vertebrate photoreception, (468) 181
Very long chain fatty acid, (478) 205
Vesicular transport, (470) 25
*Vibrio alginolyticus*, (474) 165
Vimentin, (470) 198
Violaxanthin, (485) 168
Violaxanthin de-epoxidase, (481) 101
VIP36, (476) 32
Viper venom protease, (477) 199
Viral fusion, (477) 145
Viral hepatitis, (480) 132
Viral membrane protein, (482) 220
Viral replication center, (471) 215
Virion specific, (469) 191
Virus-like particle, (482) 261
Visna virus nucleocapsid protein, (476) 190
Vitamin, (475) 237
Vitronectin, (470) 40; (480) 169
Volatile aldehyde, (481) 183
Voltage clamp, (466) 327
Voltage gated, (466) 26; (470) 189
Voltage sensor, (479) 35
Voltage-gated calcium channel, (483) 125
Voltage-gated $Na^+$ channel, (466) 377
Volutin, (473) 203
Vomeronasal organ, (476) 179
VP1, (467) 359
v-Src, (474) 121

# W

Water coordination, (483) 21
Water oxidation, (467) 137; (477) 113
Water oxidizing complex, (475) 103
Water transport, (481) 293
Wavepacket, (466) 209
Wee1, (486) 305
Western blotting, (467) 249
Wingless, (474) 189
Wobbler mouse, (481) 227
Working stroke, (480) 293
Wortmannin, (465) 69; (469) 111; (473) 113
WSL-1, (485) 135
WW domain, (466) 377; (480) 55

# X

X chromosome, (478) 77
Xanthine dehydrogenase, (475) 93; (480) 84
Xanthine oxidase, (475) 93; (480) 84
Xanthophyll cycle, (471) 71; (481) 101
Xenobiotic, (486) 49
*Xenopus* egg extract, (466) 287; (484) 108
*Xenopus* kinesin-like protein 4, (486) 285
*Xenopus laevis*, (482) 37; (483) 27; (486) 29
*Xenopus laevis* oocyte, (470) 135; (475) 291
*Xenopus* oocyte, (466) 225, 351; (478) 246
X-linked mental retardation, (481) 285
X-ray crystallography, (465) 161; (468) 19; (471) 61
X-ray diffraction, (468) 23; (479) 141
X-ray structure, (472) 114
XRCC4, (478) 67
Xylanase, (482) 231
β1,2-Xylosyltransferase, (472) 105

# Y

Y-27632, (482) 85
YadQ, (466) 26
Yeast, (467) 22; (468) 28; (470) 107, 156, 232; (471) 113, 235; (473) 6, 177; (475) 237; (477) 193; (478) 267; (480) 37; (481) 13; (485) 19; (486) 300
Yeast *ERV1*, (477) 62
Yeast functional complementation, (475) 65
Yeast mitochondrion, (467) 145

Yeast two-hybrid, (467) 91; (470) 207; (481) 81; (484) 22
Yeast two-hybrid analysis, (478) 227
Yeast two-hybrid system, (484) 17
Yeast-expressed non-muscle actin, (476) 155
*Yersinia*, (465) 87; (482) 139
*Yersinia pestis*, (472) 22
YidC, (476) 229
Yin Yang 1, (467) 359
*YME1*, (478) 267
Yop, (482) 139
YopO, (482) 139
YpkA, (482) 139

# Z

70Z/3 Cbl, (470) 273
Zebrafish, (474) 5; (475) 287
Zellweger syndrome, (476) 42
Zervamicin, (466) 333
Zeste-white 3, (474) 189
Zf9/KLF6, (473) 95
Zinc finger domains, (476) 190
Zn(II), (473) 67
Zn(II) binding, (467) 189
Zymogen, (467) 165
Zymogram, (466) 317

# Notes to Authors

## Editorial Policy

*FEBS Letters* is an international journal established for the rapid publication of short reports in the field of biochemistry, biophysics and molecular cell biology. It provides a forum for reviews and research reports that merit urgent publication. *FEBS Letters* is published by Elsevier Science B.V. on behalf of the Federation of European Biochemical Societies.

Papers should be short, but complete and essentially final reports. *FEBS Letters* is not a vehicle for publications of preliminary or fragmentary observations, or for reports that are scientifically sound but do not warrant urgent publication, or that are only addressed to a specialized readership. As a rule, we do not publish the following: cloning and sequencing of a cDNA or a gene that has previously been reported for another species; conventionally achieved expression of a protein; incomplete NMR or other spectroscopic assignments; conventionally achieved crystallization of a protein; or just negative observations. Methodological papers are normally not published, unless they are truly novel and significant. The overriding criterion is that a paper must be of sufficient immediate importance to justify urgent publication

The subject area of *FEBS Letters* is broad. It covers biochemistry (including protein chemistry, enzymology, nucleic acid chemistry, metabolism, and immunochemistry) structural biology, biophysics, computational biology (genomics, proteonomics, bioinformatics), molecular genetics, molecular biology and molecular cell biology (signal transduction, intracellular traffic, regulation of cellular proliferation, cell-cell interactions). Studies on microbes, plants and animals *at the molecular level* are within the scope of *FEBS Letters*.

**Extensive information on FEBS Letters** including the contents of the journal is available **via the internet** at: http://www.elsevier.nl/febs. The full text of published papers is available, however, only to those who are affiliated with libraries that have a subscription to FEBS Letters. For more information on registration and site access, please see the internet address above.

The FEBS Letters web site also contains uncorrected proofs of papers in press. They are not intended for proof reading, but may provide a checkpoint for major errors. The main reason for the publication of preprints is that they provide authors and readers with the newest research in press.

## Submission Procedure

Please note that all articles must be submitted to the *FEBS Letters* Editorial Office at one of the following addresses:

**Courier address:**
*FEBS Letters* Editorial Office
European Molecular Biology Laboratory
Meyerhofstr. 1
D-69117 Heidelberg
Germany

**Postal address:**
*FEBS Letters* Editorial Office
European Molecular Biology Laboratory
Postfach 102209
D-69012 Heidelberg
Germany

E-mail: FEBS.letters@EMBL-Heidelberg.de
Fax: (49)-6221-387 592
Tel.: (49)-6221-387 386

Note that if the handling Editor requires revisions, the authors should submit the **revised** manuscript directly to the Editor.

**Papers must be submitted in English. Authors should include three self-addressed sticky labels and two extra copies of the title page and abstract with their manuscript to facilitate editorial handling, and provide their fax and telephone numbers, and email address on the title page to enable the Editor/Publisher to contact them on queries. Three copies of the paper should be submitted. The authors must also submit the paper in electronic form. This will accelerate the publication process and reduce the danger of misprints.**

Authors are also requested to provide the names and full addresses (including email) of 3 to 4 persons who are in the position to review their manuscript.

The 'date of receipt' appearing in the published paper will be the date when the Editor who actually handled the manuscript took receipt of it.

Submission of a paper to *FEBS Letters* implies that it has not been published in part nor is being considered elsewhere. We assume that the submitted manuscript is approved by all authors. If this assumption turns out to be incorrect, the manuscript will be considered withdrawn, and will not be published. Please note that our **rejection** procedure may take as long as in other journals. This is because the confirming opinion of a second Editor will always be obtained before the paper is actually rejected. Authors may not re-submit to other Editorial Board Members a paper that has already been rejected.

## Instructions for Electronic Submission

**IURL: http://www.tetsubmit.com/febssubmit/show/**

FEBSsubmit is an online submission environment. Authors can go to the website and upload their article as a Microsoft® Word® document.

The system generates an Adobe® Acrobat® PDF version of the article which is used for the reviewing process. Authors, reviewers and editors send and receive all correspondence by e-mail and no paper correspondence is necessary.

To upload your manuscript, you need:
1. A single file representing your complete article in MS® Word® 97 or MS® Word® 98 for Macintosh®
2. Adobe® Acrobat® Reader version 3.01 or higher.

## Introduction

FEBSsubmit is designed to allow authors to submit their manuscripts to FEBS Letters electronically. If you choose to submit electronically, do NOT submit hard copies of your manuscript unless requested to do so by the Editorial Office or the handling Editor.

The system has three basic elements:
1. Your submission must be in MS® Word® 6, MS® Word® 97, or MS® Word® 98 for Macintosh® format. FEBSsubmit then turns this file into a device- and platform-independent PDF file that can be approved by you online.
2. During the peer review process all manuscript transfers will be in PDF, because it is so easily readable and transferable. PDF-files can be read by using the free Acrobat browser.
3. Please follow the normal instructions for FEBS Letters manuscripts. One change for electronic submission, however, is that you must have your article in **one file.** Graphics should be embedded (pasted) into your work document, and not submitted as separate files.

## The submission steps

On the submission form you will be asked to fill in submission data and upload the file. After this, the PDF-converter will produce a PDF file, which you can view to see if everything is in order (please note that the article will have a different appearance in the journal). After this, please go through the various screens of FEBSsubmit, and duly follow the instructions.

## What happens after submission?

After you completed your submission, the FEBS Letters Editorial Office in Heidelberg will receive your article and submission data by e-mail. They will notify receipt within three working days. After an initial editorial screening, the office will then e-mail the article to one of the 30 editors for further handling of the paper.

Our production process requires original hard copy (i.e. printed on paper) artwork (line drawings, photographs). Therefore, if your manuscript is accepted for publication, you will be asked to send your article to the Editor in the usual way: by traditional mail with a hard-copy print of the text, and separate hard-copies of your figures suitable for direct reproduction, as well as a disk with your paper in Word.

The prime reason for this retrograde-seeming last step is that in most cases the artwork in electronic form will be of too low resolution for printers, who require 1200 dpi rather than the screen resolution of 72 dpi. We are working on a final electronic submission step for all source files.

This electronic peer review environment is expected to reduce the evaluation period an extra one to two weeks. In combination with the fast production time of one week, FEBS Letters will be able to publish manuscripts on-line within four weeks or less.

## Minireviews and Hypotheses

The Minireviews should be topical and of interest not only to specialists in the field but also to the general reader. Sufficient information should, therefore, be included in the Introduction to provide background to non-specialists. They should, as a rule, be not more than 2500 words in length, have preferably not more than 50 references and 3 figures or tables. They should contain at least one figure, scheme or table that illustrates a central aspect of the review. A short abstract (less than 100 words) and 4–6 key words should be included. The author(s) should use short descriptive subtitles. Papers labeled as 'Hypothesis' should present novel ideas or new interpretations of established observations, but should be based on sound data and avoid excessive speculation (please note that preliminary experiments cannot be published as a hypothesis). Personal views and snappy ideas can also be expressed in Minireviews that can even be provocative.

Since the majority of Minireviews and Hypotheses are now being solicited, authors wishing to submit such manuscripts should email the *FEBS Letters* Editorial Office prior to submission, providing a title and abstract of the article to be considered.

## Correspondence

Authors may submit Correspondence regarding manuscripts published in *FEBS Letters* or any other relevant matter. If submitted Correspondence directly criticizes a recent paper published in *FEBS Letters*, the authors of the original manuscript will be allowed to respond.

Correspondence should be limited to 4 typed, double-spaced pages of text and a maximum of one figure and 5 references. Correspondence should be written in the format of a letter, without an abstract and without defined Introduction, Material and Methods, Results, or Discussion sections. A short title, followed by the authors' names should be at the beginning of the Correspondence and the authors' affiliations should be placed in a footnote at the end of the text. *FEBS Letters* reserves the right to edit any submitted Correspondence for length and clarity.

## General Arrangement of Research Letters

The *first page* should carry the title, authors' names and affiliations (with full postal addresses, telephone and fax numbers, and E-mail address), an abstract, up to six specific key words and appropriate footnotes, indicating the corresponding author, and a list of abbreviations. The abstract should be less than 100

words and summarize the question being addressed and the pertinent findings; the key words should reflect significant factors of the investigation as a whole. On subsequent pages, the Introduction (1.) should be followed by numbered sections: 2. Materials and Methods, or 2. Experimental; 3. Results; 4. Discussion. When appropriate, Results and Discussion sections may be combined. Acknowledgements should precede References and not be included as a footnote. Figure legends and tables should appear on separate sheets after References.

**The length of the submitted manuscript should be such that the final printed version does not exceed 5 pages, including the figure legends, tables and references (ca. 16,000 characters or 3000 words)**. The Editors will only accept longer papers when there are compelling reasons. Any repetition of information in the text and figures should be avoided.

Manuscripts must be typewritten, double-spaced with wide margins, on one side of the paper only.

The *Title* should be a maximum of two printed lines in the journal (140 characters, including spaces). Active titles are preferred. Technical terms, such as 'cloning', 'expression', 'purification' and specialized abbreviations should be avoided. Titles should not be repetitive but state in a clear and concise manner the basis of the manuscript. The Editorial Office reserves the right to edit titles for length and clarity.

The original manuscript and figures, plus two complete copies, should be submitted to facilitate refereeing. Unless requested otherwise, only the top copy of the manuscript will be returned to the author if a paper is rejected.

Papers may be returned to authors for revision. Revised versions returned more than four weeks after receipt of reviewers' comments will be considered as resubmissions and will carry only the date of receipt of the revised version. Revised manuscripts should be submitted directly to the handling Editor.

The author(s) for correspondence and full postal address should be indicated in a footnote on the title page, along with e-mail address and telephone and fax numbers.

*Key words*: Authors are requested to consult the annual cumulative subject index of *FEBS Letters* or the list of subject headings from Index Medicus for preferred synonyms and standard abbreviations. A maximum of six key words should be selected and included with the submitted manuscript. American English spelling will be used and plural terms avoided where possible. The list submitted may be amended to ensure that index entries are consistent in the master index. General terms such as enzyme, membrane, etc. should not be used unless qualified, e.g. membrane phosphorylation, enzyme activation.

Example:
Game, S., Holman, G. and Eisenthal, R. (1986) FEBS Lett. 194, 126-130.
Title: Sugar transport in Trypanosoma brucei: a suitable kinetic probe
Key words: Sugar transport; D-Glucose; Anhydro-D-glucitol, 1,5-; Deoxy-D-glucose; Trypanosoma brucei

*Nomenclature and abbreviations*: Authors should follow internationally agreed rules as set out in "Biochemical Nomenclature and Related Documents" (A Compendium, 2nd edition, 1992) International Union of Biochemistry and Molecular Biology, published by Portland Press, London and Chapel Hill, UK. Abbreviations should be expanded in a footnote on the title page.

*Tables*: Tables should be used only when the data cannot be presented clearly in the text. Authors are requested to consult recent issues of *FEBS Letters* for the proper table layout. The heading of the table should make its general meaning understandable without reference to the text.

*References*: These will be numbered in square brackets, e.g. [7], or [11-13,17], in order of citation in the text. The list of references will be printed at the end of the paper. References to journal articles should contain the names and initials of all authors, year of publication in parentheses, abbreviation of the journal title according to current practice, volume number and inclusive page numbers. Articles may be cited as 'in press' only if a copy of the acceptance notice is supplied at the time of submission. References to books should include the names and initials of the author(s), year of publication, title of the book, name and initials of editor(s) in parentheses, volume, edition, inclusive page numbers, and name and location of the publisher. No part of the references should be underlined; 'and' should be used instead of '&'; authors' surnames should always be in lower case and precede authors' initials. Citations as 'unpublished' and 'personal communication' should be placed in the main text.

*As noted below, when preparing your manuscript, please do not use an automated referencing system.*

Examples of journals [1] and books [2,3]:
[1] Diller, R., Stockburger, M., Oesterhelt, D. and Tittor, J. (1987) FEBS Lett. 217, 297-304.
[2] Gomperts, B.D. and Fewtrell, C.M.S. (1985) in: Molecular Mechanisms of Transmembrane Signalling (Cohen, P. and Houslay, M.D., Eds.) Mol. Aspects Cell. Regul. vol. 4, pp. 377-409, Elsevier, Amsterdam, New York.
[3] Robson, B. and Garnier, J. (1986) Introduction to Proteins and Protein Engineering, Elsevier, Amsterdam, New York.

*Electronic Manuscript*: The publisher can use files produced with most commercial word-processing software (but ideally WordPerfect or Microsoft Word) preferably saved on a 3.5-inch 'floppy' disk. MS-DOS or Apple Macintosh systems are suitable, but in the latter case, do not use the options 'save in MS-DOS format', 'save as ASCII', or similar. These cause the formatting to be lost. Please do not split the article into separate files; only one text file (the complete article) should be on the disk.
Consistency in all operations is essential when preparing your manuscript. Some further guidelines follow:
- Do not use (or allow your word-processor to introduce) any of the following: hyphenation, justification, automated numbering of references or tracking changes.
- Avoid incorporating equations as 'pictures' or 'OLE objects' in the text. Please use the 'equation editor' provided by your word processing software.
- Authors should ensure that the digit '1' and the letter 'l' (also the digit '0' and the letter 'O') have been used properly. The letter X and the 'times' sign, the apostrophe and the prime, and the hyphen and 'en' dash are further sources of confusion. Please check these carefully.
- Any special characters (eg. umlauts, accents, Greek characters and mathematical symbols) should be used consistently throughout the text. Characters that you have difficulty reproducing should not be left as blanks, but should be replaced by another character (not used elsewhere in the text) and a key to such substitutions should be included as a note to the typesetter.
- Expressions in Latin (eg. in vivo, per se, vide supra) should not be italicized or underlined.

- Output from desktop publishing software contains extra coding which interferes with normal file processing. Such DTP output should be avoided.
- Please label the disk with the soft- and hardware used and the names of the files.

The electronic file must be the final, corrected version of the article, including all revisions, and must exactly match the printed version. Please pay particular attention to figures and references, any discrepancies between hardcopy and electronic file jeopardize the safe handling of your paper. The Publisher is under no obligation to use the submitted disk, but will make every attempt to ensure that it is used.

## Preparation of Figures

All figures should be designed to economize on space, and ideally should be made to fit one printed column (width 8 cm). They should be provided in the size they are going to eventually appear in print. Whenever possible, figures will be returned if this is requested when the manuscript is submitted.

Nucleic acid and deduced protein sequences are published only when there is a special need to do so; instead, database accession numbers should be given. Authors wishing to show detailed sequences, alignments, or other such figures may annex that data to the Web version of the article.

Original figures should be of sufficiently high quality with respect to detail, contrast, and sharpness. For detailed instructions regarding the production of high quality figures, please visit Elsevier's guide to electronic artwork at http://www.elsevier.nl/locate/authorartwork

Color reproduction: When these are essential to the understanding of a paper, figures may be reproduced in color. The price of a single printed full color page is Dfl. 750.00, exclusive of sales tax. Two, three or four full color pages in combination will cost Dfl. 500.00 per page plus sales tax.

For electronic versions of figures, please note the following:
- Do not use screen images from, for example, the internet. These are of the wrong format and are of insufficient resolution.
- Avoid embedding images in the text file. Images should always be enclosed as separate files.
- Always include a high-quality hardcopy of the figure with the manuscript.
- Avoid formats such as: GIF, BMP, PICT, WPG and DOC.
- Acceptable file formats are: EPS, JPEG and TIFF. For EPS files, always enclose the font; for JPEG color and grayscale files, 300dpi is a minimum resolution (for JPEG combination files, or line pictures, 500dpi is required); for TIFF files, a minimum of 600dpi is required, and more may be necessary for very fine reproduction.
- Color images should always be CMYK, not RGB.
- For specific enquiries on the preparation of electronic artwork, consult http://www.elsevier.com/locate/authorartwork/

## Publication of Macromolecular Structures

*FEBS Letters* recognizes the guidelines and recommendations made by the International Union of Crystallography. We wish to ensure that structural data are deposited and freely available for the scientific community. All publications that describe macromolecular three-dimensional structures at the level of atomic positions must be accompanied by deposition of atomic coordinates and preferably also structure-factor amplitudes in the appropriate database (PDB or NDP). In the case of low-resolution structures, a set of C• positions may be sufficient. An article that reports a three-dimensional structure will not be finally accepted until the relevant entry codes have been provided. The authors are urged to release the atomic parameters immediately after the publication date. If a delay in their release is requested (not longer than six months), the authors need to follow the policies imposed by the database managers.

## Ethics of Experimentation

In scientific investigations involving humans, the steps taken to avoid unjustified risk or discomfort should be stated. These should include peer review of the proposed investigation and informed consent by the subjects being investigated. Similarly, the steps taken to protect animals from pain should be stated explicitly.

## Proofs

Proofreading is the publisher's responsibility. Therefore, typescripts should be carefully checked before submission to obviate alterations after acceptance. **Only when specifically requested on the title page at the time of submission and endorsed by the accepting Editor on the acceptance form, will proofs be faxed to the authors to check for minor errors; response within 24 hours is a MUST.**
*If the authors wish to introduce extensive changes (at the issue manager's discretion) the proofs will be sent to the accepting Editor and be treated as a revised version. Amendments requiring this extra procedure at the proof stage may thus delay the appearance of the paper by some weeks.*
As noted on the FEBS Letters homepage, http://www.elsevier.nl/febs, copies of articles in press are uncorrected, and are not intended the proofing purposes. By the time prepress proofs are posted on the site, the correction process is already underway. In due course these proofs are replaced with the printed version.

## Requests for Permission to Reproduce Material from Published Articles

Authors who wish to reproduce figures, tables and text from articles published in FEBS Letters for non-commercial purposes may do so, providing the original publication is acknowledged accordingly and the authors' approval is obtained. No special permission is needed from either the Publisher or the Managing Editor for this.

## Reprints

Upon acceptance of a paper the submitting author will receive an order form on which all authors' reprints of that article may be ordered, including the 50 free reprints. In addition, the author should supply missing or supplementary material as requested. The intact reprint order form should be returned as soon as possible to: FEBS Letters, Log-In Dept., Elsevier Science BV, PO Box 2759, 1000 CT Amsterdam, the Netherlands.

## Publication Matters

Address all queries concerning **accepted** manuscripts to: FEBS Letters, Log-In Dept., Elsevier Science BV, PO Box 2759, 1000 CT Amsterdam, The Netherlands (Fax: (31)-20-485 3271; e-mail: m.bouayad@elsevier.nl), specifying the Editor's code and manuscript number.

*Press releases*: Authors who wish to issue a press release on some of their material which has been accepted by us, can do so whenever they want to. However, the best time for a press release is after completion of the typesetting of the issue, i.e., usually about two weeks before the dispatch date. Only then is the correct and complete reference known. The initiative of a press release may be taken by the handling Editor, who will get in touch with the authors and with the Managing Editor for this purpose.

## Other enquiries

For enquiries relating to the status of accepted articles through our Online Article Status Information System (OASIS), author Frequently Asked Questions and any other enquiries relating to Elsevier Science, please consult http://www.elsevier.com/locate/authors/

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

## Sequence Data Submission and Accession Numbers

Authors must be aware that all new nucleotide sequence data must be submitted together with a completed data submission form to the EMBL Nucleotide Sequence Database. The database accession-number is included in the manuscript.

Nucleotide sequence data reported in FEBS Letters with an EMBL Nucleotide Sequence Database accession number can be retrieved electronically by sending commands to a File Server at the European Bioinformatics Institute (NETSERV@EBI.AC.UK).

Copyright © 1996-2000, Federation of European Biochemical Societies. All rights reserved.

# FEBS *Letters*

**Published weekly.** **Printed in The Netherlands.**

The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

Elsevier Science B.V., PO Box 211, 1000 AE Amsterdam, The Netherlands

FEBS
# Letters

*Cited in: Biological Abstracts; Chemical Abstracts; Current Contents/Life Sciences; Elsevier BIOBASE/Current Awareness in Biological Sciences; EMBASE/Excerpta Medica; Index Medicus; PASCAL M; Reference Update*

Contents

## Master Index Volumes 465–486 (2000)

Master Author Index 1

Master Subject Index 63

Notes to Authors 95

0014-5793(2001)465/486*;1-J

Extensive information on FEBS Letters is now available via internet. The address is: http://www.elsevier.nl/locate/febslet (for N. America: http://www.elsevier.com/locate/febslet).


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0